

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Rose
UFI	: 2FJ1-H24E-800J-NY7M
Product code	: CC-13006
Type of product	: Perfumes, fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number	: 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086
------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

GHS09

Signal word (CLP)

: Danger

Hazardous ingredients

: Amyl cinnamic aldehyde; Geraniol; Clove leaf oil ; Eugenol; Citronellol Pure; Lemon oil ;
Phenylethyl acetate; Triplal (Vertocitral); Geranium oil Egyptian ; 7-Octen-1-ol, 3,7-dimethyl-, (S)-

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol	(CAS-No.) 60-12-8 (EC-No.) 200-456-2 (REACH-no) 01-2119963921-31	5.677 – 11.402	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	2.48 – 4.97	Aquatic Chronic 3, H412
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	2.32 – 4.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Diphenyl oxide	(CAS-No.) 101-84-8 (EC-No.) 202-981-2 (REACH-no) 01-2119472545-33	2.26 – 4.52	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	1.69 – 3.39	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Phenylethyl acetate	(CAS-No.) 103-45-7 (EC-No.) 203-113-5 (REACH-no) 01-2119976340-38	1.02 – 2.04	Eye Dam. 1, H318
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (REACH-no) 01-2119552430-49	0.725 – 1.45	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Amyl cinnamic aldehyde	(CAS-No.) 122-40-7 (EC-No.) 204-541-5;453-530-3	0.68 – 1.36	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Dimethyl octanol	(CAS-No.) 106-21-8 (EC-No.) 203-374-5 (REACH-no) 01-2119955073-40	0.565 – 1.13	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Geranium oil Egyptian	(CAS-No.) 8000-46-2 (EC-No.) 290-140-0 (REACH-no) 01-2120769423-50	0.455 – 0.91	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.17 – 0.34	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Clove leaf oil	(CAS-No.) 8000-34-8 (EC-No.) 616-772-2	0.1167 – 0.247	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
7-Octen-1-ol, 3,7-dimethyl-, (S)-	(CAS-No.) 6812-78-8 (EC-No.) 229-887-4	0.085 – 0.238	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Cedarwood oil, Texas	(CAS-No.) 68990-83-0 (EC-No.) 294-461-7;614-888-8	0.115 – 0.23	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Rose oxide	(CAS-No.) 16409-43-1 (EC-No.) 240-457-5	0.115 – 0.23	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361
Lemon oil	(CAS-No.) 8008-56-8 (EC-No.) 284-515-8;616-925-3	0.115 – 0.23	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
Limit value (mg/m ³)	62 mg/m ³
Limit value (ppm)	10 ppm
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m ³)	61 mg/m ³
Grænsevædi (8 timer) (ppm)	10 ppm
Ireland - Occupational Exposure Limits	
OEL (8 hours ref) (ppm)	10 ppm

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl acetate (140-11-4)	
OEL (15 min ref) (ppm)	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (mg/m ³)	5 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA (ppm)	10 ppm
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA (mg/m ³)	50 mg/m ³
OEL TWA (ppm)	8 ppm
OEL STEL (mg/m ³)	80 mg/m ³
OEL STEL (ppm)	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (mg/m ³)	62 mg/m ³
VLA-ED (ppm)	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Diphenyl oxide (101-84-8)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m ³)	7 mg/m ³
IOELV TWA (ppm)	1 ppm
IOELV STEL (mg/m ³)	14 mg/m ³
IOELV STEL (ppm)	2 ppm
Austria - Occupational Exposure Limits	
MAK (mg/m ³)	7 mg/m ³
MAK (ppm)	1 ppm
MAK Short time value (mg/m ³)	14 mg/m ³
MAK Short time value (ppm)	2 ppm
Belgium - Occupational Exposure Limits	
Limit value (mg/m ³)	7 mg/m ³ (vapor)
Limit value (ppm)	1 ppm (vapor)
Short time value (mg/m ³)	14 mg/m ³ (vapor)
Short time value (ppm)	2 ppm (vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)	
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m ³)	7 mg/m ³
GVI (granična vrijednost izloženosti) (ppm)	1 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	14 mg/m ³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	2 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m ³)	5 mg/m ³
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m ³)	7 mg/m ³
Grænsevædi (8 timer) (ppm)	1 ppm
Estonia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m ³)	7 mg/m ³
HTP-arvo (8h) (ppm)	1 ppm
HTP-arvo (15 min)	14 mg/m ³
HTP-arvo (15 min) (ppm)	2 ppm
France - Occupational Exposure Limits	
VME (mg/m ³)	7 mg/m ³
VME (ppm)	1 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m ³)	7.1 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Occupational exposure limit value (ppm)	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Gibraltar - Occupational Exposure Limits	
Eight hours mg/m ³	7 mg/m ³
Eight hours ppm	1 ppm
Short-term mg/m ³	14 mg/m ³
Short-term ppm	200 ppm
Greece - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)	
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Hungary - Occupational Exposure Limits	
AK-érték	7 mg/m ³
CK-érték	14 mg/m ³
Ireland - Occupational Exposure Limits	
OEL (8 hours ref) (mg/m ³)	7 mg/m ³ (vapour)
OEL (8 hours ref) (ppm)	1 ppm (vapour)
OEL (15 min ref) (mg/m ³)	14 mg/m ³ (vapour)
OEL (15 min ref) (ppm)	2 ppm (vapour)
Latvia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
Lithuania - Occupational Exposure Limits	
IPRV (mg/m ³)	7 mg/m ³
IPRV (ppm)	1 ppm
TPRV (mg/m ³)	14 mg/m ³
TPRV (ppm)	2 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Malta - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m ³)	7 mg/m ³
Grenswaarde TGG 15MIN (mg/m ³)	14 mg/m ³
Poland - Occupational Exposure Limits	
NDS (mg/m ³)	7 mg/m ³
NDSch (mg/m ³)	14 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm (vapor)
OEL STEL (mg/m ³)	14 mg/m ³ (indicative limit value)
OEL STEL (ppm)	2 ppm (indicative limit value-vapor)

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)	
Romania - Occupational Exposure Limits	
OEL TWA (mg/m ³)	5 mg/m ³
OEL TWA (ppm)	0.7 ppm
OEL STEL (mg/m ³)	10 mg/m ³
OEL STEL (ppm)	1.4 ppm
Slovakia - Occupational Exposure Limits	
NPHV (priemerná) (mg/m ³)	7 mg/m ³
NPHV (priemerná) (ppm)	1 ppm
NPHV (Hraničná) (mg/m ³)	7.1 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m ³)	14 mg/m ³
OEL STEL (ppm)	2 ppm
Spain - Occupational Exposure Limits	
VLA-ED (mg/m ³)	7.1 mg/m ³ (vapor)
VLA-ED (ppm)	1 ppm (vapor)
VLA-EC (mg/m ³)	14.2 mg/m ³ (vapor)
VLA-EC (ppm)	2 ppm (vapor)
Sweden - Occupational Exposure Limits	
nivågränsvärde (NVG) (mg/m ³)	7 mg/m ³
nivågränsvärde (NVG) (ppm)	1 ppm
kortidsvärde (KTV) (mg/m ³)	14 mg/m ³
kortidsvärde (KTV) (ppm)	2 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m ³)	7.1 mg/m ³ (vapour)
WEL TWA (ppm)	1 ppm (vapour)
WEL STEL (mg/m ³)	21.3 mg/m ³ (calculated-vapour)
WEL STEL (ppm)	3 ppm (calculated-vapour)
Norway - Occupational Exposure Limits	
Grenseverdier (AN) (mg/m ³)	7 mg/m ³
Grenseverdier (AN) (ppm)	1 ppm
Grenseverdier (Korttidsverdi) (mg/m ³)	14 mg/m ³ (value calculated)
Grenseverdier (Korttidsverdi) (ppm)	2 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (mg/m ³)	7 mg/m ³ (aerosol, vapour)
MAK (ppm)	1 ppm (aerosol, vapour)
KZGW (mg/m ³)	7 mg/m ³ (aerosol, vapour)
KZGW (ppm)	1 ppm (aerosol, vapour)
OEL chemical category (CH)	Category 2 developmental toxin, Category 2 reproductive toxin

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)

USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (ppm)	1 ppm (vapor)
ACGIH STEL (ppm)	2 ppm (vapor fraction)

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 0.96
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Phenylethyl alcohol (60-12-8)

LD50 oral rat	1609 mg/kg
LD50 oral	1610 mg/kg bodyweight
LD50 dermal rabbit	2535 mg/kg
LD50 dermal	2500 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 4.63 mg/l/4h

Benzyl acetate (140-11-4)

LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Citronellol Pure (106-22-9)

LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight

Diphenyl oxide (101-84-8)

LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg bodyweight

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	> 7940 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.5 mg/l/4h

Eugenol (97-53-0)

LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight

Phenylethyl acetate (103-45-7)

LD50 oral rat	3670 mg/kg
LD50 oral	2500 mg/kg bodyweight

Geraniol (106-24-1)

LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg

Amyl cinnamic aldehyde (122-40-7)

LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Dimethyl octanol (106-21-8)

LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	2400 mg/kg
LD50 dermal	2400 mg/kg bodyweight

Geranium oil Egyptian (8000-46-2)

LD50 dermal	2500 mg/kg bodyweight
-------------	-----------------------

Triplal (Vertocitral) (68039-49-6)

LD50 oral	3900 mg/kg bodyweight
-----------	-----------------------

Lemon oil (8008-56-8)

LD50 oral rat	2840 mg/kg
---------------	------------

Rose oxide (16409-43-1)

LD50 oral rat	4300 mg/kg
LD50 oral	4300 mg/kg bodyweight

Clove leaf oil (8000-34-8)

LD50 oral rat	1370 mg/kg
LD50 oral	2650 mg/kg bodyweight
LD50 dermal rabbit	1200 mg/kg
LD50 dermal	2500 mg/kg bodyweight

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7-Octen-1-ol, 3,7-dimethyl-, (S)- (6812-78-8)

LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Benzyl acetate (140-11-4)

IARC group	3 - Not classifiable
------------	----------------------

Eugenol (97-53-0)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Phenylethyl alcohol (60-12-8)

EC50 Daphnia 1	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	490 mg/l (Species: Desmodesmus subspicatus)

Eugenol (97-53-0)

LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-------------	--

Geraniol (106-24-1)

LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
-------------	---

12.2. Persistence and degradability

Rose CC-13006

Persistence and degradability	Not established.
-------------------------------	------------------

Geranium oil Egyptian (8000-46-2)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cedarwood oil, Texas (68990-83-0)

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Rose CC-13006

Bioaccumulative potential	Not established.
---------------------------	------------------

Phenylethyl alcohol (60-12-8)

Partition coefficient n-octanol/water (Log Pow)	1.38 (at 25 °C)
---	-----------------

Benzyl acetate (140-11-4)

Partition coefficient n-octanol/water (Log Pow)	1.96
---	------

Diphenyl oxide (101-84-8)

BCF fish 1	470
------------	-----

Partition coefficient n-octanol/water (Log Pow)	4.2
---	-----

Geranium oil Egyptian (8000-46-2)

Bioaccumulative potential	Not established.
---------------------------	------------------

Cedarwood oil, Texas (68990-83-0)

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyl oxide), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyl oxide), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Diphenyl oxide), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III


14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

Inland waterway transport

Classification code (ADN)	: M6
---------------------------	------

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on
3(a)	Lemon oil
3(b)	Rose CC-13006 ; Amyl cinnamic aldehyde ; Dimethyl octanol ; Geraniol ; Cedarwood oil, Texas ; Clove leaf oil ; Eugenol ; Citronellol Pure ; Rose oxide ; Lemon oil ; Phenylethyl acetate ; Phenylethyl alcohol ; Triplal (Vertocitral) ; Geranium oil Egyptian ; 7-Octen-1-ol, 3,7-dimethyl-, (S)-
3(c)	Rose CC-13006 ; Amyl cinnamic aldehyde ; Benzyl acetate ; Dimethyl octanol ; Cedarwood oil, Texas ; Lemon oil ; Triplal (Vertocitral) ; Geranium oil Egyptian
40.	Lemon oil

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Cedarwood oil, Texas ,Lemon oil ,Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Lemon oil ,Triplal (Vertocitral) are listed

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

Rose CC-13006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.