Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/9/2020

ANDLECRAFT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Type 6 - FB
UFI	: FVS3-536X-A005-U63X
Product code	: CC-13014
Type of product	: Perfumes, fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category
Industrial/Professional use spec

: Industrial use, Professional use
: For professional use only
Industrial
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Hazardous ingredients

: Linalool; Linalyl acetate; Iso E Super; 2-Hydroxybenzoic acid, benzyl ester; Benzyl benzoate

Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	25.3 – 45.3	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	2.575 – 5.15	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	2.275 – 4.55	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	(CAS-No.) 28219-60-5 (EC-No.) 248-907-2	2-4	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
beta-lonone	(CAS-No.) 14901-07-6 (EC-No.) 238-969-9	1.825 – 3.65	Aquatic Chronic 2, H411
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	1.565 – 3.13	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene brassylate	(CAS-No.) 105-95-3 (EC-No.) 203-347-8 (REACH-no) 01-2119967772-24	1.425 – 2.85	Aquatic Chronic 2, H411
Cedramber	(CAS-No.) 19870-74-7 (EC-No.) 243-384-7	1.375 – 2.75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	0.85 – 1.7	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.75 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

(CAS-No.) 10339-55-6	0.725 – 1.45	Skin Irrit. 2, H315
(EC-No.) 233-732-6		Eye Irrit. 2, H319
(REACH-no) 01-2119969272-32		
(CAS-No.) 121-33-5	0.65 – 1.3	Eye Irrit. 2, H319
(EC-No.) 204-465-2		
(REACH-no) 01-2119516040-60		
(CAS-No.) 121-32-4	0.5 – 1	Eye Irrit. 2, H319
(EC-No.) 204-464-7		
(REACH-no) 01-211958961-24		
(CAS-No.) 1205-17-0	0.125 – 0.25	Skin Sens. 1B, H317
(EC-No.) 214-881-6		Aquatic Chronic 2, H411
(REACH-no) 01-2120740119-58		
(CAS-No.) 5989-27-5	0.125 – 0.25	Flam. Liq. 3, H226
(EC-No.) 227-813-5		Skin Irrit. 2, H315
(EC Index-No.) 601-029-00-7		Skin Sens. 1, H317
(REACH-no) 01-2119493353-35		Asp. Tox. 1, H304
		Aquatic Acute 1, H400
		Aquatic Chronic 1, H410
(CAS-No.) 91-64-5	0.1 – 0.2	Acute Tox. 3 (Oral), H301
(EC-No.) 202-086-7		Acute Tox. 3 (Dermal), H311
(REACH-no) 01-2119943756-26		Acute Tox. 3 (Inhalation), H331
		Skin Sens. 1, H317
		Aquatic Chronic 2, H411
	(EC-No.) 233-732-6 (REACH-no) 01-2119969272-32 (CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60 (CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24 (CAS-No.) 1205-17-0 (EC-No.) 214-881-6 (REACH-no) 01-2120740119-58 (CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35 (CAS-No.) 91-64-5 (CAS-No.) 202-086-7	(EC-No.) $233-732-6$ (REACH-no) $01-2119969272-32$ 0.65 - 1.3(CAS-No.) $121-33-5$ (EC-No.) $204-465-2$ (REACH-no) $01-2119516040-60$ $0.65 - 1.3$ (CAS-No.) $121-32-4$ (EC-No.) $204-464-7$ (REACH-no) $01-211958961-24$ $0.5 - 1$ (CAS-No.) $1205-17-0$ (EC-No.) $214-881-6$ (REACH-no) $01-2120740119-58$ $0.125 - 0.25$ (CAS-No.) $5989-27-5$ (EC-No.) $227-813-5$ (EC Index-No.) $601-029-00-7$ (REACH-no) $01-2119493353-35$ $0.125 - 0.25$ (CAS-No.) $91-64-5$ (EC-No.) $202-086-7$ $0.1 - 0.2$

Full text of H-statements: see section 16

: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs. Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention.
: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
 Rinse mouth. Call a poison center or a doctor if you feel unwell. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.
cts, both acute and delayed
 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Eye irritation. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Sand. : Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands thoroughly after handling.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters d-Limonene (5989-27-5) **Finland - Occupational Exposure Limits** HTP-arvo (8h) (mg/m3) 140 mg/m³ 25 ppm HTP-arvo (8h) (ppm) HTP-arvo (15 min) 280 mg/m³ HTP-arvo (15 min) (ppm) 50 ppm Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Occupational exposure limit value (ppm) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization **Slovenia - Occupational Exposure Limits** OEL TWA (mg/m³) 28 mg/m³ OEL TWA (ppm) 5 ppm OEL STEL (mg/m³) 112 mg/m³ OEL STEL (ppm) 20 ppm OEL chemical category (SI) Potential for cutaneous absorption **Spain - Occupational Exposure Limits** VLA-ED (mg/m³) 168 mg/m³ VLA-ED (ppm) 30 ppm OEL chemical category (ES) Sensitizer, skin - potential for cutaneous absorption **Norway - Occupational Exposure Limits** Grenseverdier (AN) (mg/m³) 140 mg/m³ Grenseverdier (AN) (ppm) 25 ppm Grenseverdier (Korttidsverdi) (mg/m3) 175 mg/m³ (value calculated) Grenseverdier (Korttidsverdi) (ppm) 37.5 ppm (value calculated) OEL chemical category (NO) Sensitizing substance

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
Switzerland - Occupational Exposure Limits	
MAK (mg/m³)	40 mg/m ³
MAK (ppm)	7 ppm
KZGW (mg/m³)	80 mg/m ³
KZGW (ppm)	14 ppm
OEL chemical category (CH)	Sensitizer

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available

Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties	 No data available Not applicable No data available No data available 1 No data available
Oxidising properties Explosive limits	No data availableNo data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
Type 6 - FB CC-13014		
ATE CLP (oral)	1079.914 mg/kg bodyweight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 oral	5000 mg/kg bodyweight
Ethyl vanillin crystals (121-32-4)	

1590 mg/kg
3000 mg/kg bodyweight

Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg

Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Coumarin crystals (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Potential adverse human health effects and : symptoms	Harmful if swallowed. Based on available data, the classification criteria are not met.

12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, short-term (acute)	. NOT Classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LC50 fish 1	24 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LC50 fish 1	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)			
LC50 fish 1 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) NOEC (chronic) 0.168 mg/l			
			·
Hexamethylindanopyran (1222-05-5)			
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682		
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 Daphnia 2 260 µg/I REACH Dossier			
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier		

12.2. Persistence and degradability

Type 6 - FB CC-13014	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

Type 6 - FB CC-13014	
Bioaccumulative potential	Not established.
Venillin (424-22-5)	

Vaninin (121-55-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN


14.1. UN number	
UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR	

Transport hazard class(es) (ADR) Danger labels (ADR)


Transport hazard class(es) (IMDG)

Danger labels (IMDG)





: 9



ΙΑΤΑ

IMDG


Transport hazard class(es) (IATA) Danger labels (IATA)

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Air transport

PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y964
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	964
PCA max net quantity (IATA)	:	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)	:	450L
Special provisions (IATA)	:	A97, A158, A197
ERG code (IATA)	:	9L
Inland waterway transport		
Classification code (ADN)	:	M6
Special provisions (ADN)	:	274, 335, 375, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:				
Reference code	ode Applicable on			
3(a)	d-Limonene			
3(b)	Type 6 - FB CC-13014 ; Helional ; Linalool ; d-Limonene ; 3,7-Dimethyl-1,6-nonadien-3-ol ; Linalyl acetate ; Iso E Super ; Cedramber ; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; 2-Hydroxybenzoic acid, benzyl ester ; Benzyl benzoate			
3(c)	Type 6 - FB CC-13014 ; Helional ; d-Limonene ; Iso E Super ; Cedramber ; Ethylene brassylate ; Hexamethylindanopyran ; beta-lonone ; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; 2-Hydroxybenzoic acid,benzyl ester ; Benzyl benzoate			
40.	d-Limonene			

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany	
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information	: None.	
Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	

H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.