Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture Product name Type 2 - JT at 10% in DPG ÷ Product code CC-13021-10% • Type of product Perfumes, fragrances : Product group Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Industrial/Professional use spec : Industrial For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de 1.4. Emergency telephone number No additional information available **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Signal word (CLP):Hazard statements (CLP):H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP):Precautionary statements (CLP):P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:EUH-statements:: <th></th> <th></th>		
Hazard statements (CLP): H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP): P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statements: EUH208 - Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil,	Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]
Precautionary statements (CLP) : P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil,	Signal word (CLP)	: -
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil,	Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
accordance with local, regional, national and/or international regulation. EUH-statements EUH208 - Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil,	Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	EUH-statements	accordance with local, regional, national and/or international regulation. EUH208 - Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil,

2.3. Other hazards

2.2. Label elements

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.8975 – 3.795	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	0.4575 – 0.915	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.18 – 0.36	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.13 – 0.26	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.125 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.1075 – 0.215	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.0875 – 0.175	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2;286-249- 8;616-775-9 REACH-no: 01-2119978250- 37	0.0725 – 0.145	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.07 – 0.14	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.065 – 0.13	Skin Sens. 1B, H317

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medic	al attention and special treatment needed	

No additional information available

Protection during firefighting

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	

: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	ve equipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		and cleaning up
	Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
	6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m ³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90)0)	
AGW (OEL TWA) [1]	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m ³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m ³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m ³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and cl	hemical properties	
Physical state	: Liquid	
Colour	: Standard.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 93 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Not established.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11. Toxicological information		
SECTION 11: Toxicological information		
11.1 Information on toxicological effects		

	-
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Lavandin oil (8022-15-9)		
LD50 oral rat	> 5 g/kg	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Eucalyptus oil (8000-48-4)		
LD50 oral rat	2480 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
	Not classified Based on available data, the classification criteria are not met	
	Not classified	
	Based on available data, the classification criteria are not met	
	Not classified	
Additional information : Germ cell mutagenicity :	Based on available data, the classification criteria are not met Not classified	
	Based on available data, the classification criteria are not met	
•		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carcinogenicity Additional information		Not classified Based on available data, the classification criteria are not met
d-Limonene (5989-27-5)		
IARC group		3 - Not classifiable
Reproductive toxicity	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
STOT-single exposure	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
STOT-repeated exposure	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
Aspiration hazard	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/I REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Vertenex (32210-23-4)		
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
12.2. Persistence and degradability		
Type 2 - JT CC-13021 at 10% in DPG		
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Eucalyptus oil (8000-48-4)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Type 2 - JT CC-13021 at 10% in DPG		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Eucalyptus oil (8000-48-4)		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	
SECTION 13: Disposal considerations		

13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number		
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable 	
14.2. UN proper shipping name		
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	 No No No supplementary information available
14.6. Special precautions for user	
Overland transport Not applicable	
Transport by sea Not applicable	
Air transport Not applicable	
Inland waterway transport Not applicable	
Rail transport Not applicable	
14.7. Transport in bulk according to Ar	nnex II of Marpol and the IBC Code
Not applicable	
SECTION 15: Regulatory information	on
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	d-Limonene ; Eucalyptus oil	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3(b)	Hexyl cinnamic aldehyde ; Vertenex ; d-Limonene ; Eucalyptus oil ; Lavandin oil ; Linalyl acetate ; Linalool ; Benzyl benzoate	
3(c)	Type 2 - JT CC-13021 at 10% in DPG ; Hexyl cinnamic aldehyde ; d-Limonene ; Eucalyptus oil ; Lavandin oil ; Benzyl benzoate ; Hexamethylindanopyran	
40. d-Limonene ; Eucalyptus oil		

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Connarry		
Employment restrictions	:	Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	:	WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)		Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	Eucalyptus oil is listed
SZW-lijst van mutagene stoffen	:	Eucalyptus oil is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen –	:	None of the components are listed
Vruchtbaarheid		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Classification remarks	:	Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	:	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland		
Storage class (LK)	:	LK 10/12 - Liquids
15.2. Chemical safety assessment		

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Hexyl cinnamic aldehyde, Vertenex, d-Limonene, Eucalyptus oil, Lavandin abrialis oil, Linalyl acetate, Linalool. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.