Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/22/2022

CandleCraft

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Jammy Time Type CC-13021
UFI	: 111X-0800-H00P-H26F
Product code	: CC-13021
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Contains	 Benzyl benzoate, Lavandin abrialis oil, Hexyl salicylate, Hexyl cinnamic aldehyde, Linalyl acetate, Linalool, Eucalyptus oil, d-Limonene, Vertenex, Patchouli oil, Cyclamal, Coumarin crystals
Hazard statements (CLP)	 H302 - Harmful if swallowed. H304 - May be fatal if swallowed and enters airways. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P331 - Do NOT induce vomiting. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	18.975 – 37.95	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	4.575 – 9.15	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Veltol plus crystals	CAS-No.: 4940-11-8 EC-No.: 225-582-5	2.1 – 4.2	Acute Tox. 4 (Oral), H302
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	1.8 – 3.6	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	1.5 – 3	Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.7375 – 2.95	Eye Irrit. 2, H319
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.3 – 2.6	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.25 – 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.075 – 2.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Patchone crystals	CAS-No.: 98-52-2 EC-No.: 202-676-4	1.075 – 2.15	Eye Irrit. 2, H319
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.05 – 2.1	Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.875 – 1.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2;286-249- 8;616-775-9 REACH-no: 01-2119978250- 37	0.725 – 1.45	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.7 – 1.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.65 – 1.3	Skin Sens. 1B, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.6 – 1.2	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.43975 – 1.145	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.5 – 1	Eye Irrit. 2, H319

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cis-3-Hexenyl salicylate	CAS-No.: 65405-77-8 EC-No.: 265-745-8	0.35 – 0.7	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Coumarin crystals	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.35 – 0.7	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.20035 – 0.407	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.125 – 0.25	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Acute Tox. 2 (Inhalation), H330

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. May cause an allergic skin reaction. Causes serious eye irritation. Eye irritation. Swallowing a small quantity of this material will result in serious health hazard. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	uipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contain	ment and cleaning up
For containment Methods for cleaning up	 Collect spillage. Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packaging materials

: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)	
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	140 mg/m³
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m³
HTP (OEL STEL) [ppm]	50 ppm
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA) [1]	28 mg/m $^{\rm s}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m³
OEL TWA [ppm]	5 ppm
OEL STEL	112 mg/m³
OEL STEL [ppm]	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	168 mg/m³
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m ³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
OEL chemical category	Sensitizer

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment. Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour : Liquid

: Standard. light yellow. amber.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour Odour threshold	: characteristic. : No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	No data available
Boiling point	: No data available
Flash point	: 91 °C (closed cup) ASTM D7094
Auto-ignition temperature	No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.06
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Harmful if swallowed.Not classifiedNot classified
Jammy Time Type CC-13021	
ATE CLP (oral)	1076.798 mg/kg bodyweight

Safety Data Sheet

LDS0 oral rat 500 mg/kg bodyweight LDS0 demal rabbit 4000 mg/kg bodyweight LDS0 demal rabbit 4000 mg/kg bodyweight LDS0 demal rabbit 4000 mg/kg bodyweight LDS0 demal rabbit > 5 g/kg Veltol plus crystals (4940-11-8) 1190 mg/kg bodyweight LDS0 oral rat 1190 mg/kg bodyweight LDS0 oral rat 1500 mg/kg bodyweight LDS0 oral rat 1500 mg/kg bodyweight LDS0 oral rat 5000 mg/kg bodyweight LDS0 oral rat 5000 mg/kg ACETYL HEXAMETHYL TETRALIN (21145-777-7 LDS0 oral rat 570 mg/kg LDS0 oral rat 570 mg/kg LDS0 oral rat 570 mg/kg LDS0 oral rat 5 500 mg/kg LDS0 oral rat > 5000 mg/kg 24sobutyL-4-methyltotrahydro-2H-byran-4-ot (6550-71-0) LDS0 oral rat > 100 mg/kg bodyweight LDS0 oral rat 3100 mg/kg bodyweight LDS0 oral rat 3100 mg/kg bodyweight	Benzyl benzoate (120-51-4)		
LD80 demal rabbit4000 mg/kgLD80 demal4000 mg/kg bodyweightLD80 oral rat> 5 g/kgVeitol plus crystals (4940-11-8)1500 mg/kgLD80 oral rat1500 mg/kgLD80 oral rat1500 mg/kgLD80 oral rat5700 mg/kgLD80 oral rat570 mg/kgLD80 oral rat5 g/kgEthylene brassylate (105-95-3)LD80 oral rat> 5000 mg/kgLD80 oral rat> 3000 mg/kgLD80 oral rat> 3000 mg/kgLD80 oral rat> 3000 mg/kgLD80 oral rat> 3250 mg/kgLD80 oral rat> 3250 mg/kgLD80 oral rat> 3250 mg/kgLD80 oral rat> 3250 mg/kgLD80 oral rat> 4650 mg/kgLD80 oral rat> 4000 mg/kgLD80 oral rat> 4000 mg/kgLD80 oral rat	LD50 oral rat	500 mg/kg	
LDSG darmal 4000 mg/kg bodyweight LDSG oral rat > 5 g/kg Velto Juis crystals (4940-11-8) 1150 mg/kg LDSG oral rat 1150 mg/kg bodyweight LDSG oral rat 1150 mg/kg bodyweight LDSG oral rat 1150 mg/kg LDSG oral rat 5000 mg/kg bodyweight LDSG oral ratbl > 5000 mg/kg bodyweight LDSG oral ratbl 5000 mg/kg bodyweight LDSG oral rat 5000 mg/kg bodyweight LDSG oral rat 5000 mg/kg LDSG oral rat > 2000 mg/kg LDSG oral rat > 3000 mg/kg LDSG oral rat > 3000 mg/kg LDSG oral rat <	LD50 oral	1500 mg/kg bodyweight	
Lavandin oli (8022-15-9) LD50 oral rat > 5 g/kg Veltol plus crystals (4940-11-8) LD50 oral rat 1150 mg/kg LD50 oral rat 1150 mg/kg LD50 oral rat 1200 mg/kg bodyweight LD50 oral rat 5000 mg/kg ACETYL HEXAMETHYL TETRALIN (2114-577-7) LD50 oral rat LD50 oral rat 570 mg/kg LD50 oral rat 5 g/kg Ethylono brassylato (105-95-3) LD50 oral rat LD50 oral rat > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg Hoxyl salicylate (8259-76-3) LD50 oral rat LD50 oral rat > 5000 mg/kg LD50 oral rat > 2000 mg/kg Hexyl cinamic aldehyde (101-86-0) LD50 oral rat LD50 oral rat > 3000 mg/kg LD50 oral rat > 3000 mg/kg LD50 oral rat > 3000 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat > 5000 mg/kg <tr< td=""><td>LD50 dermal rabbit</td><td>4000 mg/kg</td></tr<>	LD50 dermal rabbit	4000 mg/kg	
LD50 oral rat> 5 g/kgVeltol plus crystals (4940-11-8)LD50 oral rat1150 mg/kgLD50 oral rat1200 mg/kg bodyweightLD50 oral rat> 5000 mg/kgACETYL HEXAMETHYL TETRALIN (21145-77-)LD50 oral rat570 mg/kgLD50 oral rat570 mg/kgLD50 oral rat5 g/kgEthylone brassylate (105-95-3)LD50 oral rat> 5000 mg/kgLD50 oral rat> 1000 mg/kgLD50 oral rat> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat> 3000 mg/kgLD50 oral rat> 3000 mg/kgLD50 oral rat> 500 mg/kgLD50 oral rat> 2250 mg/kgLD50 oral rat> 2250 mg/kgLD50 oral rat> 2250 mg/kgLD50 oral rat> 5250 mg/kgLD50 oral rat> 5250 mg/kgLD50 oral rat> 6000 mg/kgLD50 oral rat> 6000 mg/kgLD50 oral rat> 6000 mg/kgLD50 oral rat< 45250 mg/kg	LD50 dermal	4000 mg/kg bodyweight	
Veltol plus crystals (4940-11-8) LD50 oral rat 1150 mg/kg bodyweight LD50 oral 1200 mg/kg bodyweight LD50 dermal rabbit > 5000 mg/kg ACETYL HEXAMETHYL TETRALIN (21145-77-7) Tomg/kg LD50 oral rat 570 mg/kg LD50 oral rat 1000 mg/kg bodyweight LD50 oral rat 5 g/kg Ethylone brassylate (105-95-3) Ethylone brassylate (105-95-3) LD50 dermal rabbit > 5 g/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5 g/kg LD50 dermal rabbit > 2000 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 dermal	Lavandin oil (8022-15-9)		
LD50 oral rat1150 mg/kgLD50 oral1200 mg/kg bod/weightLD50 dermal rabbit> 5000 mg/kgACETYL HEXAMETHYL TETRALIN (21145-77-7)LD50 oral rat570 mg/kgLD50 oral rat1000 mg/kg bod/weightLD50 dermal rabbit> 5 g/kgEthylene brassylate (105-95-3)LD50 dermal rabbit> 5000 mg/kgLD50 oral rat> 5000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 dermal rabbit> 5 mg/t4hHexamethylindanopyran (1222-05-5)LD50 dermal rabbit> 3250 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14500 mg/kg	LD50 oral rat	> 5 g/kg	
LD50 oral1200 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgACETYL HEXAMETHYL TETRALIN (21145-77-LD50 oral rat570 mg/kgLD50 oral rat5 g/kgEthylene brassylate (105-95-3)LD50 oral rat> 5000 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat> 3000 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 45500 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat> 4500 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14500 mg/kgLD50 oral rat14500 mg/kgLD50 oral	Veltol plus crystals (4940-11-8)		
LD50 dermal rabbit> 5000 mg/kgACETYL HEXAMETHYL TETRALIN (21145-77)LD50 oral rat570 mg/kgLD50 oral rat1000 mg/kg bodyweightLD50 dermal rabbit> 5 g/kgEthylene brassylate (105-95-3)LD50 dermal rabbit> 5000 mg/kgHexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 2000 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat> 3200 mg/kgLD50 oral rat> 3200 mg/kgLD50 oral rat> 3200 mg/kgLD50 oral rat> 3200 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LD50 oral rat	1150 mg/kg	
ACETYL HEXAMETHYL TETRALIN (21145-77-7) LD50 oral rat 570 mg/kg LD50 oral rat 1000 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg Ethylene brassylate (105-95-3) LD50 oral rat > 6000 mg/kg LD50 dermal rabbit > 5000 mg/kg Hexyl salicylate (6259-76-3) LD50 oral rat > 5 g/kg LD50 dermal rabbit > 5000 mg/kg LD50 oral rat > 2000 mg/kg Hexyl salicylate (6259-76-3) LD50 dermal rabbit > 2000 mg/kg LD50 oral rat 3100 mg/kg bodyweight LD50 oral rat > 3000 mg/kg LD50 oral rabbit > 3250 mg/kg LD50 oral rabbit > 3250 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 mg/kg	LD50 oral	1200 mg/kg bodyweight	
LD50 oral rat 570 mg/kg LD50 oral 1000 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg Ethylene brassylate (105-95-3) LD50 oral rat > 6000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5 g/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 2000 mg/kg LD50 dermal rabbit > 2000 mg/kg LD50 dermal rabbit > 2000 mg/kg LD50 oral rat 3100 mg/kg bodyweight LD50 oral rat > 3000 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 m	LD50 dermal rabbit	> 5000 mg/kg	
LD50 oral 1000 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg Ethylene brassylate (105-95-3)	ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 dermal rabbit> 5 g/kgEthylene brassylate (105-95-3)LD50 oral rat> 5000 mg/kgLD50 dermal rabbit> 5000 mg/kgHexyl sallcylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kg2-Isobutyl-4-methyltetrahydro-2H-pyran-4-01 (63500-71-0)LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kg bodyweightLD50 oral rat> 5 mg//khHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14500 mg/kgPatchone crystals (98-52-2)LD50 oral ratLD50 oral rat4200 mg/kg bodyweight	LD50 oral rat	570 mg/kg	
Ethylene brassylate (105-95-3) LD50 oral rat > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg Hexyl salicylate (6259-76-3) LD50 dermal rabbit > 5 g/kg LD50 dermal rabbit > 5000 mg/kg 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) LD50 dermal rabbit > 2000 mg/kg Hexyl cinnamic aldehyde (101-86-0) LD50 oral rat 3100 mg/kg LD50 oral rat > 3250 mg/kg LC50 oral rat > 3250 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat > 3250 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 4200 mg/kg LD50 oral rat 4200 mg/kg	LD50 oral	1000 mg/kg bodyweight	
LD50 oral rat > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg Hexyl salicylate (6259-76-3) LD50 oral rat > 5 g/kg LD50 dermal rabbit > 5000 mg/kg Z-isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) LD50 dermal rabbit > 2000 mg/kg Hexyl cinnamic aldehyde (101-86-0) LD50 oral rat 3100 mg/kg LD50 oral rat 3100 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 oral rat > 3000 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 dermal rabbit > 3250 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg	LD50 dermal rabbit	> 5 g/kg	
LD50 dermal rabbit> 5000 mg/kgHexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kg2-isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 5000 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	Ethylene brassylate (105-95-3)		
Hexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kg2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat5 3000 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat3000 mg/kgLD50 oral rat> 3000 mg/kgLD50 oral rat> 5 mg/l4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat4500 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LD50 oral rat	> 5000 mg/kg	
LD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kg2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat3000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 oral rat3100 mg/kgLD50 oral rat> 3000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 5 smg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 4500 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LD50 dermal rabbit	> 5000 mg/kg	
LD50 dermal rabbit> 5000 mg/kg2-isobutyl-4-methyltetrahydro-2H-pyran-4-0l (63500-71-0)LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kg bodyweightLD50 oral rat3000 mg/kgLD50 dermal rabbit> 3000 mg/kgLD50 oral rat2 5 mg/l/4hLD50 oral rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 4200 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	Hexyl salicylate (6259-76-3)		
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) LD50 dermal rabbit > 2000 mg/kg Hexyl cinnamic aldehyde (101-86-0) LD50 oral rat 3100 mg/kg LD50 oral rat 3100 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 dermal rabbit > 3000 mg/kg LD50 oral rat > 3000 mg/kg LD50 dermal rabbit > 3250 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 oral rat 4200 mg/kg LD50 oral rat 4200 mg/kg	LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit> 2000 mg/kgHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kg bodyweightLD50 dermal rabbit> 3000 mg/kgLC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLD50 dermal rabbit> 5000 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat4250 mg/kgLD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LD50 dermal rabbit	> 5000 mg/kg	
NoteHexyl cinnamic aldehyde (101-86-0)LD50 oral rat3100 mg/kgLD50 oral rat3100 mg/kg bodyweightLD50 dermal rabbit> 3000 mg/kgLC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLInallyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 oral rat> 5000 mg/kgPatchone crystals (98-52-2)LD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
LD50 oral rat3100 mg/kgLD50 oral3100 mg/kg bodyweightLD50 dermal rabbit> 3000 mg/kgLC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3250 mg/kgLD50 oral rat> 3000 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14500 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat> 4200 mg/kgLD50 oral rat4200 mg/kg bodyweight	LD50 dermal rabbit	> 2000 mg/kg	
LD50 oral3100 mg/kg bodyweightLD50 dermal rabbit> 3000 mg/kgLC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLInalyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 oral rat> 5000 mg/kgPatchone crystals (98-52-2)LD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	Hexyl cinnamic aldehyde (101-86-0)		
LD50 dermal rabbit> 3000 mg/kgLC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLInalyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgPatchone crystals (98-52-2)LD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LD50 oral rat	3100 mg/kg	
LC50 Inhalation - Rat> 5 mg/l/4hHexamethylindanopyran (1222-05-5)>LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLinalyl acetate (115-95-7)>LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgPatchone crystals (98-52-2)>LD50 oral rat4200 mg/kg bodyweight	LD50 oral	3100 mg/kg bodyweight	
Hexamethylindanopyran (1222-05-5) LD50 oral rat > 3250 mg/kg LD50 dermal rabbit > 3250 mg/kg Linalyl acetate (115-95-7) > 3250 mg/kg LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 oral rat 4200 mg/kg LD50 oral rat 4200 mg/kg	LD50 dermal rabbit	> 3000 mg/kg	
LD50 oral rat> 3250 mg/kgLD50 dermal rabbit> 3250 mg/kgLinalyl acetate (115-95-7)> 3250 mg/kgLD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgPatchone crystals (98-52-2)LD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	LC50 Inhalation - Rat	> 5 mg/l/4h	
LD50 dermal rabbit> 3250 mg/kgLinalyl acetate (115-95-7)14550 mg/kgLD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgPatchone crystals (98-52-2)LD50 oral rat4200 mg/kgLD50 oral rat4200 mg/kg	Hexamethylindanopyran (1222-05-5)		
Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Patchone crystals (98-52-2) LD50 oral rat 4200 mg/kg LD50 oral rat 4200 mg/kg	LD50 oral rat	> 3250 mg/kg	
LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Patchone crystals (98-52-2) LD50 oral rat 4200 mg/kg LD50 oral rat 4200 mg/kg	LD50 dermal rabbit	> 3250 mg/kg	
LD50 dermal rabbit > 5000 mg/kg Patchone crystals (98-52-2) 4200 mg/kg LD50 oral rat 4200 mg/kg LD50 oral 4200 mg/kg bodyweight	Linalyl acetate (115-95-7)		
Patchone crystals (98-52-2) LD50 oral rat 4200 mg/kg LD50 oral 4200 mg/kg bodyweight	LD50 oral rat	14550 mg/kg	
LD50 oral rat 4200 mg/kg LD50 oral 4200 mg/kg bodyweight	LD50 dermal rabbit	> 5000 mg/kg	
LD50 oral 4200 mg/kg bodyweight	Patchone crystals (98-52-2)		
	LD50 oral rat	4200 mg/kg	
LD50 dermal rabbit > 5 g/kg	LD50 oral	4200 mg/kg bodyweight	
	LD50 dermal rabbit	> 5 g/kg	

Safety Data Sheet

beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Eucalyptus oil (8000-48-4)		
LD50 oral rat	2480 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
cis-3-Hexenyl salicylate (65405-77-8)		
LD50 oral rat	5 g/kg	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Coumarin crystals (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg	
Allyl amyl glycolate (67634-00-8)		
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	0.43 mg/l/4h	
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h	
Skin corrosion/irritation:Additional information:	Not classified Based on available data, the classification criteria are not met	
Serious eye damage/irritation:Additional information:Respiratory or skin sensitisation:	Causes serious eye irritation. Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met d-Limonene (5989-27-5) : Based on available data, the classification criteria are not met d-Limonene (5989-27-5) : Not classifiable IARC group 3 - Not classifiable Coumarin crystals (91-64-5) : Not classifiable IARC group 3 - Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met Appriation hazard : May be fatal if swallowed and enters airways. Additional information : Based on available data, the classification criteria are not met <th></th>	
IARC group 3 - Not classifiable Coumarin crystals (91-64-5) IARC group 3 - Not classifiable Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met Stot classified : Not classified Additional information : Based on available data, the classification criteria are not met Additional information : Based on available data, the classification criteria are not met Aspiration hazard : May be fatal if swallowed and enters airways.	
Coumarin crystals (91-64-5) IARC group 3 - Not classifiable Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met Stot classified : Not classified Additional information : Based on available data, the classification criteria are not met Aspiration hazard : May be fatal if swallowed and enters airways.	
IARC group3 - Not classifiableReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not metAspiration hazard: May be fatal if swallowed and enters airways.	
Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met Additional information : Based on available data, the classification criteria are not met Aspiration hazard : May be fatal if swallowed and enters airways.	
Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not metAspiration hazard: May be fatal if swallowed and enters airways.	
STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not metAspiration hazard: May be fatal if swallowed and enters airways.	
Additional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metAspiration hazard: May be fatal if swallowed and enters airways.	
STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metAspiration hazard: May be fatal if swallowed and enters airways.	
Additional information : Based on available data, the classification criteria are not met Aspiration hazard : May be fatal if swallowed and enters airways.	
Aspiration hazard : May be fatal if swallowed and enters airways.	
Additional information : Based on available data, the classification criteria are not met	
Potential adverse human health effects and : Harmful if swallowed, Based on available data, the classification criteria are symptoms	not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general:Ecology - water:Hazardous to the aquatic environment, short-term:(acute):Hazardous to the aquatic environment, long-term:(chronic):	Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.		
Benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
NOEC (chronic)	0.168 mg/l		
Veltol plus crystals (4940-11-8)			
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
Hexamethylindanopyran (1222-05-5)	Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])		
Patchone crystals (98-52-2)			
EC50 - Crustacea [1]	46 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	29 mg/l (Species: Desmodesmus subspicatus)		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
12.2. Persistence and degradability	
Jammy Time Type CC-13021	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Jammy Time Type CC-13021	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.
Patchone crystals (98-52-2)	
Partition coefficient n-octanol/water (Log Pow)	3.23
Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-) UN 2082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)



IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)




: 9 : 9

ΙΑΤΑ

Transport hazard class(es) (IATA)	
Danger labels (IATA)	

Safety Data Sheet



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Number of blue concongina (ADN)	. 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
	: CE8
Colis express (express parcels) (RID) Hazard identification number (RID)	
	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	Eucalyptus oil ; d-Limonene	
3(b)	Jammy Time Type CC-13021 ; Benzyl benzoate ; Lavandin oil ; Hexyl salicylate ; 2-Isobutyl-4-methyltetrahydro-2H- pyran-4-ol ; Hexyl cinnamic aldehyde ; Linalyl acetate ; Linalool ; Eucalyptus oil ; d-Limonene ; Vertenex ; Patchouli oil ; Cyclamal ; Allyl amyl glycolate	
3(c)	Jammy Time Type CC-13021 ; Benzyl benzoate ; Lavandin oil ; Ethylene brassylate ; Hexyl salicylate ; Hexyl cinnamic aldehyde ; Hexamethylindanopyran ; beta-lonone ; Eucalyptus oil ; d-Limonene ; Patchouli oil ; cis-3-Hexenyl salicylate ; Cyclamal	
40.	Eucalyptus oil ; d-Limonene	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
	Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Eucalyptus oil,cis-3-Hexenyl salicylate,Allyl amyl glycolate are listed
SZW-lijst van mutagene stoffen	: Eucalyptus oil,cis-3-Hexenyl salicylate,Allyl amyl glycolate are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
	for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product
Switzerland	
Storage class (LK)	: LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other i	nformation
Data sources Other information	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None.
Full text of H- and EUH	I-statements:
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.