#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/13/2020 Revision date: 11/12/2024 Supersedes version of: 5/27/2022 Version: 2.0



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

 Trade name
 : APPLE HARVEST CC-13033

 UFI
 : E3DM-H23R-U004-NE7W

Product code : CC-13033

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Acute toxicity (inhalation:dust,mist) Category 4 H332
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS07 GHS09

Signal word (CLP) : Warning

Contains : benzyl benzoate; Hexyl cinnamic aldehyde; Allyl amyl glycolate; Isocyclocitral; Cyclamal;

Triplal (Vertocitral); Eugenol; Aldehyde C-16; Geranyl acetate; Cinnamic aldehyde

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-	25 – 50	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	4.8 – 9.5	Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	3.5 – 7	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Dimethylbenzyl carbinyl butyrate(DMBCB)	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578- 44	3.2 – 6.3	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	2.9 – 5.81	Aquatic Chronic 3, H412
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1.6 – 3.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.5 – 3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.7 – 1.4	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 1, H410
Isocyclocitral	CAS-No.: 1335-66-6 EC-No.: 215-638-7	0.7 – 1.3	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.28932 – 0.57864	Not classified
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.2004 – 0.408	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.2 – 0.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.1 – 0.1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Butylated hydroxytoluene (BHT) crystals substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, IE, PT, SI, CH)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119480433- 40	0 – 0.08	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0 – 0.07	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0 – 0.06	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.0000045	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

First-aid measures after skin contact

First-aid measures after eye contact

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

11/12/2024 (Revision date) EN (English) 4/28

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

11/12/2024 (Revision date) EN (English) 5/28

## Safety Data Sheet

Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m³	
	6 ppm	
MAK (OEL STEL)	140 mg/m³	
	24 ppm	
Stonia - Occupational Exposure Limits		
DEL TWA	50.1 mg/m³	
	10 ppm	
DEL chemical category	Skin notation	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
DEL TWA	35 mg/m³	
	6 ppm	
DEL STEL	70 mg/m³	
	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
	15 ppm	
(GV (OEL STEL)	170 mg/m³	
	30 ppm	
DEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
(ZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
Butylated hydroxytoluene (BHT) crystals (128-37-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	10 mg/m³	
Belgium - Occupational Exposure Limits		
DEL TWA	2 mg/m³ (aerosol and vapor)	
Bulgaria - Occupational Exposure Limits		
DEL TWA	10 mg/m³	
DEL STEL	50 mg/m³	
Croatia - Occupational Exposure Limits		

## Safety Data Sheet

Del TWA OEL STEL OEL TWA OE	Butylated hydroxytoluene (BHT) crystals (128-37-0)		
OEL STEL 20 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 10 mg/m³ HTP (OEL STEL) 20 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 10 mg/m³ Greece - Occupational Exposure Limits OEL TWA 10 mg/m³ Ireland - Occupational Exposure Limits OEL TWA 2 mg/m³ OEL TWA 2 mg/m³ OEL STEL 6 mg/m³ (calculated) Portugal - Occupational Exposure Limits OEL TWA 2 mg/m³ (inhalable fraction; vapor) OEL Obermical category Ad - Not Classifiable as a Human Carcinogen Slovenia - Occupational Exposure Limits OEL TWA 10 mg/m³ (inhalable fraction) OEL STEL 10 mg/m³ (inhalable fraction) OEL TWA 10 mg/m³ (inhalable fraction)	Denmark - Occupational Exposure Limits		
Finland - Occupational Exposure Limits  HTP (OEL TWA) 10 mg/m³  HTP (OEL STEL) 20 mg/m³  France - Occupational Exposure Limits  VME (OEL TWA) 10 mg/m³  AGW (OEL TWA) 10 mg/m³  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 10 mg/m³  Greec - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 10 mg/m³  Greece - Occupational Exposure Limits  OEL TWA 10 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA 2 mg/m²  OEL STEL 6 mg/m² (calculated)  Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m² (inhalable fraction; vapor)  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m² (inhalable fraction)  OEL STEL 40 mg/m² (inhalable fraction)  OEL STEL 40 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m² (inhalable fraction)  WEL STEL 40 mg/m² (inhalable fraction)  KA-ED (OEL TWA) 10 mg/m² (inhalable fraction)  WEL STEL (OEL STEL) 30 mg/m² (inhalable fraction)  KZGW (OEL STEL) 40 mg/m² (inhalable fraction)  CEL chemical category Calculated)  WEL STEL (OEL TWA) 20 mg/m² (inhalable fraction)  CEL chemical category Calculated Carcinogenic risk by adhering to TWA values-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 20 mg/m² (inhalable fraction and vapor)  ACGIH oPermatha-1,8-diene; d-limonene (5989-27-5)	OEL TWA	10 mg/m³	
HTP (OEL TWA) 10 mg/m³  HTP (OEL STEL) 20 mg/m³  France - Occupational Exposure Limits  VME (OEL TWA) 10 mg/m³  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 10 mg/m³  Greec - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 10 mg/m³  Greec - Occupational Exposure Limits  OEL TWA 10 mg/m³  OEL TWA 2 mg/m³  OEL STEL 6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m³ (inhalable fraction: vapor)  OEL Chemical category A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL TWA 10 mg/m³ (inhalable fraction)  OEL TWA 10 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 30 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 30 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 50 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 50 mg/m³ (inhalable fraction)  OEL Chemical category Category CIB carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL STEL	20 mg/m³	
HTP (OEL STEL) 20 mg/m³  France - Occupational Exposure Limits  VME (OEL TWA) 10 mg/m²  Germany - Occupational Exposure Limits (TRGS 900)  ASW (OEL TWA) 10 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA 10 mg/m²  Ireland - Occupational Exposure Limits  OEL TWA 2 mg/m²  OEL STEL 6 mg/m² (calculated)  Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m² (inhalable fraction; vapor)  OEL TWA 2 mg/m² (inhalable fraction; vapor)  OEL Chemical category A4 - Not Classiflable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m² (inhalable fraction)  OEL STEL 40 mg/m² (inhalable fraction)  OEL STEL 40 mg/m² (inhalable fraction)  VLA-ED (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m² (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m² (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no increased cancer risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m² (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category	Finland - Occupational Exposure Limits		
France - Occupational Exposure Limits  VME (OEL TWA)  10 mg/m³  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  BOW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA  10 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA  2 mg/m³  OEL STEL  6 mg/m³ (inhalable fraction; vapor)  OEL occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL STEL  40 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³ (inhalable fraction)  WL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  WKA (OEL TWA)  10 mg/m³  WL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³  (or increased cancer risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  CEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	HTP (OEL TWA)	10 mg/m³	
VME (OEL TWA)  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  BGW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA  10 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA  2 mg/m³  OEL STEL  6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL chemical category  Ad - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (alculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (in elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (in increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-dlene; d-limonene (5989-27-5)	HTP (OEL STEL)	20 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA  10 mg/m³  OEL TWA  2 mg/m³  OEL STEL  6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL STEL  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL Chemical category  Af - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  WLA-ED (OEL TWA)  10 mg/m³  WLA-ED (OEL TWA)  10 mg/m³  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  WAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  CEL Chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-dlene; d-limonene (5989-27-5)	France - Occupational Exposure Limits		
AGW (CEL TWA)  10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA  10 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA  2 mg/m³  OEL STEL  6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL chemical category  A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  WAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classiflable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	VME (OEL TWA)	10 mg/m³	
BGW values are observed-inhalable fraction)  Greece - Occupational Exposure Limits  OEL TWA  10 mg/m³  OEL STEL  6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL chemical category  A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  OEL STEL  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  CEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Germany - Occupational Exposure Limits (TRGS 90	00)	
DEL TWA   10 mg/m³   Ireland - Occupational Exposure Limits   DEL TWA   2 mg/m³   (calculated)   Portugal - Occupational Exposure Limits   DEL TWA   2 mg/m³ (inhalable fraction; vapor)   DEL chemical category   A4 - Not Classifiable as a Human Carcinogen   Slovenia - Occupational Exposure Limits   DEL TWA   10 mg/m³ (inhalable fraction)   DEL STEL   40 mg/m³ (inhalable fraction)   DI mg/m³   DINITED   DEL TWA   10 mg/m³   DI mg/m³   DEL TWA   10 mg/m³   DI mg/m³   DEL TWA   10 mg/m³   DI mg/m³   DEL TWA   10 mg/m³   DEL TWA   DEL TWA   10 mg/m³   DEL TWA   DEL	AGW (OEL TWA)		
Ireland - Occupational Exposure Limits  OEL TWA 2 mg/m³  OEL STEL 6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m³ (inhalable fraction; vapor)  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  CEL chemical category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Greece - Occupational Exposure Limits		
OEL TWA 2 mg/m³ OEL STEL 6 mg/m³ (calculated)  Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m³ (inhalable fraction; vapor) OEL chemical category A4 - Not Classiflable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m³ (inhalable fraction) OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m³ United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³ WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  CEL chemical category Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classiflable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL TWA	10 mg/m³	
OEL STEL  Portugal - Occupational Exposure Limits  OEL TWA  2 mg/m³ (inhalable fraction; vapor)  OEL chemical category  A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  CEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Ireland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits  OEL TWA 2 mg/m³ (inhalable fraction; vapor)  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL TWA	2 mg/m³	
OEL TWA 2 mg/m³ (inhalable fraction; vapor) OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits OEL TWA 10 mg/m³ (inhalable fraction) OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 10 mg/m³ United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 10 mg/m³ WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL STEL	6 mg/m³ (calculated)	
OEL chemical category  A4 - Not Classifiable as a Human Carcinogen  Slovenia - Occupational Exposure Limits  OEL TWA  10 mg/m³ (inhalable fraction)  OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Portugal - Occupational Exposure Limits		
Slovenia - Occupational Exposure Limits  OEL TWA 10 mg/m³ (inhalable fraction)  OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL TWA	2 mg/m³ (inhalable fraction; vapor)	
OEL TWA 10 mg/m³ (inhalable fraction) OEL STEL 40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) 10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA) 10 mg/m³  WEL STEL (OEL STEL) 30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL) 40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL STEL  40 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  10 mg/m³  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Slovenia - Occupational Exposure Limits		
Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL TWA	10 mg/m³ (inhalable fraction)	
VLA-ED (OEL TWA)  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  10 mg/m³  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL STEL	40 mg/m³ (inhalable fraction)	
United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Spain - Occupational Exposure Limits		
WEL TWA (OEL TWA)  WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	VLA-ED (OEL TWA)	10 mg/m³	
WEL STEL (OEL STEL)  30 mg/m³ (calculated)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	United Kingdom - Occupational Exposure Limits		
Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	WEL TWA (OEL TWA)	10 mg/m³	
MAK (OEL TWA)  10 mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	WEL STEL (OEL STEL)	30 mg/m³ (calculated)	
dust, vapour)  KZGW (OEL STEL)  40 mg/m³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	Switzerland - Occupational Exposure Limits		
vapour)  OEL chemical category  Category C1B carcinogen carcinogenic with threshold value  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	MAK (OEL TWA)		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	KZGW (OEL STEL)		
ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)  ACGIH chemical category Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	OEL chemical category	Category C1B carcinogen carcinogenic with threshold value	
ACGIH chemical category  Not Classifiable as a Human Carcinogen  (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	USA - ACGIH - Occupational Exposure Limits		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	ACGIH OEL TWA	2 mg/m³ (inhalable fraction and vapor)	
	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Finland - Occupational Exposure Limits	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
	Finland - Occupational Exposure Limits		
HTP (OEL TWA) 140 mg/m³	HTP (OEL TWA)	140 mg/m³	
25 ppm		25 ppm	

## Safety Data Sheet

METHOP (OEL STEL)	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Semany - Occupational Exposure Limits (TRGS 900)   AGW (OEL TWA)   28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)   7 ppm   7 pp	HTP (OEL STEL)	280 mg/m³	
AGW (OEL TWA)  28 mg/m² (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Six notation, Skin sensitization  Slovenia - Occupational Exposure Limits  OEL TWA  28 mg/m³  5 ppm  OEL STEL  112 mg/m³  20 ppm  OEL chemical category  Portial for cutaneous absorption  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  188 mg/m³  30 ppm  OEL chemical category  Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Formseverdi (OEL TWA)  140 mg/m³  25 ppm  Korttidsverdi (OEL TWA)  175 mg/m³ (value calculated)  37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  Switzerfand - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³  7 ppm  KCGW (OEL STEL)  80 mg/m³  14 ppm  CEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³  50 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		50 ppm	
BGW values are observed)	Germany - Occupational Exposure Limits (TRGS 90	00)	
Values are observed	AGW (OEL TWA)		
Slovenia - Occupational Exposure Limits		1 '' '	
OEL TWA         28 mg/m³           5 ppm         5 ppm           OEL STEL         112 mg/m³           20 ppm         20 ppm           OEL chemical category         Potential for cutaneous absorption           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         168 mg/m³           30 ppm         30 ppm           OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits         140 mg/m³           Korttidsverdi (OEL STEL)         175 mg/m³ (value calculated)           37.5 ppm (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits         40 mg/m³           KZGW (OEL STEL)         80 mg/m³           Typm         42 ppm           OEL chemical category         Sensitizer           Toluene (108-88-3)         EU - Indicative Occupational Exposure Limit (IOEL)           TOLE TWA         192 mg/m³           50 ppm         100 ppm           IOEL STEL         384 mg/m³           100 ppm         Possibility of significant uptake through the skin	Chemical category	Skin notation, Skin sensitization	
Spm	Slovenia - Occupational Exposure Limits		
OEL STEL         112 mg/m³           20 ppm         20 ppm           OEL chemical category         Petential for cutaneous absorption           Spain - Occupational Exposure Limits         168 mg/m³           30 ppm         30 ppm           OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits         140 mg/m³           Genseverdi (OEL TWA)         140 mg/m³           25 ppm           Korttidsverdi (OEL STEL)         175 mg/m³ (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits         40 mg/m³           MAK (OEL TWA)         40 mg/m³           KZGW (OEL STEL)         80 mg/m³           KZGW (OEL STEL)         80 mg/m³           Toluene (108-88-3)         50 pm           EU - Indicative Occupational Exposure Limit (IOEL)         192 mg/m³           50 ppm         102 L TWA           10EL STEL         384 mg/m³           100 ppm         Possibility of significant uptake through the skin	OEL TWA	28 mg/m³	
Delication   Del		5 ppm	
OEL chemical category     Potential for cutaneous absorption       Spain - Occupational Exposure Limits       VLA-ED (OEL TWA)     168 mg/m³       30 ppm       OEL chemical category     Sensitizer, skin - potential for cutaneous absorption       Norway - Occupational Exposure Limits       Grenseverdi (OEL TWA)     140 mg/m³       25 ppm     Kortidsverdi (OEL STEL)       175 mg/m³ (value calculated)       37.5 ppm (value calculated)       OEL chemical category     Allergenic substance       Switzerland - Occupational Exposure Limits       MAK (OEL TWA)     40 mg/m³       7 ppm       KZGW (OEL STEL)     80 mg/m³       14 ppm     0       OEL chemical category     Sensitizer       Toluene (108-88-3)       EU - Indicative Occupational Exposure Limit (IOEL)       IOEL TWA     192 mg/m³       50 ppm       IOEL STEL     384 mg/m³       100 ppm       Remark     Possibility of significant uptake through the skin	OEL STEL	112 mg/m³	
Spain - Occupational Exposure Limits		20 ppm	
VLA-ED (OEL TWA)  168 mg/m³ 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA)  140 mg/m³ 25 ppm  Kottidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 40 mg/m³ 7 ppm  KZGW (OEL STEL) 80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA 192 mg/m³ 50 ppm  IOEL STEL 384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits  Possibility of significant uptake through the skin	OEL chemical category	Potential for cutaneous absorption	
OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 40 mg/m³ 7 ppm  KZGW (OEL STEL) 80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA 192 mg/m³ 50 ppm  IOEL STEL 384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits  Possibility of significant uptake through the skin	Spain - Occupational Exposure Limits		
OEL chemical category     Sensitizer, skin - potential for cutaneous absorption       Norway - Occupational Exposure Limits       Grenseverdi (OEL TWA)       140 mg/m³       25 ppm       Korttidsverdi (OEL STEL)       175 mg/m³ (value calculated)       OEL chemical category       Allergenic substance       Switzerland - Occupational Exposure Limits       MAK (OEL TWA)     40 mg/m³       7 ppm       KZGW (OEL STEL)     80 mg/m³       14 ppm       OEL chemical category     Sensitizer       Toluene (108-88-3)       EU - Indicative Occupational Exposure Limit (IOEL)       IOEL TWA     192 mg/m³       50 ppm       IOEL STEL     384 mg/m³       100 ppm       Remark     Possibility of significant uptake through the skin       Austria - Occupational Exposure Limits	VLA-ED (OEL TWA)	168 mg/m³	
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA)  140 mg/m³ 25 ppm  Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated) 37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		30 ppm	
Grenseverdi (OEL TWA)  140 mg/m³ 25 ppm  Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated) 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL) 80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL 384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated)  37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL) 80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL 384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated)  37.5 ppm (value calculated)  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	Grenseverdi (OEL TWA)	140 mg/m³	
OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		25 ppm	
OEL chemical category  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		37.5 ppm (value calculated)	
MAK (OEL TWA)  40 mg/m³ 7 ppm  KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	OEL chemical category	Allergenic substance	
KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	MAK (OEL TWA)	40 mg/m³	
OEL chemical category  Sensitizer  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³  50 ppm  IOEL STEL  384 mg/m³  100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		7 ppm	
OEL chemical category  Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	KZGW (OEL STEL)	80 mg/m³	
Toluene (108-88-3)  EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³ 50 ppm  IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		14 ppm	
EU - Indicative Occupational Exposure Limit (IOEL)  IOEL TWA  192 mg/m³  50 ppm  IOEL STEL  384 mg/m³  100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	OEL chemical category	Sensitizer	
IOEL TWA  192 mg/m³  50 ppm  IOEL STEL  384 mg/m³  100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	Toluene (108-88-3)		
IOEL STEL  384 mg/m³ 100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL STEL  384 mg/m³  100 ppm  Remark  Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	IOEL TWA	192 mg/m³	
100 ppm  Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits		50 ppm	
Remark Possibility of significant uptake through the skin  Austria - Occupational Exposure Limits	IOEL STEL	384 mg/m³	
Austria - Occupational Exposure Limits		100 ppm	
	Remark	Possibility of significant uptake through the skin	
MAK (OEL TWA) 190 mg/m³	Austria - Occupational Exposure Limits		
	MAK (OEL TWA)	190 mg/m³	

## Safety Data Sheet

Toluene (108-88-3)		
	50 ppm	
MAK (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	77 mg/m³	
	20 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
Bulgaria - Biological limit values		
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	192 mg/m³	
	50 ppm	
KGVI (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Croatia - Biological limit values		
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)	
Cyprus - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	200 mg/m³	
OEL chemical category	Potential for cutaneous absorption	

## Safety Data Sheet

Toluene (108-88-3)		
Czech Republic - Biological limit values		
BLV	1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)  1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)	
Denmark - Occupational Exposure Limits		
OEL TWA	94 mg/m³	
	25 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits	·	
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	81 mg/m³	
	25 ppm	
HTP (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Finland - Biological limit values		
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day	
France - Occupational Exposure Limits		
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)	
	20 ppm (restrictive limit)	
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption	

## Safety Data Sheet

Toluene (108-88-3)		
France - Biological limit values		
BLV	20 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Germany - Biological limit values (TRGS 903)		
Biological limit value	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift	
Gibraltar - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	190 mg/m³	
CK (OEL STEL)	384 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Ireland - Occupational Exposure Limits	·	
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	

## Safety Data Sheet

Toluene (108-88-3)		
Italy - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	14 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Latvia - Biological Exposure Indices		
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	192 mg/m³	
	50 ppm	
TPRV (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Reproductive toxin, Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	150 mg/m³	
	39 ppm	
TGG-15min (OEL STEL)	384 mg/m³	
	100 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³	
NDSCh (OEL STEL)	200 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	192 mg/m³ (indicative limit value)	
	I .	

## Safety Data Sheet

Toluene (108-88-3)		
	50 ppm (indicative limit value)	
OEL STEL	384 mg/m³ (indicative limit value)	
	100 ppm (indicative limit value)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Romania - Biological limit values		
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	192 mg/m³	
	50 ppm	
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)	
OEL chemical category	Potential for cutaneous absorption	
Slovakia - Biological limit values		
BLV	600 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift  1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure)  1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift  2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift	
Slovenia - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Category 2, Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	skin - potential for cutaneous absorption	

## Safety Data Sheet

Toluene (108-88-3)		
Spain - Biological limit values		
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	192 mg/m³	
	50 ppm	
KGV (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	191 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	384 mg/m³	
	100 ppm	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	94 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	190 mg/m³	
	50 ppm	
KZGW (OEL STEL)	760 mg/m³	
	200 ppm	
OEL chemical category	Skin notation, Category 2 reproductive toxin	
Switzerland - BAT		
BAT	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm	
·		

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Toluene (108-88-3)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA - ACGIH - Biological Exposure Indices		
BEI	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves. Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.
Odour : characteristic. characteristic.

Odour threshold : Not available : Not applicable Melting point : Not available Freezing point : Not available Boiling point : Not applicable Flammability : Not available Lower explosion limit : Not available Upper explosion limit Flash point : 93.3 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.000726436 mm Hg (calculated value)

Vapour pressure at  $50^{\circ}$ C: Not availableDensity: Not availableRelative density:  $\approx 1.04$ Relative vapour density at  $20^{\circ}$ C: Not availableParticle characteristics: Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 7.7887162 % (calculated value)(CARB VOC) (%w/w)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

Acute toxicity (innaiation)	Innalation:dust,mist: Harmful if Innaled.		
APPLE HARVEST CC-13033			
ATE CLP (oral)	972.763 mg/kg bodyweight		
ATE CLP (dust,mist)	3.571 mg/l/4h		
benzyl benzoate (120-51-4)			
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
Verdox (88-41-5)			
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)		
LD50 oral	4600 mg/kg		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)		
Dihydromyrcenol (18479-58-8)			
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
LD50 oral	3020 mg/kg		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		
Allyl amyl glycolate (67634-00-8)			
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	0.43 mg/l/4h		
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h		

## Safety Data Sheet

Respiratory or skin sensitisation

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<del></del>		
Isocyclocitral (1335-66-6)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	3220 mg/kg bodyweight	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)	
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	2330 mg/kg	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
Butylated hydroxytoluene (BHT) crystals (128	-37-0)	
LD50 oral rat	> 2930 mg/kg (Source: EPA_HPV)	
LD50 dermal rat	> 2000 mg/kg (Source: JAPAN_GHS)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
	Not classified	
Serious eye damage/irritation :	Not classified	

11/12/2024 (Revision date) EN (English) 18/28

: May cause an allergic skin reaction.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

<b>Eugenol</b>	(97-53-0)
Lugerior	191-33-01

IARC group 3 - Not classifiable

#### Butylated hydroxytoluene (BHT) crystals (128-37-0)

IARC group 3 - Not classifiable

#### (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

#### Toluene (108-88-3)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

#### Toluene (108-88-3)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

#### Toluene (108-88-3)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

#### benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm<sup>2</sup>/s

#### (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

Toluene (108-88-3)

Hydrocarbon Yes

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

# benzyl benzoate (120-51-4) LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0.168 mg/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LC50 - Fish [1]	569 mg/l 96 h	
EC50 - Crustacea [1]	5.85 mg/l 48 h	
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Butylated hydroxytoluene (BHT) crystals (128	-37-0)	
EC50 72h - Algae [1]	6 mg/l (Species: Pseudokirchneriella subcapitata)	
EC50 72h - Algae [2]	> 0.42 mg/l (Species: Desmodesmus subspicatus)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Toluene (108-88-3)		
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)	

#### 12.2. Persistence and degradability

APPLE HARVEST CC-13033	
Persistence and degradability Not established.	
benzyl benzoate (120-51-4)	
Persistence and degradability  May cause long-term adverse effects in the environment.	

## Safety Data Sheet

Verdox (88-41-5)		
Persistence and degradability	Rapidly degradable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)	
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Persistence and degradability	Rapidly degradable	
Dihydromyrcenol (18479-58-8)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
Allyl amyl glycolate (67634-00-8)		
Persistence and degradability	Rapidly degradable	
Isocyclocitral (1335-66-6)		
Persistence and degradability	Rapidly degradable	
Cyclamal (103-95-7)		
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
Butylated hydroxytoluene (BHT) crystals (128-37-0)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
Toluene (108-88-3)		
Persistence and degradability	Rapidly degradable	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.3. Bioaccumulative potential

APPLE HARVEST CC-13033		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)	
Partition coefficient n-octanol/water (Log Pow)	4.7 (at 25 °C)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)	
Dihydromyrcenol (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Allyl amyl glycolate (67634-00-8)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4.04	
Butylated hydroxytoluene (BHT) crystals (128-37-0)		
BCF - Fish [1]	230 – 2500	
Partition coefficient n-octanol/water (Log Pow)	5.1	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Toluene (108-88-3)		
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)	

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

: Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

**HP Code** 

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
14.3. Transport hazard o	14.3. Transport hazard class(es)			
9	9	9	9	9
**************************************	***************************************	**************************************		**************************************

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	I	<u>I</u>	<u> </u>

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Inland waterway transport**

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID): LGBVTransport category (RID): 3Special provisions for carriage – Packages (RID): W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	APPLE HARVEST CC-13033; benzyl benzoate; Hexyl cinnamic aldehyde; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Dihydromyrcenol; Allyl amyl glycolate; Isocyclocitral; Cyclamal; Triplal (Vertocitral); Eugenol; Aldehyde C-16; Geranyl acetate; Cinnamic aldehyde; (R)- p-mentha-1,8-diene; d- limonene; Toluene	than narcotic effects, 3.9 and 3.10

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	APPLE HARVEST CC-13033; benzyl benzoate; Verdox; Hexyl cinnamic aldehyde; Dimethylbenzyl carbinyl butyrate(DMBCB); 2(3H)- Furanone, 5- heptyldihydro-; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Allyl amyl glycolate; Isocyclocitral; Cyclamal; Triplal (Vertocitral); Aldehyde C- 16; Geranyl acetate; Cinnamic aldehyde; (R)- p-mentha-1,8-diene; d- limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene; Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
48.	Toluene	Toluene

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **VOC Directive (2004/42)**

VOC content : 7.7887162 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### **Germany**

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Allyl amyl glycolate,Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Allyl amyl glycolate, Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : Toluene is listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:			
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 2	Flammable liquids, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H225	Highly flammable liquid and vapour.			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H312	Harmful in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H332	Harmful if inhaled.			
H336	May cause drowsiness or dizziness.			
H361d	Suspected of damaging the unborn child.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1A	Skin sensitisation, category 1A			
Skin Sens. 1B	Skin sensitisation, category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.