

SUMMER LINEN CC-13044 10% in DPG



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : SUMMER LINEN CC-13044 10% in DPG
Product code : CC-13044_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains

Hexyl cinnamic aldehyde; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; COUMARIN; (ETHOXYMETHOXY)CYCLODODECANE

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases

: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------------|---|
| Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL) | CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-19 | 3.39 – 6.775 | Aquatic Acute 1, H400 |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04 | 0.58 – 1.15 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29 | 0.21 – 0.4125 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50 | 0.13 – 0.265 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| COUMARIN | CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756-26 | 0.06 – 0.11 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 |
| (ETHOXYMETHOXY)CYCLODODECANE | CAS-No.: 58567-11-6 EC-No.: 261-332-1 | 0.06 – 0.11 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| Bacdanol | CAS-No.: 28219-61-6 EC-No.: 248-908-8 REACH-no: 01-2119529224-45 | 0.05 – 0.1 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 1, H410 |
| Butylated hydroxytoluene (BHT) crystals substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, IE, PT, SI, CH) | CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119480433-40 | 0.03 – 0.06 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|------------------------|---|
| Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH) | CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105-42 | 0.014466 – 0.021699 | Not classified |
| Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO) | CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272-42 | 0 – 0.005 | Aquatic Chronic 3, H412 |
| (R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH) | CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-35 | 0 – 0.005 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT) | CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829-23 | 0.0002 – 0.0009 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|---------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
|---------------------------|---|

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

| | | | | |
|----------|---------|----------|----------|-----------|
| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
|--|--|
| Austria - Occupational Exposure Limits | |
| MAK (OEL TWA) | 10 mg/m ³ |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 2 mg/m ³ (aerosol and vapor) |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| OEL STEL | 50 mg/m ³ |
| Croatia - Occupational Exposure Limits | |
| GVI (OEL TWA) | 10 mg/m ³ |
| Denmark - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| OEL STEL | 20 mg/m ³ |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 10 mg/m ³ |
| HTP (OEL STEL) | 20 mg/m ³ |
| France - Occupational Exposure Limits | |
| VME (OEL TWA) | 10 mg/m ³ |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 10 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) |
| Greece - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Ireland - Occupational Exposure Limits | |
| OEL TWA | 2 mg/m ³ |
| OEL STEL | 6 mg/m ³ (calculated) |
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 2 mg/m ³ (inhalable fraction; vapor) |
| OEL chemical category | A4 - Not Classifiable as a Human Carcinogen |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ (inhalable fraction) |
| OEL STEL | 40 mg/m ³ (inhalable fraction) |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 10 mg/m ³ |
| United Kingdom - Occupational Exposure Limits | |
| WEL TWA (OEL TWA) | 10 mg/m ³ |
| WEL STEL (OEL STEL) | 30 mg/m ³ (calculated) |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
|---|---|
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 10 mg/m ³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable dust, vapour) |
| KZGW (OEL STEL) | 40 mg/m ³ (no increased cancer risk by adhering to TWA values-aerosol, inhalable dust, vapour) |
| OEL chemical category | Category C1B carcinogen carcinogenic with threshold value |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 2 mg/m ³ (inhalable fraction and vapor) |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| Benzyl acetate (140-11-4) | |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 62 mg/m ³ |
| | 10 ppm |
| Denmark - Occupational Exposure Limits | |
| OEL TWA | 61 mg/m ³ |
| | 10 ppm |
| OEL STEL | 122 mg/m ³ |
| | 20 ppm |
| Ireland - Occupational Exposure Limits | |
| OEL TWA | 10 ppm |
| OEL STEL | 30 ppm (calculated) |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 10 ppm |
| OEL chemical category | A4 - Not Classifiable as a Human Carcinogen |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 50 mg/m ³ |
| | 8 ppm |
| OEL STEL | 80 mg/m ³ |
| | 13 ppm |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 62 mg/m ³ |
| | 10 ppm |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 10 ppm |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
|--|---|
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 140 mg/m ³ |
| | 25 ppm |
| HTP (OEL STEL) | 280 mg/m ³ |
| | 50 ppm |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Chemical category | Skin notation, Skin sensitization |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 28 mg/m ³ |
| | 5 ppm |
| OEL STEL | 112 mg/m ³ |
| | 20 ppm |
| OEL chemical category | Potential for cutaneous absorption |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 168 mg/m ³ |
| | 30 ppm |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) | 140 mg/m ³ |
| | 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) |
| | 37.5 ppm (value calculated) |
| OEL chemical category | Allergenic substance |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 40 mg/m ³ |
| | 7 ppm |
| KZGW (OEL STEL) | 80 mg/m ³ |
| | 14 ppm |
| OEL chemical category | Sensitizer |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 400 mg/m ³ |
| Carbitol (111-90-0) | |
| Austria - Occupational Exposure Limits | |
| MAK (OEL TWA) | 35 mg/m ³ |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Carbitol (111-90-0) | |
|--|---|
| | 6 ppm |
| MAK (OEL STEL) | 140 mg/m ³ |
| | 24 ppm |
| Estonia - Occupational Exposure Limits | |
| OEL TWA | 50.1 mg/m ³ |
| | 10 ppm |
| OEL chemical category | Skin notation |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 35 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| | 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 35 mg/m ³ |
| | 6 ppm |
| OEL STEL | 70 mg/m ³ |
| | 12 ppm |
| Sweden - Occupational Exposure Limits | |
| NGV (OEL TWA) | 80 mg/m ³ |
| | 15 ppm |
| KGV (OEL STEL) | 170 mg/m ³ |
| | 30 ppm |
| OEL chemical category | Skin notation |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 50 mg/m ³ (aerosol, inhalable dust, vapour) |
| KZGW (OEL STEL) | 100 mg/m ³ (aerosol, inhalable dust, vapour) |
| citral (5392-40-5) | |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 32 mg/m ³ (vapor and aerosol) |
| | 5 ppm (vapor and aerosol) |
| OEL chemical category | Skin |
| Ireland - Occupational Exposure Limits | |
| OEL TWA | 5 ppm |
| OEL STEL | 15 ppm (calculated) |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 27 mg/m ³ |
| NDSch (OEL STEL) | 54 mg/m ³ |
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 5 ppm (inhalable fraction; vapor) |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| citral (5392-40-5) | |
|--|---|
| OEL chemical category | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 5 ppm (inhalable fraction and vapor) |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 5 ppm (inhalable fraction and vapor) |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------------|
| Physical state | : Liquid |
| Colour | : Conforms to standard. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Hexyl cinnamic aldehyde (101-86-0) | |
|--|---|
| LD50 oral rat | 3100 mg/kg (Source: NLM_CIP) |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg (Source: EPA_HPVS) |
| LC50 Inhalation - Rat | > 5 mg/l/4h |
| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
| LD50 oral rat | > 2930 mg/kg (Source: EPA_HPVS) |
| LD50 dermal rat | > 2000 mg/kg (Source: JAPAN_GHS) |
| Benzyl acetate (140-11-4) | |
| LD50 oral rat | 2490 mg/kg (Source: JAPAN_GHS) |
| LD50 oral | 2490 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg (Source: JAPAN_GHS) |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| LD50 oral rat | 4400 mg/kg (Source: CHEMVIEW) |
| LD50 dermal rabbit | > 5 g/kg (Source: CHEMVIEW) |
| COUMARIN (91-64-5) | |
| LD50 oral rat | > 5000 mg/kg (Source: JAPAN_GHS) |
| LD50 dermal rat | 293 mg/kg (Source: ECHA_API) |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| LD50 oral rat | 5600 mg/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | 8410 mg/kg (Source: NLM_CIP) |
| LC50 Inhalation - Rat | > 5.7 mg/l/4h |
| (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6) | |
| LD50 oral rat | > 5 g/kg (Source: ECHA) |
| LD50 dermal rabbit | > 5000 mg/kg (Source: ECHA_API) |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCBS) (1222-05-5) | |
| LD50 oral rat | > 3250 mg/kg (Source: CHEMVIEW) |
| LD50 dermal rabbit | > 3250 mg/kg (Source: CHEMVIEW) |
| LC50 Inhalation - Rat | > 5.04 mg/l/4h |
| Carbitol (111-90-0) | |
| LD50 oral rat | 10502 mg/kg (Source: OECD_SIDS) |
| LD50 dermal rabbit | 9143 mg/kg (Source: OECD_SIDS) |
| LC50 Inhalation - Rat | > 5240 mg/m ³ (Exposure time: 4 h Source: NLM_CIP) |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| citral (5392-40-5) | |
|---|--|
| LD50 oral rat | 4960 mg/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | 2250 mg/kg (Source: NLM_CIP) |
| Skin corrosion/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
| IARC group | 3 - Not classifiable |
| Benzyl acetate (140-11-4) | |
| IARC group | 3 - Not classifiable |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| COUMARIN (91-64-5) | |
| IARC group | 3 - Not classifiable |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Hydrocarbon | Yes |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
|--|--|
| EC50 72h - Algae [1] | 6 mg/l (Species: Pseudokirchneriella subcapitata) |
| EC50 72h - Algae [2] | > 0.42 mg/l (Species: Desmodesmus subspicatus) |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| LC50 - Fish [1] | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
| LC50 - Fish [2] | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA) |
| EC50 - Crustacea [1] | > 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 72h - Algae [1] | > 500 mg/l (Species: Desmodesmus subspicatus) |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HCB) (1222-05-5) | |
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas |
| EC50 - Crustacea [2] | 260 µg/l REACH Dossier |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier |
| Carbitol (111-90-0) | |
| LC50 - Fish [1] | 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
| LC50 - Fish [2] | 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) |
| EC50 - Crustacea [1] | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| citral (5392-40-5) | |
| EC50 - Crustacea [1] | 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 72h - Algae [1] | 16 mg/l (Species: Desmodesmus subspicatus) |
| EC50 96h - Algae [1] | 19 mg/l (Species: Desmodesmus subspicatus) |
| 12.2. Persistence and degradability | |
| SUMMER LINEN CC-13044 10% in DPG | |
| Persistence and degradability | Not established. |
| Hexyl cinnamic aldehyde (101-86-0) | |
| Persistence and degradability | Rapidly degradable |
| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
| Persistence and degradability | Rapidly degradable |
| Benzyl acetate (140-11-4) | |
| Persistence and degradability | Rapidly degradable |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) | |
| Persistence and degradability | Rapidly degradable |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---|---|
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Persistence and degradability | Rapidly degradable |
| COUMARIN (91-64-5) | |
| Persistence and degradability | Rapidly degradable |
| Bacdanol (28219-61-6) | |
| Persistence and degradability | Rapidly degradable |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| Persistence and degradability | Rapidly degradable |
| (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6) | |
| Persistence and degradability | May cause long-term adverse effects in the environment,Not established. |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCb) (1222-05-5) | |
| Persistence and degradability | Rapidly degradable |
| Carbitol (111-90-0) | |
| Persistence and degradability | Rapidly degradable |
| citral (5392-40-5) | |
| Persistence and degradability | Rapidly degradable |
| 12.3. Bioaccumulative potential | |
| SUMMER LINEN CC-13044 10% in DPG | |
| Bioaccumulative potential | Not established. |
| Butylated hydroxytoluene (BHT) crystals (128-37-0) | |
| BCF - Fish [1] | 230 – 2500 |
| Partition coefficient n-octanol/water (Log Pow) | 5.1 |
| Benzyl acetate (140-11-4) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (at 25 °C (at pH 7) |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (at 37 °C (at pH 7.2) |
| Bis(2-ethylhexyl) adipate (103-23-1) | |
| BCF - Fish [1] | (27 dimensionless) |
| Partition coefficient n-octanol/water (Log Pow) | 8.94 (at 25 °C) |
| (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6) | |
| BCF - Fish [1] | (530 dimensionless (whole body w.w.) |
| Partition coefficient n-octanol/water (Log Pow) | 5.4 (at 25 °C) |
| Bioaccumulative potential | Not established. |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCb) (1222-05-5) | |
| BCF - Fish [1] | (1618 dimensionless (whole body w.w.) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7) |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)

Partition coefficient n-octanol/water (Log Pow) -0.8

citral (5392-40-5)

Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological information : Avoid release to the environment.
HP Code : HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|--|---|
| Reference code | Applicable on | Entry title or description |
| 3(a) | (R)-p-mentha-1,8-diene; d-limonene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | SUMMER LINEN CC-13044 10% in DPG ; Hexyl cinnamic aldehyde ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone ; (R)-p-mentha-1,8-diene; d-limonene ; Bacdanol ; (ETHOXYMETHOXY)CYCLODODECANE ; citral | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | SUMMER LINEN CC-13044 10% in DPG ; Hexyl cinnamic aldehyde ; Benzyl acetate ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone ; (R)-p-mentha-1,8-diene; d-limonene ; Bacdanol ; Bis(2-ethylhexyl) adipate ; (ETHOXYMETHOXY)CYCLODODECANE ; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| EU restriction list (REACH Annex XVII) | | |
|--|---------------------------------------|--|
| Reference code | Applicable on | Entry title or description |
| 40. | (R)-p-mentha-1,8-diene; d-limonene | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SUMMER LINEN CC-13044 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.