

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its  
amendment Regulation (EU) 2015/830

# CandleCraft

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Black Coconut CC-13059 at 10% in DPG  
Product code : CC-13059\_ 10%

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Perfumes, fragrances  
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

### 1.4. Emergency telephone number

No additional information available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P273 - Avoid release to the environment.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in  
accordance with local, regional, national and/or international regulation.  
EUH-statements : EUH208 - Contains Heliotropine, Linalool. May produce an allergic reaction.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier  | %             | Classification according to Regulation (EC) No. 1272/2008 [CLP]                               |
|---|---|---------------|---|
| Benzyl benzoate   | CAS-No.: 120-51-4<br>EC-No.: 204-402-9<br>EC Index-No.: 607-085-00-9<br>REACH-no: 01-2119976371-33  | 2.864 – 5.728 | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411                 |
| Sandela   | CAS-No.: 66068-84-6<br>EC-No.: 266-100-3  | 0.39 – 0.78   | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |
| Hexamethylindanopyran   | CAS-No.: 1222-05-5<br>EC-No.: 214-946-9<br>EC Index-No.: 603-212-00-7<br>REACH-no: 01-2119488227-29 | 0.3 – 0.6     | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| Linalool  | CAS-No.: 78-70-6<br>EC-No.: 201-134-4<br>EC Index-No.: 603-235-00-2<br>REACH-no: 01-2119474016-42   | 0.121 – 0.242 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317                              |
| Heliotropine  | CAS-No.: 120-57-0<br>EC-No.: 204-409-7<br>REACH-no: 01-2119983608-21                                | 0.09 – 0.18   | Skin Sens. 1B, H317   |
| Diphenyl oxide<br>substance with a Community workplace exposure limit | CAS-No.: 101-84-8<br>EC-No.: 202-981-2<br>REACH-no: 01-2119472545-33                                | 0 – 0.002     | Eye Irrit. 2, H319<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                        |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Allow affected person to breathe fresh air. Allow the victim to rest.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                  |  |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

| Diphenyl oxide (101-84-8)                          |                              |
|--|------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                              |
| IOEL TWA   | 7 mg/m <sup>3</sup>          |
| IOEL TWA [ppm]                                     | 1 ppm                        |
| IOEL STEL  | 14 mg/m <sup>3</sup>         |
| IOEL STEL [ppm]                                    | 2 ppm                        |
| Austria - Occupational Exposure Limits             |                              |
| MAK (OEL TWA)                                      | 7 mg/m <sup>3</sup>          |
| MAK (OEL TWA) [ppm]                                | 1 ppm                        |
| MAK (OEL STEL)                                     | 14 mg/m <sup>3</sup>         |
| MAK (OEL STEL) [ppm]                               | 2 ppm                        |
| Belgium - Occupational Exposure Limits             |                              |
| OEL TWA  | 7 mg/m <sup>3</sup> (vapor)  |
| OEL TWA [ppm]                                      | 1 ppm (vapor)                |
| OEL STEL   | 14 mg/m <sup>3</sup> (vapor) |
| OEL STEL [ppm]                                     | 2 ppm (vapor)                |
| Bulgaria - Occupational Exposure Limits            |                              |
| OEL TWA  | 7 mg/m <sup>3</sup>          |
| OEL TWA [ppm]                                      | 1 ppm                        |
| OEL STEL   | 14 mg/m <sup>3</sup>         |
| OEL STEL [ppm]                                     | 2 ppm                        |
| Croatia - Occupational Exposure Limits             |                              |
| GVI (OEL TWA) [1]                                  | 7 mg/m <sup>3</sup>          |
| GVI (OEL TWA) [2]                                  | 1 ppm                        |
| KGVI (OEL STEL)                                    | 14 mg/m <sup>3</sup>         |
| KGVI (OEL STEL) [ppm]                              | 2 ppm                        |
| Cyprus - Occupational Exposure Limits              |                              |
| OEL TWA  | 7 mg/m <sup>3</sup>          |
| OEL TWA [ppm]                                      | 1 ppm                        |
| OEL STEL   | 14 mg/m <sup>3</sup>         |
| OEL STEL [ppm]                                     | 2 ppm                        |
| Czech Republic - Occupational Exposure Limits      |                              |
| PEL (OEL TWA)                                      | 5 mg/m <sup>3</sup>          |
| Denmark - Occupational Exposure Limits             |                              |
| OEL TWA [1]  | 7 mg/m <sup>3</sup>          |
| OEL TWA [2]  | 1 ppm                        |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Diphenyl oxide (101-84-8)                         |  |
|---|--|
| Estonia - Occupational Exposure Limits            |  |
| OEL TWA   | 7 mg/m <sup>3</sup>  |
| OEL TWA [ppm]                                     | 1 ppm  |
| OEL STEL  | 14 mg/m <sup>3</sup>   |
| OEL STEL [ppm]                                    | 2 ppm  |
| Finland - Occupational Exposure Limits            |  |
| HTP (OEL TWA) [1]                                 | 7 mg/m <sup>3</sup>  |
| HTP (OEL TWA) [2]                                 | 1 ppm  |
| HTP (OEL STEL)                                    | 14 mg/m <sup>3</sup>   |
| HTP (OEL STEL) [ppm]                              | 2 ppm  |
| France - Occupational Exposure Limits             |  |
| VME (OEL TWA)                                     | 7 mg/m <sup>3</sup>  |
| VME (OEL TWA) [ppm]                               | 1 ppm  |
| OEL chemical category                             | Risk of cutaneous absorption   |
| Germany - Occupational Exposure Limits (TRGS 900) |  |
| AGW (OEL TWA) [1]                                 | 7.1 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) |
| AGW (OEL TWA) [2]                                 | 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)                 |
| Gibraltar - Occupational Exposure Limits          |  |
| OEL TWA   | 7 mg/m <sup>3</sup>  |
| OEL TWA [ppm]                                     | 1 ppm  |
| OEL STEL  | 14 mg/m <sup>3</sup>   |
| OEL STEL [ppm]                                    | 200 ppm  |
| Greece - Occupational Exposure Limits             |  |
| OEL TWA   | 7 mg/m <sup>3</sup>  |
| OEL TWA [ppm]                                     | 1 ppm  |
| OEL STEL  | 14 mg/m <sup>3</sup>   |
| OEL STEL [ppm]                                    | 2 ppm  |
| Hungary - Occupational Exposure Limits            |  |
| AK (OEL TWA)                                      | 7 mg/m <sup>3</sup>  |
| CK (OEL STEL)                                     | 14 mg/m <sup>3</sup>   |
| Ireland - Occupational Exposure Limits            |  |
| OEL TWA [1]                                       | 7 mg/m <sup>3</sup> (vapour)   |
| OEL TWA [2]                                       | 1 ppm (vapour)   |
| OEL STEL  | 14 mg/m <sup>3</sup> (vapour)  |
| OEL STEL [ppm]                                    | 2 ppm (vapour)   |
| Italy - Occupational Exposure Limits              |  |
| OEL TWA   | 7 mg/m <sup>3</sup>  |
| OEL TWA [ppm]                                     | 1 ppm  |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Diphenyl oxide (101-84-8)                  |   |
|--|---|
| Latvia - Occupational Exposure Limits      |   |
| OEL TWA                                    | 7 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                              | 1 ppm   |
| Lithuania - Occupational Exposure Limits   |   |
| IPRV (OEL TWA)                             | 7 mg/m <sup>3</sup>                           |
| IPRV (OEL TWA) [ppm]                       | 1 ppm   |
| TPRV (OEL STEL)                            | 14 mg/m <sup>3</sup>                          |
| TPRV (OEL STEL) [ppm]                      | 2 ppm   |
| Luxembourg - Occupational Exposure Limits  |   |
| OEL TWA                                    | 7 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                              | 1 ppm   |
| OEL STEL                                   | 14 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                             | 2 ppm   |
| Malta - Occupational Exposure Limits       |   |
| OEL TWA                                    | 7 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                              | 1 ppm   |
| OEL STEL                                   | 14 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                             | 2 ppm   |
| Netherlands - Occupational Exposure Limits |   |
| TGG-8u (OEL TWA)                           | 7 mg/m <sup>3</sup>                           |
| TGG-15min (OEL STEL)                       | 14 mg/m <sup>3</sup>                          |
| Poland - Occupational Exposure Limits      |   |
| NDS (OEL TWA)                              | 7 mg/m <sup>3</sup>                           |
| NDSch (OEL STEL)                           | 14 mg/m <sup>3</sup>                          |
| Portugal - Occupational Exposure Limits    |   |
| OEL TWA                                    | 7 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                              | 1 ppm (vapor)                                 |
| OEL STEL                                   | 14 mg/m <sup>3</sup> (indicative limit value) |
| OEL STEL [ppm]                             | 2 ppm (indicative limit value-vapor)          |
| Romania - Occupational Exposure Limits     |   |
| OEL TWA                                    | 5 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                              | 0.7 ppm                                       |
| OEL STEL                                   | 10 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                             | 1.4 ppm                                       |
| Slovakia - Occupational Exposure Limits    |   |
| NPHV (OEL TWA) [1]                         | 7 mg/m <sup>3</sup>                           |
| NPHV (OEL TWA) [2]                         | 1 ppm   |
| NPHV (OEL C)                               | 7.1 mg/m <sup>3</sup>                         |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Diphenyl oxide (101-84-8)                     |   |
|---|---|
| Slovenia - Occupational Exposure Limits       |   |
| OEL TWA                                       | 7 mg/m <sup>3</sup>   |
| OEL TWA [ppm]                                 | 1 ppm   |
| OEL STEL                                      | 14 mg/m <sup>3</sup>  |
| OEL STEL [ppm]                                | 2 ppm   |
| Spain - Occupational Exposure Limits          |   |
| VLA-ED (OEL TWA) [1]                          | 7.1 mg/m <sup>3</sup> (vapor)                                 |
| VLA-ED (OEL TWA) [2]                          | 1 ppm (vapor)   |
| VLA-EC (OEL STEL)                             | 14.2 mg/m <sup>3</sup> (vapor)                                |
| VLA-EC (OEL STEL) [ppm]                       | 2 ppm (vapor)   |
| Sweden - Occupational Exposure Limits         |   |
| NGV (OEL TWA)                                 | 7 mg/m <sup>3</sup>   |
| NGV (OEL TWA) [ppm]                           | 1 ppm   |
| KTV (OEL STEL)                                | 14 mg/m <sup>3</sup>  |
| KTV (OEL STEL) [ppm]                          | 2 ppm   |
| United Kingdom - Occupational Exposure Limits |   |
| WEL TWA (OEL TWA) [1]                         | 7 mg/m <sup>3</sup>   |
| WEL TWA (OEL TWA) [2]                         | 1 ppm   |
| WEL STEL (OEL STEL)                           | 14 mg/m <sup>3</sup>  |
| WEL STEL (OEL STEL) [ppm]                     | 2 ppm   |
| Norway - Occupational Exposure Limits         |   |
| Grenseverdi (OEL TWA) [1]                     | 7 mg/m <sup>3</sup>   |
| Grenseverdi (OEL TWA) [2]                     | 1 ppm   |
| Korttidsverdi (OEL STEL)                      | 14 mg/m <sup>3</sup> (value from the regulation)              |
| Korttidsverdi (OEL STEL) [ppm]                | 2 ppm (value from the regulation)                             |
| Switzerland - Occupational Exposure Limits    |   |
| MAK (OEL TWA) [1]                             | 7 mg/m <sup>3</sup> (aerosol, vapour)                         |
| MAK (OEL TWA) [2]                             | 1 ppm (aerosol, vapour)                                       |
| KZGW (OEL STEL)                               | 14 mg/m <sup>3</sup> (aerosol, vapour)                        |
| KZGW (OEL STEL) [ppm]                         | 2 ppm (aerosol, vapour)                                       |
| OEL chemical category                         | Category 2 developmental toxin, Category 2 reproductive toxin |
| USA - ACGIH - Occupational Exposure Limits    |   |
| ACGIH OEL TWA [ppm]                           | 1 ppm (vapor)   |
| ACGIH OEL STEL [ppm]                          | 2 ppm (vapor fraction)  |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Avoid all unnecessary exposure.

**Personal protective equipment symbol(s):**



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

**Hand protection:**

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Other information:**

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
| Colour  | : Standard.         |
| Odour   | : characteristic.   |
| Odour threshold                                 | : No data available |
| pH  | : No data available |
| Relative evaporation rate (butylacetate=1)      | : No data available |
| Melting point                                   | : No data available |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : > 93 °C           |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Flammability (solid, gas)                       | : Non flammable.    |
| Vapour pressure                                 | : No data available |
| Relative vapour density at 20 °C                | : No data available |
| Relative density                                | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |



# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                      |                     |
|----------------------|---------------------|
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic   | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits     | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Diphenyl oxide (101-84-8)         |                       |
|-----------------------------------|-----------------------|
| LD50 oral rat                     | 2450 mg/kg            |
| LD50 oral                         | 2830 mg/kg bodyweight |
| LD50 dermal rabbit                | > 7940 mg/kg          |
| LC50 Inhalation - Rat (Dust/Mist) | 1.5 mg/l/4h           |
| Heliotropine (120-57-0)           |                       |
| LD50 oral rat                     | 2700 mg/kg            |
| LD50 oral                         | 2700 mg/kg bodyweight |
| LD50 dermal rat                   | > 5000 mg/kg          |
| Sandela (66068-84-6)              |                       |
| LD50 dermal rat                   | > 2000 mg/kg          |
| LC50 Inhalation - Rat             | > 5.27 mg/l/4h        |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Linalool (78-70-6)                                  |  |
|---|--|
| LD50 oral   | 2790 mg/kg bodyweight  |
| Benzyl benzoate (120-51-4)                          |  |
| LD50 oral rat                                       | 500 mg/kg  |
| LD50 oral   | 1500 mg/kg bodyweight  |
| LD50 dermal rabbit                                  | 4000 mg/kg   |
| LD50 dermal   | 4000 mg/kg bodyweight  |
| Hexamethylindanopyran (1222-05-5)                   |  |
| LD50 oral rat                                       | > 3250 mg/kg   |
| LD50 dermal rabbit                                  | > 3250 mg/kg   |
| Skin corrosion/irritation                           | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation                       | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation                   | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity                              | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Carcinogenicity                                     | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Reproductive toxicity                               | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| STOT-single exposure                                | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure                              | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Aspiration hazard                                   | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met |
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |  |
|---|--|
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                     |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |

| Heliotropine (120-57-0)           |  |
|-----------------------------------|--|
| LC50 - Fish [1]                   | 2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])   |
| Linalool (78-70-6)                |  |
| EC50 96h - Algae [1]              | 88.3 mg/l (Species: Desmodemus subspicatus)                          |
| Benzyl benzoate (120-51-4)        |  |
| LC50 - Fish [1]                   | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic)                    | 0.168 mg/l   |
| Hexamethylindanopyran (1222-05-5) |  |
| LC50 - Fish [1]                   | 0.452 mg/l Wolf, 1996d-27682   |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Hexamethylindanopyran (1222-05-5)

|                                    |   |
|------------------------------------|---|
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas |
| EC50 - Crustacea [2]               | 260 µg/l REACH Dossier                        |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier                      |

### 12.2. Persistence and degradability

#### Black Coconut CC-13059 at 10% in DPG

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### Benzyl benzoate (120-51-4)

|                               |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

### 12.3. Bioaccumulative potential

#### Black Coconut CC-13059 at 10% in DPG

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

#### Diphenyl oxide (101-84-8)

|   |                     |
|---|---------------------|
| BCF - Fish [1]                                  | (470 dimensionless) |
| Partition coefficient n-octanol/water (Log Pow) | 4.21 (at 25 °C)     |

#### Heliotropine (120-57-0)

|   |                |
|---|----------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.2 (at 35 °C) |
|---|----------------|

#### Benzyl benzoate (120-51-4)

|   |                  |
|---|------------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (at 25 °C)  |
| Bioaccumulative potential                       | Not established. |

#### Hexamethylindanopyran (1222-05-5)

|   |  |
|---|--|
| BCF - Fish [1]                                  | (1618 dimensionless (whole body w.w.)) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7))               |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.1 UN number

|               |                  |
|---------------|------------------|
| UN-No. (ADR)  | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN)  | : Not applicable |
| UN-No. (RID)  | : Not applicable |

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

#### ADR

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADR) | : Not applicable |
|----------------------------------|------------------|

#### IMDG

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IMDG) | : Not applicable |
|-----------------------------------|------------------|

#### IATA

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IATA) | : Not applicable |
|-----------------------------------|------------------|

#### ADN

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADN) | : Not applicable |
|----------------------------------|------------------|

#### RID

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (RID) | : Not applicable |
|----------------------------------|------------------|

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

|                               |  |
|-------------------------------|--|
| Dangerous for the environment | : No                                     |
| Marine pollutant              | : No                                     |
| Other information             | : No supplementary information available |

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

| Name      | CN designation | CAS-No.  | CN code    | Category   | Threshold | Annex   |
|-----------|----------------|----------|------------|------------|-----------|---------|
| Piperonal |                | 120-57-0 | 2932 93 00 | Category 1 |           | Annex I |

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen

: Sandela is listed

SZW-lijst van mutagene stoffen

: Sandela is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

##### Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

##### Switzerland

Storage class (LK)

: LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

### Full text of H- and EUH-statements:

|                     |   |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |

# Black Coconut CC-13059 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2  |
| EUH208                              | Contains Heliotropine, Linalool. May produce an allergic reaction. |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                      |
| H302                                | Harmful if swallowed.  |
| H315                                | Causes skin irritation.  |
| H317                                | May cause an allergic skin reaction.                               |
| H319                                | Causes serious eye irritation.                                     |
| H400                                | Very toxic to aquatic life.  |
| H410                                | Very toxic to aquatic life with long lasting effects.              |
| H411                                | Toxic to aquatic life with long lasting effects.                   |
| H412                                | Harmful to aquatic life with long lasting effects.                 |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                              |
| Skin Sens. 1B                       | Skin sensitisation, category 1B                                    |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.