Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/4/2020 Revision date: 7/24/2023 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: RED CHERRY VANILLA CC-13068 Trade name

UFI : 4T8V-T1JS-G00A-U9JN

Product code : CC-13068

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Acute Hazard, Category 1 H400 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Benzyl benzoate; Benzaldehyde; Ethyl maltol; Heliotropine; Hexyl cinnamic aldehyde; beta-

Caryophyllene; Allyl cyclohexylpropionate; Eugenol; Lemon oil

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-	39.2 – 59.2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	4.375 – 8.75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	1.875 – 3.75	Acute Tox. 4 (Oral), H302
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1.75 – 3.5	Eye Irrit. 2, H319
Dimethylbenzyl carbinyl butyrate(DMBCB)	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578-	1.75 – 3.5	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.3 – 2.6	Acute Tox. 4 (Oral), H302

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.925 – 1.85	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.65 – 1.3	Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.45 – 0.9	Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.225 – 0.45	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.225 – 0.45	Aquatic Chronic 3, H412
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.06875 – 0.2	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 1, H410
cis-3-Hexenyl salicylate	CAS-No.: 65405-77-8 EC-No.: 265-745-8	0.1 – 0.2	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.03125 – 0.125	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.0025	Flam. Liq. 3, H226
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.0025	Flam. Liq. 3, H226
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	< 0.0025	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

7/24/2023 (Revision date) EN (English) 4/21

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzaldehyde (100-52-7)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	4.4 mg/m³		
HTP (OEL TWA) [2]	1 ppm		
HTP (OEL C)	17.4 mg/m³		
HTP (OEL C) [ppm]]	4 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³		
CK (OEL STEL)	10 mg/m³		
Latvia - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	10 mg/m³		
NDSCh (OEL STEL)	40 mg/m³		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA [ppm]	10 ppm		

Safety Data Sheet

Benzyl acetate (140-11-4)			
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m³		
OEL STEL [ppm]	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
.betaPinene (127-91-3)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		

Safety Data Sheet

.betaPinene (127-91-3)		
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	

Safety Data Sheet

.alphaPinene (80-56-8)			
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
d-Limonene (5989-27-5)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	140 mg/m³		
HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL)	280 mg/m³		
HTP (OEL STEL) [ppm]	50 ppm		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
OEL TWA [ppm]	5 ppm		
OEL STEL	112 mg/m³		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

: characteristic. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 93.33 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : Not available Not available Vapour pressure at 50°C Not available Density Relative density : ≈ 1.07 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

7/24/2023 (Revision date) EN (English) 10/21

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (illinatation)	. Not classified		
RED CHERRY VANILLA CC-13068			
ATE CLP (oral)	809.301 mg/kg bodyweight		
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg		
Hexamethylindanopyran (1222-05-5)			
LD50 oral rat	> 3250 mg/kg		
LD50 dermal rabbit	> 3250 mg/kg		
Benzaldehyde (100-52-7)			
LD50 oral rat	1292 mg/kg		
LD50 dermal rabbit	> 1250 mg/kg		
Vanillin (121-33-5)			
LD50 dermal rabbit	> 5010 mg/kg		
LD50 dermal	2600 mg/kg bodyweight		
Ethyl maltol (4940-11-8)			
LD50 oral rat	1150 mg/kg		
LD50 oral	1200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Aldehyde C-14 (104-67-6)			
LD50 oral rat	18500 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
Heliotropine (120-57-0)			
LD50 oral rat	2700 mg/kg		

Safety Data Sheet

Heliotropine (120-57-0)			
LD50 oral	2700 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Allyl cyclohexylpropionate (2705-87-5)			
LD50 oral rat	585 mg/kg		
LD50 oral	380 mg/kg bodyweight		
LD50 dermal rabbit	1600 mg/kg		
LD50 dermal	1600 mg/kg bodyweight		
cis-3-Hexenyl salicylate (65405-77-8)			
LD50 oral rat	5 g/kg		
LD50 oral	2500 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg		
.betaPinene (127-91-3)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
.alphaPinene (80-56-8)			
LD50 oral rat	3700 mg/kg		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
d-Limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg		
LD50 dermal rabbit	> 5 g/kg		
Eugenol (97-53-0)			
LD50 oral rat	1930 mg/kg		
LD50 oral	2500 mg/kg bodyweight		
Dimethylbenzyl carbinyl butyrate(DMBCB) (10094-34-5)			
LD50 oral rat	> 5 g/kg		
Lemon oil (8008-56-8)			
LD50 oral rat	2840 mg/kg		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

- Caroniogoriloty	•	Tet sladelined	
Benzyl acetate (140-11-4)			
IARC group		3 - Not classifiable	
d-Limonene (5989-27-5)			
IARC group		3 - Not classifiable	
Eugenol (97-53-0)			
IARC group		3 - Not classifiable	
Reproductive toxicity	:	Not classified	
STOT-single exposure	: 1	Not classified	
STOT-repeated exposure	: 1	Not classified	
Aspiration hazard	: 1	Not classified	
Dennyl homosto (420 E4 4)			

Aspiration nazaru .	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
Heliotropine (120-57-0)		
Viscosity, kinematic	Not applicable	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

: Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term

(chronic)	
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vanillin (121-33-5)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Aldehyde C-14 (104-67-6)	
LC50 - Fish [1]	569 mg/l 96 h
EC50 - Crustacea [1]	5.85 mg/l 48 h
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
Allyl cyclohexylpropionate (2705-87-5)	
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
Aldehyde C-14 (104-67-6)	
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)
Heliotropine (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
beta-Caryophyllene (87-44-5)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)
Allyl cyclohexylpropionate (2705-87-5)	
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)
cis-3-Hexenyl salicylate (65405-77-8)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C (at pH 7)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)
Partition coefficient n-octanol/water (Log Pow)	4.7 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

7/24/2023 (Revision date) EN (English) 15/21

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	ADR IMDG		ADN	RID			
14.1. UN number or ID n	14.1. UN number or ID number						
UN 3082 UN 3082		UN 3082	UN 3082	UN 3082			
14.2. UN proper shipping	g name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. N.O.S. HEXAMETHYLINDANOPY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)			
Transport document descr	iption						
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT		UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III			
14.3. Transport hazard class(es)							
9	9	9	9	9			
14.4. Packing group							
III III		III	III	III			
14.5. Environmental haz	ards						
Dangerous for the environment: Yes Dangerous for the environment: Yes Marine pollutant: Yes		Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

Portable tank and bulk container

(RID)
Tank codes for RID tanks (RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REA	restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(a)	.betaPinene ; .alpha Pinene ; d-Limonene ; Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	RED CHERRY VANILLA CC-13068; Benzyl benzoate; Benzaldehyde ; Hexyl cinnamic aldehyde ; Allyl cyclohexylpropionate; d- Limonene; Eugenol; Dimethylbenzyl carbinyl butyrate(DMBCB); Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REA	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(c)	RED CHERRY VANILLA CC-13068; Benzyl benzoate; Hexamethylindanopyran; Aldehyde C-14; Hexyl cinnamic aldehyde; Benzyl acetate; Allyl cyclohexylpropionate; cis-3-Hexenyl salicylate; d-Limonene; Dimethylbenzyl carbinyl butyrate(DMBCB); Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	.betaPinene ; .alpha Pinene ; d-Limonene ; Lemon oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

ı	Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
ı	Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code Description		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : cis-3-Hexenyl salicylate,Lemon oil are listed

SZW-lijst van mutagene stoffen : cis-3-Hexenyl salicylate,Lemon oil are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H361	Suspected of damaging fertility or the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 2	Reproductive toxicity, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.