

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/17/2017
Revision date: 7/12/2019 Version: 1.0

CandleCraft

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Black Cherry
UFI : V77A-D3WQ-H008-TV6R
Product code : CC-13070
Type of product : Perfumes, Fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;
Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazardous ingredients : Liffarome; Orange oil ; Anisyl acetate; trans-Anethole (food grade); Geranyl acetate; Citronellol Pure; Linalool; Hexyl cinnamic aldehyde; Cyclamal; Damascone Beta; Aldehyde C-16; Eugenol
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzene carboxaldehyde	(CAS-No.) 100-52-7 (EC-No.) 202-860-4 (EC Index-No.) 605-012-00-5 (REACH-no) 01-2119455540-44	2.65 – 5.3	Acute Tox. 4 (Oral), H302
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	2.325 – 4.65	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	1.975 – 3.95	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	(CAS-No.) 5471-51-2 (EC-No.) 226-806-4	1.5 – 3	Acute Tox. 4 (Oral), H302
beta-Ionone	(CAS-No.) 14901-07-6 (EC-No.) 238-969-9	1.475 – 2.95	Aquatic Chronic 2, H411
Orange oil	(CAS-No.) 8008-57-9 (EC-No.) 232-433-8 (REACH-no) 01-2119493353-35	1.125 – 2.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7 (REACH-no) 01-2119970713-33	0.925 – 1.85	Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	0.85 – 1.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
p-Tolualdehyde	(CAS-No.) 104-87-0 (EC-No.) 203-246-9	0.7 – 1.4	Acute Tox. 4 (Oral), H302
Geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5 (REACH-no) 01-2119973480-35	0.55 – 1.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
alpha-Ionone	(CAS-No.) 127-41-3 (EC-No.) 204-841-6 (REACH-no) 01-2119965149-27	0.525 – 1.05	Aquatic Chronic 3, H412

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	0.5 – 1	Aquatic Chronic 3, H412
Anisyl acetate	(CAS-No.) 104-21-2 (EC-No.) 203-185-8	0.375 – 0.75	Skin Sens. 1, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.25 – 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Damascone Beta	(CAS-No.) 23726-92-3 (EC-No.) 245-843-7	0.2 – 0.4	Skin Sens. 1B, H317
Allyl caproate	(CAS-No.) 123-68-2 (EC-No.) 204-642-4 (REACH-no) 01-2119983573-26	0.175 – 0.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.15 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	(CAS-No.) 103-95-7 (EC-No.) 203-161-7 (REACH-no) 01-2119970582-32	0.15 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46	0.075 – 0.15	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
Liffarome	(CAS-No.) 67633-96-9 (EC-No.) 266-797-4	0.05 – 0.1	Skin Sens. 1B, H317
trans-Anethole (food grade)	(CAS-No.) 4180-23-8 (EC-No.) 224-052-0	0.05 – 0.1	Skin Sens. 1B, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Storage temperature : 25 °C
Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzene carboxaldehyde (100-52-7)	
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m ³)	5 mg/m ³
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m ³)	4.4 mg/m ³

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

HTP-arvo (8h) (ppm)	1 ppm
OEL Ceiling (mg/m ³)	17.4 mg/m ³
OEL Ceiling (ppm)	4 ppm
Hungary - Occupational Exposure Limits	
Exposure Limit Value	5 mg/m ³
CK-érték	10 mg/m ³
Latvia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (mg/m ³)	5 mg/m ³
Poland - Occupational Exposure Limits	
NDS (mg/m ³)	10 mg/m ³
NDSch (mg/m ³)	40 mg/m ³

Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
Limit value (mg/m ³)	62 mg/m ³
Limit value (ppm)	10 ppm
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m ³)	61 mg/m ³
Grænsevædi (8 timer) (ppm)	10 ppm
Ireland - Occupational Exposure Limits	
OEL (8 hours ref) (ppm)	10 ppm
OEL (15 min ref) (ppm)	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (mg/m ³)	5 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA (ppm)	10 ppm
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA (mg/m ³)	50 mg/m ³
OEL TWA (ppm)	8 ppm
OEL STEL (mg/m ³)	80 mg/m ³
OEL STEL (ppm)	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (mg/m ³)	62 mg/m ³
VLA-ED (ppm)	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m ³)	734 mg/m ³
IOELV TWA (ppm)	200 ppm
IOELV STEL (mg/m ³)	1468 mg/m ³
IOELV STEL (ppm)	400 ppm
Austria - Occupational Exposure Limits	
MAK (mg/m ³)	734 mg/m ³
MAK (ppm)	200 ppm
MAK Short time value (mg/m ³)	1468 mg/m ³
MAK Short time value (ppm)	400 ppm
Belgium - Occupational Exposure Limits	
Limit value (mg/m ³)	734 mg/m ³
Limit value (ppm)	200 ppm
Short time value (mg/m ³)	1468 mg/m ³
Short time value (ppm)	400 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m ³)	734 mg/m ³
GVI (granična vrijednost izloženosti) (ppm)	200 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	1468 mg/m ³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Czech Republic - Occupational Exposure Limits	
Exposure limits (PEL) (mg/m ³)	700 mg/m ³
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m ³)	540 mg/m ³
Grænsevædi (8 timer) (ppm)	150 ppm
Estonia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	500 mg/m ³
OEL TWA (ppm)	150 ppm
OEL STEL (mg/m ³)	1100 mg/m ³

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL STEL (ppm)	300 ppm
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m ³)	730 mg/m ³
HTP-arvo (8h) (ppm)	200 ppm
HTP-arvo (15 min)	1470 mg/m ³
HTP-arvo (15 min) (ppm)	400 ppm
France - Occupational Exposure Limits	
VME (mg/m ³)	1400 mg/m ³
VME (ppm)	400 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Occupational exposure limit value (mg/m ³)	730 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar - Occupational Exposure Limits	
Eight hours mg/m ³	200 mg/m ³
Eight hours ppm	734 ppm
Short-term mg/m ³	400 mg/m ³
Short-term ppm	1468 ppm
Greece - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Hungary - Occupational Exposure Limits	
Exposure Limit Value	734 mg/m ³
CK-érték	1468 mg/m ³
OEL chemical category (HU)	Sensitizer
Ireland - Occupational Exposure Limits	
OEL (8 hours ref) (mg/m ³)	734 mg/m ³
OEL (8 hours ref) (ppm)	200 ppm
OEL (15 min ref) (mg/m ³)	1468 mg/m ³
OEL (15 min ref) (ppm)	400 ppm
Latvia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	200 mg/m ³
OEL TWA (ppm)	54 ppm
Lithuania - Occupational Exposure Limits	
IPRV (mg/m ³)	500 mg/m ³
IPRV (ppm)	150 ppm
NRV (mg/m ³)	1100 mg/m ³
NRV (ppm)	300 ppm

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Luxembourg - Occupational Exposure Limits	
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Malta - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m ³)	734 mg/m ³
Grenswaarde TGG 15MIN (mg/m ³)	1468 mg/m ³
Poland - Occupational Exposure Limits	
NDS (mg/m ³)	734 mg/m ³
NDSCh (mg/m ³)	1468 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³ (indicative limit value)
OEL TWA (ppm)	200 ppm (indicative limit value)
OEL STEL (mg/m ³)	1468 mg/m ³ (indicative limit value)
OEL STEL (ppm)	400 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA (mg/m ³)	400 mg/m ³
OEL TWA (ppm)	111 ppm
OEL STEL (mg/m ³)	500 mg/m ³
OEL STEL (ppm)	139 ppm
Slovakia - Occupational Exposure Limits	
NPHV (priemerná) (mg/m ³)	734 mg/m ³
NPHV (priemerná) (ppm)	200 ppm
NPHV (Hraničná) (mg/m ³)	1100 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA (mg/m ³)	734 mg/m ³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m ³)	1468 mg/m ³
OEL STEL (ppm)	400 ppm
Spain - Occupational Exposure Limits	
VLA-ED (mg/m ³)	734 mg/m ³
VLA-ED (ppm)	200 ppm
VLA-EC (mg/m ³)	1468 mg/m ³
VLA-EC (ppm)	400 ppm
Sweden - Occupational Exposure Limits	
nivågränsvärde (NVG) (mg/m ³)	500 mg/m ³
nivågränsvärde (NVG) (ppm)	150 ppm

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

kortidsvärde (KTV) (mg/m ³)	1100 mg/m ³
kortidsvärde (KTV) (ppm)	300 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m ³)	734 mg/m ³
WEL TWA (ppm)	200 ppm
WEL STEL (mg/m ³)	1468 mg/m ³
WEL STEL (ppm)	400 ppm
Norway - Occupational Exposure Limits	
TWA (AN) (mg/m ³)	734 mg/m ³
TWA (AN) (ppm)	200 ppm
TWA (Korttidsverdi) (mg/m ³)	917.5 mg/m ³ (value calculated)
TWA (Korttidsverdi) (ppm)	250 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (mg/m ³)	730 mg/m ³
MAK (ppm)	200 ppm
KZGW (mg/m ³)	1460 mg/m ³
KZGW (ppm)	400 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	400 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow. amber.
Odor	: characteristic.
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 76 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 0.97
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzene carboxaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg

Allyl caproate (123-68-2)	
LD50 oral	300 mg/kg body weight
LD50 dermal	300 mg/kg body weight
LC50 inhalation rat (Vapors - mg/l/4h)	3 mg/l/4h

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

trans-Anethole (food grade) (4180-23-8)	
LD50 oral rat	2090 mg/kg

Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg body weight

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg body weight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg body weight

Linalool (78-70-6)	
LD50 oral	2790 mg/kg body weight

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg body weight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg body weight

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

p-Tolualdehyde (104-87-0)	
LD50 oral rat	1600 mg/kg
LD50 oral	1000 mg/kg body weight

Damascone Beta (23726-92-3)	
LD50 oral	2920 mg/kg body weight

Oxyphelylon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg

Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg

alpha-Ionone (127-41-3)	
LD50 oral	4590 mg/kg body weight

beta-Ionone (14901-07-6)	
LD50 oral rat	4590 mg/kg

Ethyl acetate (141-78-6)	
LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 inhalation rat (ppm)	4000 ppm/4h

Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg body weight

Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable

Eugenol (97-53-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Benzene carboxaldehyde (100-52-7)

LC50 fish 1	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
-------------	--

LC50 fish 2	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
-------------	--

Allyl caproate (123-68-2)

LC50 fish 1	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-------------	---

Linalool (78-70-6)

EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)
--------------------	--

Aldehyde C-16 (77-83-8)

LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
-------------	---

Ethyl acetate (141-78-6)

LC50 fish 1	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
-------------	--

LC50 fish 2	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
-------------	--

EC50 Daphnia 1	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
----------------	--

Eugenol (97-53-0)

LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-------------	--

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Benzene carboxaldehyde (100-52-7)

BCF fish 1	(no significant bioaccumulation)
------------	----------------------------------

Partition coefficient n-octanol/water (Log Pow)	1.48 (at 20 °C)
---	-----------------

Benzyl acetate (140-11-4)

Partition coefficient n-octanol/water (Log Pow)	1.96
---	------

Ethyl acetate (141-78-6)

BCF fish 1	30
------------	----

Partition coefficient n-octanol/water (Log Pow)	0.6
---	-----

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable
IMDG
Transport hazard class(es) (IMDG) : Not applicable
IATA
Transport hazard class(es) (IATA) : Not applicable
ADN
Transport hazard class(es) (ADN) : Not applicable
RID
Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable
3(a)	Orange oil ; Ethyl acetate
3(b)	Black Cherry CC-13070 ; Benzene carboxaldehyde ; Liffarome ; Orange oil ; Anisyl acetate ; Allyl caproate ; trans-Anethole (food grade) ; Geranyl acetate ; Citronellol Pure ; Linalool ; Hexyl cinnamic aldehyde ; Cyclamal ; p-Tolualdehyde ; Damascone Beta ; Aldehyde C-16 ; Ethyl acetate ; Eugenol
3(c)	Black Cherry CC-13070 ; Orange oil ; Allyl caproate ; Benzyl acetate ; Verdox ; Geranyl acetate ; Hexyl cinnamic aldehyde ; Cyclamal ; Aldehyde C-16 ; alpha-Ionone ; beta-Ionone
40.	Orange oil ; Ethyl acetate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Liffarome, Orange oil are listed

SZW-lijst van mutagene stoffen : Liffarome, Orange oil are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vuchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3

Black Cherry CC-13070

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H224	Extremely flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.