

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BRAZILIAN PASSION FRUIT CC-13076 10% in DPG

Product code : CC-13076_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Contains : Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; (R)-p-mentha-1,8-diene; d-limonene;

Aldehyde C-16

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

EN (English) 1/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.87 – 1.73502	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.57 – 1.13	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.22 – 0.435	Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.22 - 0.435	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.2 – 0.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.14 – 0.285	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

EN (English) 2/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.07 – 0.14	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0 – 0.006	Flam. Liq. 3, H226
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

EN (English) 3/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent $% \left(1\right) =\left(1\right) \left(1\right$

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LGK 12 Non combastistic riquida

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

EN (English) 4/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	

EN (English) 5/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	

EN (English) 6/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Belgium - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 100 ppm 100 ppm Bulgaria - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ KGVI (OEL STEL) 540 mg/m³ Cyprus - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Depm 50 ppm OEL STEL 540 mg/m³ Depm 70 ppm Denmark - Occupational Exposure Limits 271 mg/m³ (Amyl acetate, all isomers)		
S0 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ S50 ppm S40 mg/m³ S50 ppm S40 mg/m³ S50 ppm S40 mg/m³ S50 ppm S50		
OEL STEL 540 mg/m³ Bulgaria - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 0EL STEL 540 mg/m³ 100 ppm		
100 ppm		
Bulgaria - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm 540 mg/m³ 100 ppm 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 0EL STEL 540 mg/m³ 100 ppm 100 ppm Denmark - Occupational Exposure Limits		
So ppm		
OEL STEL 540 mg/m³ 100 ppm 100 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
100 ppm		
Croatia - Occupational Exposure Limits GVI (OEL TWA) 270 mg/m³ 50 ppm 540 mg/m³ 100 ppm 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 0EL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
GVI (OEL TWA) 270 mg/m³ 50 ppm 50 ppm KGVI (OEL STEL) 540 mg/m³ 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Denmark - Occupational Exposure Limits		
50 ppm 50 ppm		
KGVI (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
100 ppm		
Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm		
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm		
OEL STEL 50 ppm 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
OEL STEL 540 mg/m³ 100 ppm Denmark - Occupational Exposure Limits		
100 ppm Denmark - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits		
OEL TWA 271 mg/m³ (Amyl acetate, all isomers)		
50 ppm (Amyl acetate, all isomers)		
OEL STEL 540 mg/m³		
100 ppm		
Estonia - Occupational Exposure Limits		
OEL TWA 270 mg/m³		
50 ppm		
OEL STEL 540 mg/m³		
100 ppm		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) 270 mg/m³ (Pentyl acetate)		
50 ppm (Pentyl acetate)		
HTP (OEL STEL) 540 mg/m ³		
100 ppm		
France - Occupational Exposure Limits		
VME (OEL TWA) 270 mg/m³ (restrictive limit)		
50 ppm (restrictive limit)		
VLE (OEL C/STEL) 540 mg/m³ (restrictive limit)		

EN (English) 7/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)		
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	

EN (English) 8/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

OEL TWA 270 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² 100 ppm 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m² Poland - Occupational Exposure Limits 250 mg/m² NDSC (OEL TWA) 250 mg/m² NDSCh (OEL STEL) 500 mg/m² Portugal - Occupational Exposure Limits 270 mg/m² (indicative limit value) OEL STEL 540 mg/m² (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m² OEL STEL 540 mg/m² OEL STEL 540 mg/m² OEL STEL 540 mg/m² OEL STEL 540 mg/m² Slovakia - Occupational Exposure Limits 270 mg/m² Slovakia - Occupational Exposure Limits 270 mg/m² Slovakia - Occupational Exposure Limits 270 mg/m² Slovakia - Occupational Exposure Limits 50 ppm OEL STEL 540 mg/m² 50 ppm 50 ppm OEL STEL 540 mg/m² 50 ppm 50 ppm OEL STEL	isopentyl acetate (123-92-2)			
OEL STEL 270 mg/m³ OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 540 mg/m³ TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm 98.1 ppm Poland - Occupational Exposure Limits NDS (DEL TWA) 250 mg/m³ NDSCh (DEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL STEL 540 mg/m³ NPHY (OEL TWA) 270 mg/m³ Slovakia - Occupational Exposure Limits VIA OEL STEL 540 mg/m³ Slovenia - Occupational Exposure Limits VIA OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ Opp m		100 ppm		
S0 ppm	Malta - Occupational Exposure Limits			
OEL STEL \$40 mg/m² Netherlands - Occupational Exposure Limits \$30 mg/m² FOland - Occupational Exposure Limits \$30 mg/m² NDS (OEL TWA) 250 mg/m² NDSCh (OEL STEL) \$50 mg/m² NDSCh (OEL STEL) \$50 mg/m² PORTUGAL - Occupational Exposure Limits \$70 mg/m² (indicative limit value) OEL TWA \$270 mg/m² (indicative limit value) OEL STEL \$40 mg/m² (indicative limit value) Romania - Occupational Exposure Limits \$70 mg/m² OEL TWA \$270 mg/m² OEL STEL \$40 mg/m² Stovakia - Occupational Exposure Limits \$70 mg/m² SIOVakia - Occupational Exposure Limits \$70 mg/m² OEL TWA \$70 mg/m² OEL TWA \$70 mg/m² OEL TWA \$70 mg/m² OEL STEL \$40 mg/m² OEL TWA \$70 mg/m² (indicative limit value) OEL STEL \$40 mg/m²	OEL TWA	270 mg/m³		
T00 ppm Netherlands - Occupational Exposure Limits S30 mg/m² 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m² 98.1 ppm Poland - Occupational Exposure Limits S00 mg/m² Portugal - Occupational Exposure Limits S00 mg/m² Portugal - Occupational Exposure Limits S00 mg/m² Occupational Exposure Limits S00 mg/m² (indicative limit value) Occupational Exposure Limits S00 mg/m² (indicative limit value) Occupational Exposure Limits S00 ppm (indicative limit value) Occupational Exposure Limits S00 ppm Occupati		50 ppm		
Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (DEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) Set Stell 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL STEL 540 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ Slovania - Occupational Exposure Limits 50 ppm OEL STEL 540 mg/m³ Slovania - Occupational Exposure Limits 270 mg/m³ OEL STEL 540 mg/m³ Up pm 590 ppm OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) <td>OEL STEL</td> <td>540 mg/m³</td>	OEL STEL	540 mg/m³		
TOG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits 250 mg/m³ NDS (OEL TWA) 250 mg/m³ NDS (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 50 ppm (indicative limit value) For ppm (indicative limit value) 60 ppm (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ For ppm 50 ppm OEL STEL 540 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 70 mg/m³ Slovania - Occupational Exposure Limits 70 mg/m³ OEL TWA 270 mg/m³ Slovania - Occupational Exposure Limits 70 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 50 ppm (indicative limit value) Spain - Occupational Exposure Limits 70		100 ppm		
Poland - Occupational Exposure Limits	Netherlands - Occupational Exposure Limits			
Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ Slovakia - Occupational Exposure Limits 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Slovenia - Occupational Exposure Limits 50 ppm OEL TWA 270 mg/m³ (indicative limit value) Spain - Occupational Exposure Limits 720 mg/m³ (indicative limit value) Spain - Occupational Exposure Limits 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³	TGG-15min (OEL STEL)	530 mg/m³		
NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) SO ppm (indicative limit value) 50 ppm (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 50 ppm SIOvakia - Occupational Exposure Limits NPHV (OEL TWA) 270 mg/m³ 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL STEL 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 50 ppm Span= - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 270 mg/m³ (pindicative limit value) VLA-EC (OEL STEL) 540 mg/m³ (pindicative limit value) Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates) <td></td> <td>98.1 ppm</td>		98.1 ppm		
NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 50 ppm (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 270 mg/m³ 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL STEL 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ Toward (Pentyl acetates) Sweden - Occupational Exposure Limits	Poland - Occupational Exposure Limits			
Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ NPHV (OEL TWA) 270 mg/m³ Slovenia - Occupational Exposure Limits 70 mg/m³ Slovenia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) Spopm (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	NDS (OEL TWA)	250 mg/m³		
OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 510 ppm 50 ppm Slovakia - Occupational Exposure Limits 270 mg/m³ NPHV (OEL TWA) 270 mg/m³ 50 ppm 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OPpm 50 ppm OEL STEL 540 mg/m³ OPpm (indicative limit value) 50 ppm (indicative limit value) OEL STEL) 540 mg/m³ OPpm (indicative limit value) 50 ppm (indicative limit value) OEL STEL) 540 mg/m³ OEL STEL) 540 mg/m³ OEL TWA) 270 mg/m³ (Pentyl acetates)	NDSCh (OEL STEL)	500 mg/m³		
S0 ppm (indicative limit value (Pentyl acetate, all isomers)	Portugal - Occupational Exposure Limits			
OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ 100 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 270 mg/m³ 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 50 ppm OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	OEL TWA	270 mg/m³ (indicative limit value)		
100 ppm (indicative limit value)		50 ppm (indicative limit value (Pentyl acetate, all isomers)		
Romania - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ NPHV (OEL TWA) 270 mg/m³ NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits 270 mg/m³ (indicative limit value) Spain - Occupational Exposure Limits 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ (ppm Sweden - Occupational Exposure Limits 270 mg/m³ (Pentyl acetates)	OEL STEL	540 mg/m³ (indicative limit value)		
OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ NPHV (OEL TWA) 270 mg/m³ 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ VLA-EC (OEL STEL) 540 mg/m³ Sweden - Occupational Exposure Limits NO ppm		100 ppm (indicative limit value)		
S0 ppm	Romania - Occupational Exposure Limits			
OEL STEL 540 mg/m³ Slovakia - Occupational Exposure Limits 270 mg/m³ NPHV (OEL TWA) 270 mg/m³ NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 0EL STEL 540 mg/m³ 0Pm 100 ppm Spain - Occupational Exposure Limits 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	OEL TWA	270 mg/m³		
100 ppm		50 ppm		
Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 270 mg/m³ 50 ppm 540 mg/m³ NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 100 ppm 100 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	OEL STEL	540 mg/m³		
NPHV (OEL TWA) 270 mg/m³ 50 ppm 50 ppm NPHV (OEL C) 540 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		100 ppm		
So ppm S	Slovakia - Occupational Exposure Limits			
NPHV (OEL C) Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	NPHV (OEL TWA)	270 mg/m³		
Slovenia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		50 ppm		
OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Spain - Occupational Exposure Limits 270 mg/m³ (indicative limit value) VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	NPHV (OEL C)	540 mg/m³		
OEL STEL 50 ppm 540 mg/m³ 100 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	Slovenia - Occupational Exposure Limits			
OEL STEL 540 mg/m³ 100 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	OEL TWA	270 mg/m³		
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		50 ppm		
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	OEL STEL	540 mg/m³		
VLA-ED (OEL TWA) 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		100 ppm		
50 ppm (indicative limit value) VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	Spain - Occupational Exposure Limits			
VLA-EC (OEL STEL) 540 mg/m³ 100 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)		
Too ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		50 ppm (indicative limit value)		
Sweden - Occupational Exposure Limits NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)	VLA-EC (OEL STEL)	540 mg/m³		
NGV (OEL TWA) 270 mg/m³ (Pentyl acetates)		100 ppm		
	Sweden - Occupational Exposure Limits	•		
50 ppm (Pentyl acetates)	NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)		
		50 ppm (Pentyl acetates)		

EN (English) 9/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Evalues are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	entyl acetate (123-92-2)		
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 260 mg/m³ 50 ppm Korttidsverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 250 mg/m³ (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) ALCOHO C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA AGW (OEL TWA) 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and the values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits	(OEL STEL)	540 mg/m³ (Pentyl acetates)	
Grenseverdi (OEL TWA) 260 mg/m³ 50 ppm Korttidsverdi (OEL STEL) 2325 mg/m³ (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (iter risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		100 ppm (Pentyl acetates)	
Korttidsverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits	ay - Occupational Exposure Limits		
Korttidsverdi (OEL STEL) 325 mg/m³ (value calculated) 75 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and I values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits	severdi (OEL TWA)	260 mg/m³	
T5 ppm (value calculated) Switzerland - Occupational Exposure Limits		50 ppm	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and by values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	dsverdi (OEL STEL)	325 mg/m³ (value calculated)	
MAK (OEL TWA) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and I values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		75 ppm (value calculated)	
KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and B walues are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 260 mg/m³ (Pentyl acetate all isomers) 50 ppm (Pentyl acetate all isomers) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded when AGW and Back of damage to the embryo or fetus can be excluded wh	(OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and I values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	V (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
ACGIH OEL TWA 50 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		50 ppm (Pentyl acetate all isomers)	
ACGIH OEL STEL 100 ppm (Pentyl acetate, all isomers) Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Boundary values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	ACGIH - Occupational Exposure Limits		
Alcohol C-10 (112-30-1) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and By values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	H OEL TWA	50 ppm (Pentyl acetate, all isomers)	
Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Bound of the values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	H OEL STEL	100 ppm (Pentyl acetate, all isomers)	
OEL TWA Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Boundary values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	hol C-10 (112-30-1)		
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and B values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits		
AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Evalues are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	ΓWA	10 mg/m³	
BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and Evalues are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Germany - Occupational Exposure Limits (TRGS 900)		
values are observed) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	(OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Lithuania - Occupational Exposure Limits	a - Occupational Exposure Limits		
	ΓWΑ	10 mg/m³	
	ania - Occupational Exposure Limits		
IPRV (OEL TWA) 10 mg/m ³	(OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits	ania - Occupational Exposure Limits		
OEL TWA 100 mg/m³	ΓWA	100 mg/m³	
15 ppm		15 ppm	
OEL STEL 200 mg/m³	STEL	200 mg/m³	
30 ppm		30 ppm	
Switzerland - Occupational Exposure Limits	erland - Occupational Exposure Limits		
MAK (OEL TWA) 66 mg/m³ (aerosol, vapour)	(OEL TWA)	66 mg/m³ (aerosol, vapour)	
10 ppm (aerosol, vapour)		10 ppm (aerosol, vapour)	
KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour)	V (OEL STEL)	66 mg/m³ (aerosol, vapour)	
10 ppm (aerosol, vapour)		10 ppm (aerosol, vapour)	

8.1.2. Recommended monitoring procedures

No additional information available

EN (English) 10/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Viscosity, kinematic

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available : Not available Boiling point Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available

EN (English) 11/20

: Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density Not available Relative density Not available Relative vapour density at 20°C Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h

EN (English) 12/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Linalool (78-70-6)	
LD50 oral	2790 mg/kg
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
-	ylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 5.04 mg/l/4h
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
(R)-p-mentha-1,8-diene; d-limonene (5989-	27-5)
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)
Skin corrosion/irritation	: Not classified
Additional information Serious eye damage/irritation	 Based on available data, the classification criteria are not met Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation Additional information	: May cause an allergic skin reaction.: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity Additional information	: Not classified: Based on available data, the classification criteria are not met
Benzyl acetate (140-11-4)	. Based on available data, the classification chieffa are not met
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene; d-limonene (5989-	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information STOT-repeated exposure	: Based on available data, the classification criteria are not met: Not classified
Additional information	Based on available data, the classification criteria are not met

EN (English) 13/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

<u> </u>		
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	

EN (English) 14/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

_C50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. I didictorio and dogradability			
BRAZILIAN PASSION FRUIT CC-13076 10% in DPG			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability	Rapidly degradable		
Linalool (78-70-6)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable		
Linalyl acetate (115-95-7)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Persistence and degradability	Rapidly degradable		
Aldehyde C-16 (77-83-8)			
Persistence and degradability	Rapidly degradable		
isopentyl acetate (123-92-2)			
Persistence and degradability	Rapidly degradable		
Alcohol C-10 (112-30-1)			
Persistence and degradability	Rapidly degradable		

12.3. Bioaccumulative potential

BRAZILIAN PASSION FRUIT CC-13076 10% in DPG		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)		
Bioaccumulative potential	Not established.	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	

EN (English) 15/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
rartition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)			
Linalyl acetate (115-95-7)	Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)			
Aldehyde C-16 (77-83-8)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)		
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow) 2.7 (at 35 °C)			
Alcohol C-10 (112-30-1)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

EN (English) 16/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene; isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	BRAZILIAN PASSION FRUIT CC-13076 10% in DPG; benzyl benzoate; Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; (R)-p-mentha-1,8-diene; d-limonene; Aldehyde C- 16	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

EN (English) 17/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (R	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(c)	BRAZILIAN PASSION FRUIT CC-13076 10% in DPG; benzyl benzoate; Hexyl cinnamic aldehyde; Benzyl acetate; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); (R)-p-mentha- 1,8-diene; d-limonene; Aldehyde C-16; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	(R)-p-mentha-1,8-diene; d-limonene; isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

EN (English) 18/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks

Danish National Regulations

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

> COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		

EN (English) 19/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 20/20