Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Product name	
Product code	
Type of product	

: Mixture : STRAWBERRY SHORTCAKE CC-13089 10% in DPG

- : CC-13089_10%
- : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

- : Industrial For professional use only Use of the substance/mixture : Perfumes, fragrances : Odour agents
- 1.2.2. Uses advised against

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixtu	re
Classification according to Regulation (EC) No. 12 Skin sensitisation, Category 1	72/2008 [CLP] H317
Hazardous to the aquatic environment – Chronic Haza Category 3 Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and envi	ronmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2	008 [CLP]
Hazard pictograms (CLP)	GHS07
Signal word (CLP)	: Warning
Contains	: Aldehyde C-16; Cinnamic aldehyde
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

ANDLECRAFT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases :	For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Compition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.13 – 6.2644	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.25 – 2.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0.08 – 0.15	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Acetyl Propionyl substance with national workplace expure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.01 – 0.02	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
benzaldehyde substance with national workplace expure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.01 – 0.02	Acute Tox. 4 (Oral), H302
1,2-Propanediol substance with national workplace expure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.01 – 0.016	Not classified
propionic acid % substance with national workplace expure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace expure limit	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	0.01 – 0.01	Flam. Liq. 3, H226 Skin Corr. 1B, H314 STOT SE 3, H335

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl benzoate substance with national workplace expure limit(s) (RO)	CAS-No.: 93-89-0 EC-No.: 202-284-3	0.01 – 0.01	Not classified
acetophenone substance with national workplace expure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0.01 – 0.01	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Alcohol C-10 substance with national workplace expure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00028	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace expure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00007	Flam. Liq. 3, H226

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
propionic acid … %	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	$(10 \le C < 100)$ STOT SE 3, H335 (10 $\le C < 25$) Eye Irrit. 2, H319 (10 $\le C < 25$) Skin Irrit. 2, H315 (25 $\le C < 100$) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where psible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exped skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Mt important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medical	attention and special treatment needed

No additional information available

SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exped containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	e measures
	e measures tive equipment and emergency procedures

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as psible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	

See Section 8. Expure controls and personal protection.

SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling	Wash hands and other exped areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.				
7.2. Conditions for safe storage, includi	ng any incompat	ibilities			
Storage conditions Incompatible products Incompatible materials	 Keep only in the original container in a cool, well ventilated place away from : Keep container cled when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 				
Germany					
Storage class (LGK, TRGS 510)		on-combustible	liquids		
Joint storage table	¹ LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	 LGK 1, LGK 6.2, LGK 7 LGK 4.1A, LGK 4.3, LGK 5.1C LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, L 10-13 				
Switzerland					
		Sec. 2.4			

Storage class (LK)

: LK 10/12 - Liquids

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Expure controls/personal protection

8.1. Control parameters

8.1.1 National occupational expure and biological limit values

Acetyl Propionyl (600-14-6)			
Germany - Occupational Expure Limits (TRGS 900)			
AGW (OEL TWA)	0.083 mg/m³		
	0.02 ppm		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Expure Limits			
OEL TWA	0.083 mg/m³		
	0.02 ppm		
OEL STEL	0.083 mg/m³		
	0.02 ppm		
OEL chemical category	Potential for cutaneous absorption		
Switzerland - Occupational Expure Limits			
MAK (OEL TWA)	0.08 mg/m³		
	0.02 ppm		
KZGW (OEL STEL)	0.16 mg/m³		
	0.04 ppm		
OEL chemical category	Sensitizer, Skin notation		
benzaldehyde (100-52-7)	benzaldehyde (100-52-7)		
Bulgaria - Occupational Expure Limits			
Bulgaria - Occupational Expure Limits			
Bulgaria - Occupational Expure Limits OEL TWA	5 mg/m³		
	5 mg/m³		
OEL TWA	5 mg/m³ 4.4 mg/m³		
OEL TWA Finland - Occupational Expure Limits			
OEL TWA Finland - Occupational Expure Limits	4.4 mg/m ³		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA)	4.4 mg/m ³ 1 ppm		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA)	4.4 mg/m ³ 1 ppm 17.4 mg/m ³		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA) HTP (OEL C)	4.4 mg/m ³ 1 ppm 17.4 mg/m ³		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA) HTP (OEL C) Hungary - Occupational Expure Limits	4.4 mg/m ³ 1 ppm 17.4 mg/m ³ 4 ppm		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA) HTP (OEL C) Hungary - Occupational Expure Limits AK (OEL TWA)	4.4 mg/m ³ 1 ppm 17.4 mg/m ³ 4 ppm 5 mg/m ³		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA) HTP (OEL C) Hungary - Occupational Expure Limits AK (OEL TWA) CK (OEL STEL)	4.4 mg/m ³ 1 ppm 17.4 mg/m ³ 4 ppm 5 mg/m ³		
OEL TWA Finland - Occupational Expure Limits HTP (OEL TWA) HTP (OEL C) Hungary - Occupational Expure Limits AK (OEL TWA) CK (OEL STEL) Latvia - Occupational Expure Limits	4.4 mg/m ³ 1 ppm 17.4 mg/m ³ 4 ppm 5 mg/m ³ 10 mg/m ³		

Safety Data Sheet

benzaldehyde (100-52-7)		
Poland - Occupational Expure Limits		
NDS (OEL TWA)	10 mg/m ³	
NDSCh (OEL STEL)	40 mg/m ³	
1,2-Propanediol (57-55-6)	·	
Croatia - Occupational Expure Limits		
GVI (OEL TWA)	474 mg/m ³ (total vapor and particles) 10 mg/m ³ (particles)	
	150 ppm	
Ireland - Occupational Expure Limits		
OEL TWA	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)	
	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Expure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Expure Limits		
IPRV (OEL TWA)	7 mg/m³	
Poland - Occupational Expure Limits		
NDS (OEL TWA)	100 mg/m ³ (vapor and inhalable fraction)	
United Kingdom - Occupational Expure Limits		
WEL TWA (OEL TWA)	474 mg/m ³ (total vapour and particulates) 10 mg/m ³ (particulates)	
	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m ³ (calculated-total vapour and particulates) 30 mg/m ³ (calculated-particulate)	
	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Expure Limits		
Grenseverdi (OEL TWA)	79 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m ³ (value calculated)	
	37.5 ppm (value calculated)	
propionic acid % (79-09-4)		
EU - Indicative Occupational Expure Limit (IOEL)		
IOEL TWA	31 mg/m ³	
	10 ppm	
IOEL STEL	62 mg/m³	
	20 ppm	

Safety Data Sheet

propionic acid % (79-09-4)	
Austria - Occupational Expure Limits	
MAK (OEL TWA)	31 mg/m ³
	10 ppm
MAK (OEL STEL)	62 mg/m ³
	20 ppm
Belgium - Occupational Expure Limits	
OEL TWA	31 mg/m ³
	10 ppm
OEL STEL	62 mg/m ³
	20 ppm
Bulgaria - Occupational Expure Limits	
OEL TWA	31 mg/m ³
	10 ppm
OEL STEL	62 mg/m ³
	20 ppm
Croatia - Occupational Expure Limits	
GVI (OEL TWA)	31 mg/m ³
	10 ppm
KGVI (OEL STEL)	62 mg/m ³
	20 ppm
Cyprus - Occupational Expure Limits	
OEL TWA	31 mg/m ³
	10 ppm
OEL STEL	62 mg/m ³
	20 ppm
Czech Republic - Occupational Expure Limits	
PEL (OEL TWA)	30 mg/m³
Denmark - Occupational Expure Limits	
OEL TWA	31 mg/m ³
	10 ppm
OEL STEL	62 mg/m ³
	20 ppm
Estonia - Occupational Expure Limits	
OEL TWA	30 mg/m³
	10 ppm
OEL STEL	62 mg/m ³
	20 ppm
Finland - Occupational Expure Limits	1
HTP (OEL TWA)	31 mg/m ³
L	1

Safety Data Sheet

propionic acid % (79-09-4)		
	10 ppm	
HTP (OEL STEL)	61 mg/m ³	
	20 ppm	
France - Occupational Expure Limits		
VME (OEL TWA)	31 mg/m ³ (indicative limit)	
	10 ppm (indicative limit)	
VLE (OEL C/STEL)	62 mg/m ³ (indicative limit)	
	20 ppm (indicative limit)	
Germany - Occupational Expure Limits (TRGS 90	0)	
AGW (OEL TWA)	31 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Greece - Occupational Expure Limits		
OEL TWA	30 mg/m ³	
	10 ppm	
OEL STEL	60 mg/m ³	
	20 ppm	
Hungary - Occupational Expure Limits		
AK (OEL TWA)	31 mg/m ³	
CK (OEL STEL)	62 mg/m ³	
Ireland - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Italy - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Latvia - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	

Safety Data Sheet

propionic acid % (79-09-4)		
Lithuania - Occupational Expure Limits		
IPRV (OEL TWA)	31 mg/m ³	
	10 ppm	
TPRV (OEL STEL)	62 mg/m ³	
	20 ppm	
Luxembourg - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Malta - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Netherlands - Occupational Expure Limits		
TGG-8u (OEL TWA)	31 mg/m ³	
	10 ppm	
TGG-15min (OEL STEL)	62 mg/m ³	
	20 ppm	
Poland - Occupational Expure Limits		
NDS (OEL TWA)	30 mg/m³	
NDSCh (OEL STEL)	45 mg/m ³	
Portugal - Occupational Expure Limits		
OEL TWA	31 mg/m ³ (indicative limit value)	
	10 ppm (indicative limit value)	
OEL STEL	62 mg/m³ (indicative limit value)	
	20 ppm (indicative limit value)	
Romania - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
	10 ppm	
OEL STEL	62 mg/m ³	
	20 ppm	
Slovakia - Occupational Expure Limits		
NPHV (OEL TWA)	31 mg/m ³	
	10 ppm	
NPHV (OEL C)	62 mg/m ³	
Slovenia - Occupational Expure Limits		
OEL TWA	31 mg/m ³	
L	1	

Safety Data Sheet

propionic acid % (79-09-4)			
	10 ppm		
OEL STEL	62 mg/m ³		
	20 ppm		
Spain - Occupational Expure Limits			
VLA-ED (OEL TWA)	31 mg/m³ (indicative limit value)		
	10 ppm (indicative limit value)		
VLA-EC (OEL STEL)	62 mg/m ³		
	20 ppm		
Sweden - Occupational Expure Limits			
NGV (OEL TWA)	30 mg/m ³		
	10 ppm		
KGV (OEL STEL)	62 mg/m ³		
	20 ppm		
United Kingdom - Occupational Expure Limits			
WEL TWA (OEL TWA)	31 mg/m ³		
	10 ppm		
WEL STEL (OEL STEL)	46 mg/m³		
	15 ppm		
Norway - Occupational Expure Limits			
Grenseverdi (OEL TWA)	30 mg/m³		
	10 ppm		
Korttidsverdi (OEL STEL)	45 mg/m³ (value calculated)		
	20 ppm (value calculated)		
Switzerland - Occupational Expure Limits			
MAK (OEL TWA)	30 mg/m ³		
	10 ppm		
KZGW (OEL STEL)	60 mg/m ³		
	20 ppm		
USA - ACGIH - Occupational Expure Limits	USA - ACGIH - Occupational Expure Limits		
ACGIH OEL TWA	10 ppm		
Ethyl benzoate (93-89-0)			
Romania - Occupational Expure Limits			
OEL TWA	200 mg/m³		
	33 ppm		
OEL STEL	300 mg/m ³		
	49 ppm		

Safety Data Sheet

acetophenone (98-86-2)		
Belgium - Occupational Expure Limits		
OEL TWA	50 mg/m ³	
	10 ppm	
Bulgaria - Occupational Expure Limits		
OEL TWA	5 mg/m³	
Denmark - Occupational Expure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	98 mg/m³	
	20 ppm	
Finland - Occupational Expure Limits		
HTP (OEL TWA)	25 mg/m ³	
	5 ppm	
Hungary - Occupational Expure Limits		
AK (OEL TWA)	50 mg/m³	
Ireland - Occupational Expure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	147 mg/m ³ (calculated)	
	30 ppm (calculated)	
Latvia - Occupational Expure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Expure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Expure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m³	
Portugal - Occupational Expure Limits		
OEL TWA	10 ppm	
Romania - Occupational Expure Limits		
OEL TWA	100 mg/m³	
	20 ppm	
OEL STEL	200 mg/m³	
	41 ppm	
Spain - Occupational Expure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

acetophenone (98-86-2)		
USA - ACGIH - Occupational Expure Limits		
ACGIH OEL TWA	H OEL TWA 10 ppm	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Expure Limits		
OEL TWA	10 mg/m ³	
Germany - Occupational Expure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Expure Limits		
OEL TWA	10 mg/m ³	
Lithuania - Occupational Expure Limits		
IPRV (OEL TWA)	10 mg/m ³	
Romania - Occupational Expure Limits		
OEL TWA	100 mg/m ³	
	15 ppm	
OEL STEL	200 mg/m ³	
	30 ppm	
Switzerland - Occupational Expure Limits		
MAK (OEL TWA)	66 mg/m ³ (aerol, vapour)	
	10 ppm (aerol, vapour)	
KZGW (OEL STEL)	66 mg/m ³ (aerol, vapour)	
	10 ppm (aerol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Expure Limits		
HTP (OEL STEL)	42 mg/m ³	
	10 ppm	
Poland - Occupational Expure Limits		
NDS (OEL TWA)	40 mg/m ³	
NDSCh (OEL STEL)	80 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Expure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary expure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental expure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Conforms to standard.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Non flammable.
Lower explion limit	:	Not available
Upper explion limit	:	Not available
Flash point	:	> 93 °C
Auto-ignition temperature	:	Not available
Decompition temperature	:	Not available
рН	:	Not available
Viscity, kinematic	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20°C	:	Not available
Particle characteristics	:	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Psibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decompition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Not classified Acute toxicity (dermal) Not classified : Acute toxicity (inhalation) : Not classified benzyl benzoate (120-51-4) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral 1160 mg/kg bodyweight LD50 dermal rabbit 4000 mg/kg (Source: NLM_CIP) Aldehyde C-16 (77-83-8) LD50 oral rat 5470 mg/kg (Source: NLM_CIP) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) Cinnamic aldehyde (104-55-2) LD50 oral rat 2220 mg/kg (Source: NLM_CIP) LD50 oral 2220 mg/kg LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV) Acetyl Propionyl (600-14-6) LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg

Safety Data Sheet

Acetyl Propionyl (600-14-6)	
LD50 dermal rabbit	> 2000 mg/kg (Source: NIH)
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
1,2-Propanediol (57-55-6)	
LD50 oral rat	20 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)
propionic acid % (79-09-4)	
LD50 oral rat	351 mg/kg (Source: EFSA)
LD50 oral	3455 mg/kg
LD50 dermal rat	3235 mg/kg (Source: ECHA_API)
LD50 dermal	3235 mg/kg
LC50 Inhalation - Rat	> 19.7 mg/l (Expure time: 1 h Source: ECHA)
Ethyl benzoate (93-89-0)	
LD50 oral rat	2100 mg/kg (Source: NLM_CIP)
acetophenone (98-86-2)	
LD50 oral rat	2081 mg/kg (Source: ECHA_API)
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 2.13 mg/l (Expure time: 8 h Source: CHEMVIEW)
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Expure time: 1 h Source: ECHA_API)
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
	Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation :	Not classified
	Based on available data, the classification criteria are not met
	May cause an allergic skin reaction. Based on available data, the classification criteria are not met
Germ cell mutagenicity :	Not classified
	Based on available data, the classification criteria are not met Not classified
Additional information :	Based on available data, the classification criteria are not met
Reproductive toxicity :	Not classified
	Based on available data, the classification criteria are not met
	Not classified
Additional information :	Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propionic acid % (79-09-4)	
STOT-single expure	May cause respiratory irritation.
STOT-repeated expure :	Not classified
Additional information :	Based on available data, the classification criteria are not met
Acetyl Propionyl (600-14-6)	
STOT-repeated expure	May cause damage to organs through prolonged or repeated expure.
Aspiration hazard :	Not classified
Additional information :	Based on available data, the classification criteria are not met
benzyl benzoate (120-51-4)	
Viscity, kinematic	7.456 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	

No additional information available

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information

12.1. Toxicity			
Hazardous to the aquatic environment, short-term : (acute)	Not classified		
Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects.		
benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Expure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
NOEC (chronic)	0.168 mg/l		
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Expure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Expure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Expure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
1,2-Propanediol (57-55-6)			
LC50 - Fish [1]	51600 mg/l (Expure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
LC50 - Fish [2]	41 – 47 ml/l (Expure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)		
EC50 - Crustacea [1]	> 1000 mg/l (Expure time: 48 h - Species: Daphnia magna [Static])		
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)		
propionic acid … % (79-09-4)			
LC50 - Fish [1]	> 1 mg/l (Expure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
LC50 - Fish [2]	73 – 99.7 mg/l (Expure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 72h - Algae [1]	45.8 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	43 mg/l (Species: Desmodesmus subspicatus)		

Safety Data Sheet

Ethyl benzoate (93-89-0)	
LC50 - Fish [1]	6.7 mg/l (Expure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
acetophenone (98-86-2)	
LC50 - Fish [1]	162 mg/l (Expure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	155 mg/l (Expure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Alcohol C-10 (112-30-1)	
LC50 - Fish [1]	2.2 – 2.5 mg/l (Expure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	4.12 – 6.2 mg/l (Expure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3 mg/l (Expure time: 48 h - Species: Daphnia magna)
Aldehyde C-6 (66-25-1)	
LC50 - Fish [1]	12 – 16.5 mg/l (Expure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
12.2. Persistence and degradability	

STRAWBERRY SHORTCAKE CC-13089 10% in DPG	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Aldehyde C-16 (77-83-8)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
Acetyl Propionyl (600-14-6)	
Persistence and degradability	Rapidly degradable
benzaldehyde (100-52-7)	
Persistence and degradability	Rapidly degradable
1,2-Propanediol (57-55-6)	
Persistence and degradability	Rapidly degradable
propionic acid % (79-09-4)	
Persistence and degradability	Rapidly degradable
Ethyl benzoate (93-89-0)	
Persistence and degradability	Rapidly degradable
acetophenone (98-86-2)	
Persistence and degradability	Rapidly degradable
Alcohol C-10 (112-30-1)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
STRAWBERRY SHORTCAKE CC-13089 10% in DPG		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
1,2-Propanediol (57-55-6)		
BCF - Fish [1]	(1 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	
propionic acid % (79-09-4)		
Partition coefficient n-octanol/water (Log Pow)	0.25 – 0.33	
Ethyl benzoate (93-89-0)		
Partition coefficient n-octanol/water (Log Pow)	2.59 (at 22.8 °C (at pH 6-7)	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information :	Avoid release to the environment.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Dispal considerations	
13.1. Waste treatment methods	
Product/Packaging dispal recommendations Ecological information HP Code	 Dispe in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	·			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	on available			

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Acetyl Propionyl ; propionic acid % ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	STRAWBERRY SHORTCAKE CC-13089 10% in DPG ; benzyl benzoate ; Aldehyde C-16 ; Cinnamic aldehyde ; Acetyl Propionyl ; benzaldehyde ; propionic acid % ; acetophenone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	STRAWBERRY SHORTCAKE CC-13089 10% in DPG ; benzyl benzoate ; Aldehyde C-16 ; Cinnamic aldehyde ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Acetyl Propionyl ; propionic acid % ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explives Precursors list (Regulation EU 2019/1148 on the marketing and use of explives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases		
Code De	Description	
hyc alc dirr	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany		
Water hazard class (WGK) List of sensitizing substances (T Hazardous Incident Ordinance (
Netherlands		
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment	
SZW-lijst van kankerverwekkend	le stoffen : None of the components are listed	
SZW-lijst van mutagene stoffen	: None of the components are listed	
SZW-lijst van reprotoxische stof	o	
SZW-lijst van reprotoxische stof /ruchtbaarheid	en – : None of the components are listed	
SZW-lijst van reprotoxische stof	en – Ontwikkeling : None of the components are listed	
Denmark		
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followe Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact wi the product 	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated expure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated expure, Category 2	
STOT SE 3	Specific target organ toxicity – Single expure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purpes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.