

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/23/2018  
Revision date: 9/16/2020 Supersedes: 3/23/2018 Version: 1.0

# CandleCraft

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Fire Roasted Chestnut  
UFI : J8Q2-J2XX-Y00X-GA7H  
Product code : CC-13094  
Type of product : Perfumes, Fragrances  
Product group : Finished Good

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Perfumes, Fragrances  
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
65510 Idstein  
Deutschland / Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;  
Brazil: +0-800-591-6042; India: +000-800-100-4086

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302  
Serious eye damage/eye irritation, Category 2 H319  
Skin sensitization, Category 1 H317  
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411  
Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Hazardous ingredients :

Benzyl benzoate; Cinnamic aldehyde; Heliotropine crystals; Coumarin crystals

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	60.05 – 80.05	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	(CAS-No.) 104-55-2 (EC-No.) 203-213-9 (REACH-no) 01-2119935242-45	3 – 6	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7 (REACH-no) 01-2119983608-21	1.5 – 3	Skin Sens. 1B, H317
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	1.125 – 2.25	Eye Irrit. 2, H319
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	1.125 – 2.25	Eye Irrit. 2, H319
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	0.275 – 0.55	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Isoamyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	0.05 – 0.1	Flam. Liq. 3, H226

Full text of H-phrases: see section 16

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
----------------------	---

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
- Storage temperature : 25 °C
- Storage area : Store in a well-ventilated place. Store away from heat.
- Special rules on packaging : Store in a closed container.
- Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Isoamyl acetate (123-92-2)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
IOELV TWA (ppm)	50 ppm
IOELV STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
IOELV STEL (ppm)	100 ppm
Austria - Occupational Exposure Limits	
MAK [mg/m <sup>3</sup> ]	270 mg/m <sup>3</sup> (Pentyl acetate (all isomers))
MAK [ppm]	50 ppm (Pentyl acetate (all isomers))
MAK Short time value [mg/m <sup>3</sup> ]	540 mg/m <sup>3</sup> (Pentylacetate)
MAK Short time value [ppm]	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
Limit value [mg/m <sup>3</sup> ]	270 mg/m <sup>3</sup>
Limit value [ppm]	50 ppm
Short time value [mg/m <sup>3</sup> ]	540 mg/m <sup>3</sup>
Short time value [ppm]	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
GVI (granična vrijednost izloženosti) (ppm)	50 ppm

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Denmark - Occupational Exposure Limits</b>	
Grænsevædi (8 timer) (mg/m <sup>3</sup> )	271 mg/m <sup>3</sup> (Amyl acetate, all isomers)
Grænsevædi (8 timer) (ppm)	50 ppm (Amyl acetate, all isomers)
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP-arvo (8h) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup> (Pentyl acetate)
HTP-arvo (8h) (ppm)	50 ppm (Pentyl acetate)
HTP-arvo (15 min)	540 mg/m <sup>3</sup>
HTP-arvo (15 min) (ppm)	100 ppm
<b>France - Occupational Exposure Limits</b>	
VME [mg/m <sup>3</sup> ]	270 mg/m <sup>3</sup> (restrictive limit)
VME [ppm]	50 ppm (restrictive limit)
VLE [mg/m <sup>3</sup> ]	540 mg/m <sup>3</sup> (restrictive limit)
VLE [ppm]	100 ppm (restrictive limit)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Occupational exposure limit value (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
Occupational exposure limit value (ppm)	50 ppm
<b>Gibraltar - Occupational Exposure Limits</b>	
Eight hours mg/m <sup>3</sup>	270 mg/m <sup>3</sup>
Eight hours ppm	50 ppm
Short-term mg/m <sup>3</sup>	540 mg/m <sup>3</sup>
Short-term ppm	100 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	530 mg/m <sup>3</sup>
OEL TWA (ppm)	100 ppm
OEL STEL (mg/m <sup>3</sup> )	800 mg/m <sup>3</sup>
OEL STEL (ppm)	150 ppm
<b>Hungary - Occupational Exposure Limits</b>	
Exposure Limit Value	270 mg/m <sup>3</sup>

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CK-érték	540 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL (8 hours ref) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
OEL (8 hours ref) (ppm)	50 ppm
OEL (15 min ref) (mg/m <sup>3</sup> )	520 mg/m <sup>3</sup>
OEL (15 min ref) (ppm)	100 ppm
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
IPRV (ppm)	50 ppm
TPRV (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
TPRV (ppm)	100 ppm
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	530 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (mg/m <sup>3</sup> )	250 mg/m <sup>3</sup>
NDSch (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup> (indicative limit value)
OEL TWA (ppm)	50 ppm (indicative limit value)
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup> (indicative limit value)
OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (priemerná) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
NPHV (priemerná) (ppm)	50 ppm
NPHV (Hraničná) (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup> (indicative limit value)
VLA-ED (ppm)	50 ppm (indicative limit value)
VLA-EC (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
VLA-EC (ppm)	100 ppm
<b>Sweden - Occupational Exposure Limits</b>	
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup> (Pentyl acetates)
nivågränsvärde (NVG) (ppm)	50 ppm (Pentyl acetates)
kortidsvärde (KTV) (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup> (Pentyl acetates)
kortidsvärde (KTV) (ppm)	100 ppm (Pentyl acetates)
<b>Norway - Occupational Exposure Limits</b>	
TWA (AN) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
TWA (AN) (ppm)	50 ppm
TWA (Korttidsverdi) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> (value calculated)
TWA (Korttidsverdi) (ppm)	75 ppm (value calculated)
<b>Turkey - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	270 mg/m <sup>3</sup>
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
OEL STEL (ppm)	100 ppm
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)
ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)

## 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Hand protection:

Protective gloves

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow. amber.
Odor	: characteristic.
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 1.16
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Fire Roasted Chestnut CC-13094

ATE CLP (oral)	603.865 mg/kg body weight
----------------	---------------------------

#### Benzyl benzoate (120-51-4)

LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

#### Cinnamic aldehyde (104-55-2)

LD50 oral rat	2220 mg/kg
LD50 oral	2500 mg/kg body weight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg body weight

#### Heliotropine crystals (120-57-0)

LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg body weight

#### Ethyl vanillin crystals (121-32-4)

LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg body weight

#### Vanillin (121-33-5)

LD50 dermal rabbit	> 5010 mg/kg
--------------------	--------------

#### Coumarin crystals (91-64-5)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 oral	500 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

### Coumarin crystals (91-64-5)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

### Benzyl benzoate (120-51-4)

LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

### Heliotropine crystals (120-57-0)

LC50 fish 1	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
-------------	--

### Ethyl vanillin crystals (121-32-4)

LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
-------------	--

### Vanillin (121-33-5)

LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

### 12.2. Persistence and degradability

#### Benzyl benzoate (120-51-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

#### Benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

#### Cinnamic aldehyde (104-55-2)

Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)
---	-----------------

#### Vanillin (121-33-5)

Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
---	-----------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

# Fire Roasted Chestnut CC-13094


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9  
Hazard labels (ADR) : 9



#### IMDG

Transport hazard class(es) (IMDG) : 9  
Hazard labels (IMDG) : 9



#### IATA

Transport hazard class(es) (IATA) : 9  
Hazard labels (IATA) : 9



#### ADN

Transport hazard class(es) (ADN) : 9  
Hazard labels (ADN) : 9



#### RID

Transport hazard class(es) (RID) : 9  
Hazard labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport


Classification code (ADR) : M6

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provision (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC : •3Z

### Transport by sea

Special provision (IMDG) : 274, 335, 969  
Packing instructions (IMDG) : P001, LP01  
Packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP2, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provision (IATA) : A97, A158, A197  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provision (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provision (RID) : 274, 335, 375, 601  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 90

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable
3(a)	Isoamyl acetate
3(b)	Fire Roasted Chestnut CC-13094 ; Benzyl benzoate ; Cinnamic aldehyde
3(c)	Fire Roasted Chestnut CC-13094 ; Benzyl benzoate
40.	Isoamyl acetate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.

# Fire Roasted Chestnut CC-13094

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.