# Yummy Pumpkin Pie CC-13107 at 10% in DPG

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# CandleCraft

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Yummy Pumpkin Pie CC-13107 10%

Product code : CC-13107\_10%
Type of product : Perfumes, fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
Perfumes, fragrances
Odour agents

#### 1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Precautionary statements (CLP)

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Contains : Eugenol; Cinnamic aldehyde; Heliotropine; Amyl cinnamic aldehyde; COUMARIN

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

EN (English) 1/20

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

 ${\tt P280 - Wear \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection/hearing}$ 

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: For professional users only.

#### 2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	2.75 – 5.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.85075 – 1.703	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.31625 – 0.64	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.19 – 0.38	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.0625 – 0.125	Skin Sens. 1B, H317
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.05 – 0.1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.025 - 0.05	Acute Tox. 4 (Oral), H302
acetyl propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.025 – 0.05	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

EN (English) 2/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.02 – 0.04	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.001 – 0.0053	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.001 – 0.0053	Flam. Liq. 3, H226
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.0005 – 0.0023	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.0001 – 0.001	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

EN (English) 3/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Methods for cleaning up

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or Precautions for safe handling

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

: Keep only in the original container in a cool, well ventilated place away from : Keep Storage conditions

container closed when not in use.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm

EN (English) 4/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alphaPinene (80-56-8)		
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
JSA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	

EN (English) 5/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	

EN (English) 6/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRV (OEL TWA) [ppm]   25 ppm	.betaPinene (127-91-3)	
IPRV (OEL TWA)   150 mg/m³   25 ppm   7   7   7   7   7   7   7   7   7	OEL STEL [ppm]	., , , ,
PRV (OEL TWA) [ppm]   25 ppm	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL) 300 mg/m³  TPRV (DEL STEL) [ppm] 50 ppm  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes)  OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 113 mg/m³  VLA-ED (OEL TWA) [2] 20 ppm  OEL chemical category Sensitizer  Sweden - Occupational Exposure Limits  NGV (OEL TWA) [7] 25 ppm  NGV (OEL TWA) [8] 150 mg/m³  NGV (OEL TWA) [9pm] 25 ppm  NGV (OEL TWA) [9pm] 25 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [9pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [9pm] 140 mg/m³  Grenseverdi (OEL TWA) [7] 140 mg/m³  Grenseverdi (OEL TWA) [7] 150 mg/m³ (value calculated)  NGV (OEL STEL) [9pm] 37.5 ppm (value calculated)  NGV (OEL STEL) [9pm] 37.5 ppm (value calculated)  NGV (OEL STEL) [9pm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH OEL TWA [9pm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH OEL TWA [9pm] 20 ppm (Turpentine and selected monoterpenes)  OEL TWA [7] 151 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [7] 270 ppm (Methylisopropylbenzenes)  OEL TWA [7] 270 ppm (Methylisopropylbenzenes)  OEL TWA [7] 50 ppm (Methylisopropylbenzenes)  OEL STEL [9pm] 50 ppm (Methylisopropylbenzenes)	IPRV (OEL TWA)	150 mg/m³
TPRV (OEL STEL) [ppm] 50 ppm  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes)  OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 113 mg/m²  VLA-ED (OEL TWA) [2] 20 ppm  OEL chemical category Sensitizer  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 50 mg/m²  NGV (OEL TWA) [50 mg/m²  NGV (OEL TWA) [50 mg/m²  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical Category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical Category Sensitizer  NGV (OEL STEL) [50 pm] 50 ppm  OEL chemical category Sensitizer  NGV (OEL STEL) [50 pm] 70 ppm (value calculated) 70 ppm (valu	IPRV (OEL TWA) [ppm]	25 ppm
Portugal - Occupational Exposure Limits  DEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes)  DEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen  Spain - Occupational Exposure Limits  VLA-ED (DEL TWA) [1] 113 mg/m³  VLA-ED (DEL TWA) [2] 20 ppm  DEL chemical category Sensitizer  Sweden - Occupational Exposure Limits  NGV (DEL TWA) [2] 150 mg/m³  NGV (DEL TWA) [2] 25 ppm  KTV (DEL TWA) [2] 300 mg/m³  KTV (DEL STEL) [300 mg/m³  KTV (DEL STEL) [300 mg/m³  KTV (DEL STEL) [300 mg/m³  Genseverdi (DEL TWA) [1] 140 mg/m³  Genseverdi (DEL TWA) [1] 140 mg/m³  Genseverdi (DEL TWA) [2] 25 ppm  Kortidsverdi (DEL STEL) [300 mg/m³ (value calculated)  Kortidsverdi (DEL STEL) [300 mg/m³ (value calculated)  ACGIH - Occupational Exposure Limits  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  Denmark - Occupational Exposure Limits  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  DEL TWA [2] 25 ppm (Methylisopropylbenzenes)  DEL STEL [300 mg/m³ (Methylisopropylbenzenes)  DEL STEL [300 mg/m³ (Methylisopropylbenzenes)  DEL STEL [300 mg/m³ (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	TPRV (OEL STEL)	300 mg/m³
OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 113 mg/m³ VLA-ED (OEL TWA) [2] 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) [2] 150 mg/m³ NGV (OEL TWA) [2] 25 ppm NGV (OEL TWA) [2] 300 mg/m³ KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [2] 300 mg/m³ KTV (OEL STEL) [2] 300 mg/m³ KTV (OEL STEL) [300 mg/m³ KTV (OEL STEL) [300 mg/m³ Genseverdi (OEL TWA) [1] 140 mg/m³ Genseverdi (OEL TWA) [2] 25 ppm Kortidsverdi (OEL STEL) [2] 25 ppm Kortidsverdi (OEL STEL) [375 mg/m³ (value calculated) WSA - ACGIH - Occupational Exposure Limits ACGIH CHEL TWA [2] 20 ppm (Turpentine and selected monoterpenes) ACGIH Chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  Denmark - Occupational Exposure Limits OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL [2pm] 50 ppm (Methylisopropylbenzenes)	TPRV (OEL STEL) [ppm]	50 ppm
Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 113 mg/m³  VLA-ED (OEL TWA) [2] 20 ppm  OEL chemical category Sensitizer  Sweden - Occupational Exposure Limits  NGV (OEL TWA) [ppm] 150 mg/m³  NGV (OEL TWA) [ppm] 25 ppm  KTV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  Norway - Occupational Exposure Limits  Forenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Portugal - Occupational Exposure Limits	
Spain - Occupational Exposure Limits	OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
VLA-ED (OEL TWA) [1]         113 mg/m³           VLA-ED (OEL TWA) [2]         20 ppm           OEL chemical category         Sensitizer           Sweden - Occupational Exposure Limits         150 mg/m³           NGV (OEL TWA) [ppm]         25 ppm           KTV (OEL STEL) [ppm]         300 mg/m³           KTV (OEL STEL) [ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits         Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Korttidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]         20 ppm (Turpentine and selected monoterpenes)           ACGIH chemical category         Not Classifiable as a Human Carcinogen, dermal sensitizer         p-Cymene (99-87-6)           Denmark - Occupational Exposure Limits         315 mg/m³ (Methylisopropylbenzenes)           OEL TWA [1]         135 mg/m³ (Methylisopropylbenzenes)           OEL STEL         270 mg/m³ (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)	OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
VLA-ED (OEL TWA) [2]   20 ppm	Spain - Occupational Exposure Limits	
Sensitizer  Sweden - Occupational Exposure Limits  NGY (OEL TWA)   150 mg/m³  NGY (OEL TWA) [ppm]   25 ppm  KTV (OEL STEL)   300 mg/m³  KTV (OEL STEL)   50 ppm  OEL chemical category   Sensitizer  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1]   140 mg/m³  Grenseverdi (OEL TWA) [2]   25 ppm  Korttidsverdi (OEL STEL)   [ppm]   37.5 ppm (value calculated)  WASA - ACGIH - Occupational Exposure Limits  ACGIH OEL STEL)   [ppm]   20 ppm (Turpentine and selected monoterpenes)  ACGIH CHE TWA [ppm]   20 ppm (Turpentine and selected monoterpenes)  ACGIH Chemical category   Not Classifiable as a Human Carcinogen, dermal sensitizer  P-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1]   135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2]   25 ppm (Methylisopropylbenzenes)  OEL STEL   270 mg/m³ (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  Estonia - Occupational Exposure Limits	VLA-ED (OEL TWA) [1]	113 mg/m³
Sweden - Occupational Exposure Limits  NGV (OEL TWA)  NGV (OEL TWA) [ppm]  25 ppm  KTV (OEL STEL)  300 mg/m³  KTV (OEL STEL) [ppm]  50 ppm  OEL chemical category  Sensitizer  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1]  140 mg/m³  Grenseverdi (OEL TWA) [2]  25 ppm  Korttidsverdi (OEL STEL)  175 mg/m³ (value calculated)  WA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm]  20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category  Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1]  135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2]  25 ppm (Methylisopropylbenzenes)  OEL STEL  270 mg/m³ (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits  OEL STEL [ppm]  50 ppm (Methylisopropylbenzenes)	VLA-ED (OEL TWA) [2]	20 ppm
NGV (OEL TWA)         150 mg/m³           NGV (OEL TWA) [ppm]         25 ppm           KTV (OEL STEL)         300 mg/m³           KTV (OEL STEL) [ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Kortidsverdi (OEL STEL)         175 mg/m³ (value calculated)           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         20 ppm (Turpentine and selected monoterpenes)           ACGIH chemical category         Not Classifiable as a Human Carcinogen, dermal sensitizer           p-Cymene (99-87-6)           Denmark - Occupational Exposure Limits           OEL TWA [1]         135 mg/m³ (Methylisopropylbenzenes)           OEL TWA [2]         25 ppm (Methylisopropylbenzenes)           OEL STEL [ppm]         50 ppm (Methylisopropylbenzenes)           Estonia - Occupational Exposure Limits	OEL chemical category	Sensitizer
NGV (OEL TWA) [ppm] 25 ppm  KTV (OEL STEL) 300 mg/m³  KTV (OEL STEL) [ppm] 50 ppm  OEL chemical category Sensitizer  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Sweden - Occupational Exposure Limits	
KTV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer  Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)	NGV (OEL TWA)	150 mg/m³
KTV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer  Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL  OEL STEL  OEL STEL 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	NGV (OEL TWA) [ppm]	25 ppm
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  P-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL  OEL STEL  OEL STEL  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  SEstonia - Occupational Exposure Limits	KTV (OEL STEL)	300 mg/m³
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL 50 ppm (Methylisopropylbenzenes)  Stetonia - Occupational Exposure Limits	KTV (OEL STEL) [ppm]	50 ppm
Grenseverdi (OEL TWA) [1] 140 mg/m³  Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	OEL chemical category	Sensitizer
Grenseverdi (OEL TWA) [2] 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)  Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL 50 ppm (Methylisopropylbenzenes)  SESTONIA - Occupational Exposure Limits	Norway - Occupational Exposure Limits	
Korttidsverdi (OEL STEL)  Korttidsverdi (OEL STEL) [ppm]  37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm]  ACGIH chemical category  Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1]  135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2]  25 ppm (Methylisopropylbenzenes)  OEL STEL  270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm]  50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Grenseverdi (OEL TWA) [1]	140 mg/m³
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Grenseverdi (OEL TWA) [2]	25 ppm
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes)  ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
ACGIH chemical category  P-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1]  OEL TWA [2]  OEL STEL  OEL STEL  OEL STEL [ppm]  So ppm (Methylisopropylbenzenes)  50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits	
p-Cymene (99-87-6)  Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)
Denmark - Occupational Exposure Limits  OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes)  OEL TWA [2] 25 ppm (Methylisopropylbenzenes)  OEL STEL 270 mg/m³ (Methylisopropylbenzenes)  OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
OEL TWA [1] 135 mg/m³ (Methylisopropylbenzenes) OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	p-Cymene (99-87-6)	
OEL TWA [2] 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	Denmark - Occupational Exposure Limits	
OEL STEL 270 mg/m³ (Methylisopropylbenzenes) OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	OEL TWA [1]	135 mg/m³ (Methylisopropylbenzenes)
OEL STEL [ppm] 50 ppm (Methylisopropylbenzenes)  Estonia - Occupational Exposure Limits	OEL TWA [2]	25 ppm (Methylisopropylbenzenes)
Estonia - Occupational Exposure Limits	OEL STEL	270 mg/m³ (Methylisopropylbenzenes)
	OEL STEL [ppm]	50 ppm (Methylisopropylbenzenes)
	Estonia - Occupational Exposure Limits	
OEL TWA 140 mg/m³	OEL TWA	140 mg/m³
OEL TWA [ppm] 25 ppm	OEL TWA [ppm]	25 ppm
OEL STEL 190 mg/m³	OEL STEL	190 mg/m³
OEL STEL [ppm] 35 ppm	OEL STEL [ppm]	35 ppm

EN (English) 7/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

p-Cymene (99-87-6)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	140 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	190 mg/m³	
TPRV (OEL STEL) [ppm]	35 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	140 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	190 mg/m³	
KTV (OEL STEL) [ppm]	35 ppm	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m³	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m <sup>3</sup>	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	45 mg/m³	
HTP (OEL TWA) [2]	10 ppm	

EN (English) 8/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl alcohol (100-51-6)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
acetyl propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	0.083 mg/m³	
AGW (OEL TWA) [2]	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m³	
OEL TWA [ppm]	0.02 ppm	
OEL STEL	0.083 mg/m³	
OEL STEL [ppm]	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.08 mg/m³	
MAK (OEL TWA) [2]	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
KZGW (OEL STEL) [ppm]	0.04 ppm	

EN (English) 9/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### acetyl propionyl (600-14-6)

OEL chemical category Sensitizer, Skin notation

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Standard. Odour : characteristic. Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

EN (English) 10/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Flash point : > 93 °C

Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available : No data available Oxidising properties Explosive limits : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ributo toxiony (irribitation)	THO CHASCHICA	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	

EN (English) 11/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.betaPinene (127-91-3)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
p-Cymene (99-87-6)			
LD50 oral rat	4750 mg/kg		
LD50 oral	4750 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h)		
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h		
Eugenol (97-53-0)			
LD50 oral rat	1930 mg/kg		
LD50 oral	2500 mg/kg bodyweight		
Cinnamic aldehyde (104-55-2)			
LD50 oral rat	2220 mg/kg		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	1260 mg/kg		
LD50 dermal	1100 mg/kg bodyweight		
Benzaldehyde (100-52-7)			
LD50 oral rat	1292 mg/kg		
LD50 dermal rabbit	> 1250 mg/kg		
Benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg		
LD50 oral	1620 mg/kg bodyweight		
LD50 dermal	2500 mg/kg bodyweight		
acetyl propionyl (600-14-6)			
LD50 oral rat	3 g/kg		
LD50 oral	3000 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg		
LD50 dermal	2500 mg/kg bodyweight		
Heliotropine (120-57-0)			
LD50 oral rat	2700 mg/kg		
LD50 oral	2700 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
Amyl cinnamic aldehyde (122-40-7)			
LD50 oral rat	3730 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg		

EN (English) 12/20

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

COUMARIN (91-64-5)	
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>May cause an allergic skin reaction.</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Based on available data, the classification criteria are not met</li> </ul>
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>
acetyl propionyl (600-14-6)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Additional information Heliotropine (120-57-0)	Not classified     Based on available data, the classification criteria are not met
Viscosity, kinematic	Not applicable
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

EN (English) 13/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to regulation (EO) No. 1307/2000 (RE/ROTT) With its c	Americaniem Regulation (EG) 2020/070	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
Benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Heliotropine (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
12.2. Persistence and degradability		
Yummy Pumpkin Pie CC-13107 10%		
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Yummy Pumpkin Pie CC-13107 10%		
Bioaccumulative potential	Not established.	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
	·	

EN (English) 14/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
Benzaldehyde (100-52-7)	Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		
Benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow)	1.05		
Heliotropine (120-57-0)			
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)		
Amyl cinnamic aldehyde (122-40-7)			
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)		
Benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq$  75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

EN (English) 15/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable Not applicable Not applicable		Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable Not applicable Not applicable		Not applicable		
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	.alphaPinene ; d- Limonene ; .betaPinene ; p-Cymene ; acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

EN (English) 16/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	Yummy Pumpkin Pie CC- 13107 10%; d-Limonene ; p-Cymene; Eugenol; Cinnamic aldehyde; Benzaldehyde; Benzyl alcohol; acetyl propionyl; Amyl cinnamic aldehyde; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Yummy Pumpkin Pie CC- 13107 10%; d-Limonene ; p-Cymene; Cinnamic aldehyde; Amyl cinnamic aldehyde; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	.alphaPinene ; d- Limonene ; .betaPinene ; p-Cymene ; acetyl propionyl	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

EN (English) 17/20

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### **Germany**

Water hazard class (WGK) Storage class (LGK, TRGS 510)

Joint storage table

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

: LGK 12 - Non-combustible liquids.

-				
LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 6.2, LGK 7. : LGK 4.1A, LGK 4.3, LGK 5.1C.

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

List of sensitizing substances (TRGS 907)

Hazardous Incident Ordinance (12. BImSchV)

: Contains sensitizing substances according TRGS 907.

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

ABM category

A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

 $SZW\text{-}lijst\ van\ reprotoxische\ stoffen-Borstvoeding}$ 

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

None of the components are listed

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

#### **Denmark**

Classification remarks

**Danish National Regulations** 

: Emergency management guidelines for the storage of flammable liquids must be followed

Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### **Switzerland**

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

EN (English) 18/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

EN (English) 19/20

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 20/20