# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# CandleCraft

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Desert Oud CC-13129 25% Product name

Product code CC-13129\_25% : Perfumes, Fragrances Type of product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

> For professional use only : Perfumes, Fragrances

Use of the substance/mixture Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

## 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H317 Skin sensitization, Category 1 H411

Hazardous to the aquatic environment - Chronic Hazard Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP)

Contains : Iso E Super; d-Limonene; Cedryl acetate; Elemi oil Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

EN (English US) 1/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

 ${\tt P280 - Wear \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection/hearing}$ 

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: Restricted to professional users.

#### 2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.95 – 3.875	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.2 – 0.375	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.15 – 0.2875	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
OXACYCLOHEPTADEC-10-EN-2-ONE	CAS-No.: 28645-51-4 EC-No.: 249-120-7	0.1 – 0.1875	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.1 – 0.1875	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedryl acetate	CAS-No.: 77-54-3 EC-No.: 201-036-1	0.075 – 0.125	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Elemi oil	CAS-No.: 8023-89-0	0.05 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

EN (English US) 2/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# **6.2. Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

EN (English US) 3/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent  $% \left( 1\right) =\left( 1\right) \left( 1\right) +\left( 1\right) \left( 1\right) \left( 1\right) +\left( 1\right) \left( 1\right) \left($ 

formation of vapor.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	

EN (English US) 4/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

## Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

# 8.2.2.3. Respiratory protection

# Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

EN (English US) 5/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Color Odor characteristic. Odor threshold Not available Melting point Not available Freezing point Not available Boiling point Not available Flammability : Non flammable. **Explosion limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature : Not available : Not available Decomposition temperature рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapor density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

EN (English US) 6/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 11: Toxicological information**

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) Not classified

OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)	)

> 2000 mg/kg LD50 dermal rat

#### d-Limonene (5989-27-5)

LD50 oral rat 4400 mg/kg LD50 dermal rabbit > 5 g/kg

#### Cedryl acetate (77-54-3)

LD50 oral rat 44750 mg/kg

#### Elemi oil (8023-89-0)

LD50 oral rat 3370 mg/kg LD50 oral 3370 mg/kg body weight

#### LD50 dermal 2500 mg/kg body weight

## Hexamethylindanopyran (1222-05-5)

LD50 oral rat > 3250 mg/kg LD50 dermal rabbit > 3250 mg/kg

Skin corrosion/irritation : Not classified

Additional information Based on available data, the classification criteria are not met

Serious eye damage/irritation Not classified

Additional information Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Additional information Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information Based on available data, the classification criteria are not met

## d-Limonene (5989-27-5)

IARC group 3 - Not classifiable

: Not classified Reproductive toxicity

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified Additional information

: Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard Not classified

Based on available data, the classification criteria are not met Additional information

# 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

EN (English US) 7/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	

# 12.2. Persistence and degradability

Desert Oud CC-13129 25%	
Persistence and degradability	Not established.
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability Not established.	

# 12.3. Bioaccumulative potential

Desert Oud CC-13129 25%		
Bioaccumulative potential	Not established.	
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)		
Partition coefficient n-octanol/water (Log Pow)	6.7 (at 23 °C)	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Cedarwood oil, Texas (68990-83-0)		
Bioaccumulative potential	Not established.	
Cedryl acetate (77-54-3)		
Partition coefficient n-octanol/water (Log Pow)	6 (at 25 °C)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

EN (English US) 8/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY	ENVIRONMENTALLY	Environmentally hazardous	ENVIRONMENTALLY	ENVIRONMENTALLY	
HAZARDOUS	HAZARDOUS	substance, liquid, n.o.s. (Iso	HAZARDOUS	HAZARDOUS	
SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID,	E Super)	SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID,	
N.O.S. (Iso E Super)	N.O.S. (Iso E Super)		N.O.S. (Iso E Super)	N.O.S. (Iso E Super)	
Transport document descr	iption				
UN 3082	UN 3082	UN 3082 Environmentally	UN 3082	UN 3082	
ENVIRONMENTALLY	ENVIRONMENTALLY	hazardous substance,	ENVIRONMENTALLY	ENVIRONMENTALLY	
HAZARDOUS	HAZARDOUS	liquid, n.o.s. (Iso E Super),	HAZARDOUS	HAZARDOUS	
SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID,	9, III	SUBSTANCE, LIQUID,	SUBSTANCE, LIQUID,	
N.O.S. (Iso E Super), 9, III,	N.O.S. (Iso E Super), 9, III,		N.O.S. (Iso E Super), 9, III	N.O.S. (Iso E Super), 9, III	
(-)	MARINE POLLUTANT				
14.3. Transport hazard class(es)					
9	9	9	9	9	
**************************************			**************************************	•	

EN (English US) 9/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.4. Packing group         III       III	ADR	IMDG	IATA	ADN	RID
	4. Packing group				
14.5. Environmental hazards	III	III	III	III	III
	5. Environmental haza	ards			
	J	environment: Yes	_	_	Dangerous for the environment: Yes

## 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

EN (English US) 10/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Elemi oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Desert Oud CC-13129 25%; Iso E Super; d- Limonene; Cedarwood oil, Texas; Cedryl acetate ; Elemi oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Desert Oud CC-13129 25%; OXACYCLOHEPTADEC- 10-EN-2-ONE; Iso E Super; d-Limonene; Cedarwood oil, Texas; Cedryl acetate; Elemi oil; Hexamethylindanopyran	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

EN (English US) 11/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REA	ACH Annex XVII)	
Reference code	Applicable on	Entry title or description
40.	d-Limonene ; Elemi oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances.

#### **REACH Candidate List (SVHC)**

Contains no REACH candidate substance

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

# **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

#### **Germany**

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Joint storage table LGK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 6.1B LGK 5.1C LGK 5.2 LGK 6.1A LGK 6.1C LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 12 LGK 10 LGK 11 **LGK 13** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

10-

Hazardous Incident Ordinance (12. BImSchV)

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van reprotoxische stoffen -

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

None of the components are listedNone of the components are listed

Cedarwood oil, Texas is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

EN (English US) 12/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **Denmark**

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 3	Flammable liquids Category 3
H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English US) 13/13