

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830Issue date: 7/8/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

 Product name
 : Type 7 - ChV CC-13204

 UFI
 : 6KH0-W3RG-W006-8CGT

Product code : CC-13204

Type of product : Perfumes, fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Carcinogenicity, Category 2 H351
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411
Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

7/8/2020 EN (English) 1/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

CHCUO

08 GHS

Signal word (CLP) : Warning

Hazardous ingredients : Citronellol Pure; Geraniol; Hydroxy; Eugenol; Amyl cinnamic aldehyde; Musk ketone;

Coumarin crystals; Timberol; Citronellyl formate; Cinnamic alcohol; d-Limonene; Linalyl

acetate; Linalool; Majantol; Heliotropine crystals

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.H319 - Causes serious eye irritation.H351 - Suspected of causing cancer.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	7.165 – 13.2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Amyl cinnamic aldehyde	(CAS-No.) 122-40-7 (EC-No.) 204-541-5;453-530-3	6.5 – 13	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	5 – 10	Aquatic Chronic 3, H412
Methyl ionone (mixture of isomers)	(CAS-No.) 1335-46-2 (EC-No.) 215-635-0	4.5 – 9	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	4.15 – 8.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Musk ketone	(CAS-No.) 81-14-1 (EC-No.) 201-328-9 (EC Index-No.) 609-069-00-7	4 – 8	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7 (REACH-no) 01-2119983608-21	2.8 – 4.8	Skin Sens. 1B, H317
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	2.35 – 4.7	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	1.25 – 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxy	(CAS-No.) 107-75-5 (EC-No.) 203-518-7 (REACH-no) 01-2119973482-31	1.2387 – 2.4774	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
alpha-lonone	(CAS-No.) 127-41-3 (EC-No.) 204-841-6 (REACH-no) 01-2119965149-27	1 – 2	Aquatic Chronic 3, H412
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	0.9 – 1.8	Eye Irrit. 2, H319
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.85 – 1.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Amyl salicylate	(CAS-No.) 2050-08-0 (EC-No.) 218-080-2 (REACH-no) 01-2119969444-27	0.75 – 1.5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.675 – 1.35	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (REACH-no) 01-2119552430-49	0.65 – 1.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	0.65 – 1.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic alcohol	(CAS-No.) 104-54-1 (EC-No.) 203-212-3 (REACH-no) 01-2119934496-29	0.065 – 1.25	Skin Sens. 1B, H317
Timberol	(CAS-No.) 70788-30-6 (EC-No.) 274-892-7	0.4 – 0.8	Skin Sens. 1B, H317
Camphene	(CAS-No.) 79-92-5 (EC-No.) 201-234-8	0.35 – 0.7	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
para-Cresyl methyl ether	(CAS-No.) 104-93-8 (EC-No.) 203-253-7	0.3 – 0.6	Acute Tox. 4 (Oral), H302 Repr. 2, H361 Skin Irrit. 2, H315

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cedarwood oil, Texas	(CAS-No.) 68990-83-0 (EC-No.) 294-461-7;614-888-8	0.2 – 0.4	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Diphenyl oxide	(CAS-No.) 101-84-8 (EC-No.) 202-981-2 (REACH-no) 01-2119472545-33	0.075 – 0.15	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methyl salicylate	(CAS-No.) 119-36-8 (EC-No.) 204-317-7	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Repr. 2, H361
Majantol	(CAS-No.) 103694-68-4 (EC-No.) 403-140-4 (EC Index-No.) 603-138-00-5	0.005 – 0.1098	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Citronellyl formate	(CAS-No.) 105-85-1 (EC-No.) 203-338-9	0.05 – 0.1	Skin Sens. 1, H317
Isoamyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	0 – 0.05	Flam. Liq. 3, H226

Full text of H-statements: see section 16

SECTION 4: First aid measures

First-aid measures after skin contact

First-aid measures after ingestion

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical
	advice (show the label where possible). IF exposed or concerned: Get medical
	advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

: Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.
 Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear

personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7/8/2020 EN (English) 5/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container closed when not in use. Store locked up. Store in a

well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isoamyl acetate (123-92-2)		
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	270 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	540 mg/m³	
IOELV STEL (ppm)	100 ppm	
Austria - Occupational Exposure Limits		
MAK (mg/m³)	270 mg/m³ (Pentyl acetate (all isomers))	
MAK (ppm)	50 ppm (Pentyl acetate (all isomers))	
MAK Short time value (mg/m³)	540 mg/m³ (Pentylacetate)	
MAK Short time value (ppm)	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
Limit value (mg/m³)	270 mg/m³	
Limit value (ppm)	50 ppm	
Short time value (mg/m³)	540 mg/m³	
Short time value (ppm)	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (granična vrijednost izloženosti) (mg/m³)	270 mg/m³	
GVI (granična vrijednost izloženosti) (ppm)	50 ppm	
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	540 mg/m ³	
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm	

Cyprus - Occupational Exposure Limits OEL TWA (mg/m²) 270 mg/m² OEL TWA (ppm) 50 ppm OEL STEL (mg/m²) 540 mg/m³ OEL STEL (mg/m²) 100 ppm Denmark - Occupational Exposure Limits Grænsevædi (8 timer) (mg/m²) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits OEL TWA (mg/m²) 270 mg/m² OEL TWA (mg/m²) 270 mg/m² OEL TWA (ppm) 50 ppm OEL STEL (mg/m²) 540 mg/m² OEL STEL (mg/m²) 540 mg/m² OEL STEL (mg/m²) 540 mg/m² OEL STEL (mg/m²) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) (ppm) 70 ppm Firance - Occupational Exposure Limits VME (mg/m²) 270 mg/m² (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (ppm) 50 ppm (restrictive limit)	Isoamyl acetate (123-92-2)		
DEL TWA (ppm) 50 ppm	Cyprus - Occupational Exposure Limits		
DEL STEL (mg/m³) 540 mg/m³ DEL STEL (ppm) 100 ppm Denmark - Occupational Exposure Limits Grænsevædi (8 timer) (mg/m³) 271 mg/m³ (Amyl acetate, all isomers) Grænsevædi (8 timer) (ppm) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits DEL TWA (mg/m³) 270 mg/m³ DEL TWA (ppm) 50 ppm DEL STEL (mg/m³) 540 mg/m³ DEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (mg/m³) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 270 mg/m³ (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
DEL STEL (ppm) 100 ppm Denmark - Occupational Exposure Limits Grænsevædi (8 timer) (mg/m³) 271 mg/m³ (Amyl acetate, all isomers) Grænsevædi (8 timer) (ppm) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits OEL TWA (mg/m³) 270 mg/m³ OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Denmark - Occupational Exposure Limits Grænsevædi (8 timer) (mg/m³) 271 mg/m³ (Amyl acetate, all isomers) Grænsevædi (8 timer) (ppm) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits OEL TWA (mg/m³) 270 mg/m³ OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m²) 270 mg/m³ Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³ 270 mg/m³ E70 mg/m³ E70 mg/m³ E70 mg/m³ E70 mg/m³ E70 mg/m³			
Grænsevædi (8 timer) (mg/m³) Grænsevædi (8 timer) (ppm) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits OEL TWA (mg/m³) OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) OEL STEL (mg/m³) OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 50 ppm (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) (ppm) France - Occupational Exposure Limits VME (mg/m³) VME (ppm) 50 ppm (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) VLE (ppm) 50 ppm (restrictive limit) Sermany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (ppm) Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Grænsevædi (8 timer) (ppm) 50 ppm (Amyl acetate, all isomers) Estonia - Occupational Exposure Limits OEL TWA (mg/m³) 270 mg/m³ OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) Occupational exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Estonia - Occupational Exposure Limits OEL TWA (mg/m³) 270 mg/m³ OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VLE (ppm) 50 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 270 mg/m³ (restrictive limit) Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
OEL TWA (mg/m³) 270 mg/m³ OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³			
OEL TWA (ppm) 50 ppm OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (pmm) 50 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
OEL STEL (mg/m³) 540 mg/m³ OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
OEL STEL (ppm) 100 ppm Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) 270 mg/m³ (Pentyl acetate) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Finland - Occupational Exposure Limits HTP-arvo (8h) (mg/m³) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 270 mg/m³ (270 mg/m² (270 m			
HTP-arvo (8h) (mg/m³) HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 270 mg/m³ (restrictive limit) VLE (ppm) 270 mg/m³ (restrictive limit) Cermany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) Cocupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
HTP-arvo (8h) (ppm) 50 ppm (Pentyl acetate) HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 270 mg/m³ (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
HTP-arvo (15 min) 540 mg/m³ HTP-arvo (15 min) (ppm) 100 ppm France - Occupational Exposure Limits VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) VLE (ppm) 200 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
HTP-arvo (15 min) (ppm) France - Occupational Exposure Limits VME (mg/m³) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) VLE (mg/m³) 100 ppm (restrictive limit) VLE (mg/m³) Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) Occupational exposure limit value (ppm) Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
France - Occupational Exposure Limits VME (mg/m³) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
VME (mg/m³) 270 mg/m³ (restrictive limit) VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
VME (ppm) 50 ppm (restrictive limit) VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
VLE (mg/m³) 540 mg/m³ (restrictive limit) VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
VLE (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Germany - Occupational Exposure Limits (TRGS 900) Occupational exposure limit value (mg/m³) 270 mg/m³ Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m3 270 mg/m³			
Occupational exposure limit value (mg/m³) Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m³ 270 mg/m³			
Occupational exposure limit value (ppm) 50 ppm Gibraltar - Occupational Exposure Limits Eight hours mg/m3 270 mg/m³			
Gibraltar - Occupational Exposure Limits Eight hours mg/m3 270 mg/m³			
Eight hours mg/m3 270 mg/m³			
Fight hours ppm			
Eight hours ppm 50 ppm			
Short-term mg/m3 540 mg/m³			
Short-term ppm 100 ppm			
Greece - Occupational Exposure Limits			
OEL TWA (mg/m³) 530 mg/m³			
OEL TWA (ppm) 100 ppm			
OEL STEL (mg/m³) 800 mg/m³			
OEL STEL (ppm) 150 ppm			
Hungary - Occupational Exposure Limits			
AK-érték 270 mg/m³			
CK-érték 540 mg/m³			

Incompil contate (400 00 0)		
Isoamyl acetate (123-92-2)		
Ireland - Occupational Exposure Limits	000/2	
OEL (8 hours ref) (mg/m³)	260 mg/m³	
OEL (8 hours ref) (ppm)	50 ppm	
OEL (15 min ref) (mg/m3)	520 mg/m³	
OEL (15 min ref) (ppm)	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	270 mg/m³	
IPRV (ppm)	50 ppm	
TPRV (mg/m³)	540 mg/m³	
TPRV (ppm)	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 15MIN (mg/m³)	530 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	250 mg/m³	
NDSCh (mg/m³)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³ (indicative limit value)	
OEL TWA (ppm)	50 ppm (indicative limit value)	
OEL STEL (mg/m³)	540 mg/m³ (indicative limit value)	
OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
	ı	

Isoamyl acetate (123-92-2)		
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	270 mg/m³	
NPHV (priemerná) (ppm)	50 ppm	
NPHV (Hraničná) (mg/m³)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	270 mg/m³ (indicative limit value)	
VLA-ED (ppm)	50 ppm (indicative limit value)	
VLA-EC (mg/m³)	540 mg/m³	
VLA-EC (ppm)	100 ppm	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	270 mg/m³ (Pentyl acetates)	
nivågränsvärde (NVG) (ppm)	50 ppm (Pentyl acetates)	
kortidsvärde (KTV) (mg/m³)	540 mg/m³ (Pentyl acetates)	
kortidsvärde (KTV) (ppm)	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdier (AN) (mg/m³)	260 mg/m³	
Grenseverdier (AN) (ppm)	50 ppm	
Grenseverdier (Korttidsverdi) (mg/m3)	325 mg/m³ (value calculated)	
Grenseverdier (Korttidsverdi) (ppm)	75 ppm (value calculated)	
Turkey - Occupational Exposure Limits		
OEL TWA (mg/m³)	270 mg/m³	
OEL TWA (ppm)	50 ppm	
OEL STEL (mg/m³)	540 mg/m³	
OEL STEL (ppm)	100 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)	
ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)	

Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
Limit value (mg/m³)	62 mg/m ³
Limit value (ppm)	10 ppm

Benzyl acetate (140-11-4)		
Denmark - Occupational Exposure Limits		
Grænsevædi (8 timer) (mg/m³)	61 mg/m³	
Grænsevædi (8 timer) (ppm)	10 ppm	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (ppm)	10 ppm	
OEL (15 min ref) (ppm)	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	10 ppm	
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	50 mg/m³	
OEL TWA (ppm)	8 ppm	
OEL STEL (mg/m³)	80 mg/m³	
OEL STEL (ppm)	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	62 mg/m³	
VLA-ED (ppm)	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	

Camphene (79-92-5)	
Switzerland - Occupational Exposure Limits	
KZGW (mg/m³)	224 mg/m³ (Turpentine oil)
KZGW (ppm)	40 ppm (Turpentine oil)
OEL chemical category (CH)	Sensitizer, Skin notation

Diphenyl oxide (101-84-8)		
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	7 mg/m³	
IOELV TWA (ppm)	1 ppm	
IOELV STEL (mg/m³)	14 mg/m³	
IOELV STEL (ppm)	2 ppm	
Austria - Occupational Exposure Limits		
MAK (mg/m³)	7 mg/m³	
MAK (ppm)	1 ppm	
MAK Short time value (mg/m³)	14 mg/m³	

Diphenyl oxide (101-84-8)	
MAK Short time value (ppm)	2 ppm
Belgium - Occupational Exposure Limits	
Limit value (mg/m³)	7 mg/m³ (vapor)
Limit value (ppm)	1 ppm (vapor)
Short time value (mg/m³)	14 mg/m³ (vapor)
Short time value (ppm)	2 ppm (vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m³)	7 mg/m³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m³)	14 mg/m³
OEL STEL (ppm)	2 ppm
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m³)	7 mg/m³
GVI (granična vrijednost izloženosti) (ppm)	1 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	14 mg/m³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	2 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA (mg/m³)	7 mg/m³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m³)	14 mg/m³
OEL STEL (ppm)	2 ppm
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m³)	5 mg/m³
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m³)	7 mg/m³
Grænsevædi (8 timer) (ppm)	1 ppm
Estonia - Occupational Exposure Limits	
OEL TWA (mg/m³)	7 mg/m³
OEL TWA (ppm)	1 ppm
OEL STEL (mg/m³)	14 mg/m³
OEL STEL (ppm)	2 ppm
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m³)	7 mg/m³
HTP-arvo (8h) (ppm)	1 ppm
HTP-arvo (15 min)	14 mg/m³
HTP-arvo (15 min) (ppm)	2 ppm
France - Occupational Exposure Limits	
VME (mg/m³)	7 mg/m³
VME (ppm)	1 ppm

Diphenyl oxide (101-84-8)	Diphenyl oxide (101-84-8)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
Occupational exposure limit value (mg/m³)	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
Occupational exposure limit value (ppm)	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
Gibraltar - Occupational Exposure Limits		
Eight hours mg/m3	7 mg/m³	
Eight hours ppm	1 ppm	
Short-term mg/m3	14 mg/m³	
Short-term ppm	200 ppm	
Greece - Occupational Exposure Limits		
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm	
OEL STEL (mg/m³)	14 mg/m³	
OEL STEL (ppm)	2 ppm	
Hungary - Occupational Exposure Limits		
AK-érték	7 mg/m³	
CK-érték	14 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	7 mg/m³ (vapour)	
OEL (8 hours ref) (ppm)	1 ppm (vapour)	
OEL (15 min ref) (mg/m3)	14 mg/m³ (vapour)	
OEL (15 min ref) (ppm)	2 ppm (vapour)	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	7 mg/m³	
IPRV (ppm)	1 ppm	
TPRV (mg/m³)	14 mg/m³	
TPRV (ppm)	2 ppm	
Luxembourg - Occupational Exposure Limits	Luxembourg - Occupational Exposure Limits	
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm	
OEL STEL (mg/m³)	14 mg/m³	
OEL STEL (ppm)	2 ppm	
Malta - Occupational Exposure Limits		
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm	
OEL STEL (mg/m³)	14 mg/m³	
OEL STEL (ppm)	2 ppm	

Diphenyl oxide (101-84-8)	Diphenyl oxide (101-84-8)	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m³)	7 mg/m³	
Grenswaarde TGG 15MIN (mg/m³)	14 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	7 mg/m³	
NDSCh (mg/m³)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm (vapor)	
OEL STEL (mg/m³)	14 mg/m³ (indicative limit value)	
OEL STEL (ppm)	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
OEL TWA (ppm)	0.7 ppm	
OEL STEL (mg/m³)	10 mg/m³	
OEL STEL (ppm)	1.4 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	7 mg/m³	
NPHV (priemerná) (ppm)	1 ppm	
NPHV (Hraničná) (mg/m³)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	7 mg/m³	
OEL TWA (ppm)	1 ppm	
OEL STEL (mg/m³)	14 mg/m³	
OEL STEL (ppm)	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	7.1 mg/m³ (vapor)	
VLA-ED (ppm)	1 ppm (vapor)	
VLA-EC (mg/m³)	14.2 mg/m³ (vapor)	
VLA-EC (ppm)	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	7 mg/m³	
nivågränsvärde (NVG) (ppm)	1 ppm	
kortidsvärde (KTV) (mg/m³)	14 mg/m³	
kortidsvärde (KTV) (ppm)	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	7.1 mg/m³ (vapour)	
WEL TWA (ppm)	1 ppm (vapour)	
WEL STEL (mg/m³)	21.3 mg/m³ (calculated-vapour)	
WEL STEL (ppm)	3 ppm (calculated-vapour)	

Diphenyl oxide (101-84-8)	
orway - Occupational Exposure Limits	
Grenseverdier (AN) (mg/m³)	7 mg/m³
Grenseverdier (AN) (ppm)	1 ppm
Grenseverdier (Korttidsverdi) (mg/m3)	14 mg/m³ (value calculated)
Grenseverdier (Korttidsverdi) (ppm)	2 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (mg/m³)	7 mg/m³ (aerosol, vapour)
MAK (ppm)	1 ppm (aerosol, vapour)
KZGW (mg/m³)	7 mg/m³ (aerosol, vapour)
KZGW (ppm)	1 ppm (aerosol, vapour)
OEL chemical category (CH)	Category 2 developmental toxin, Category 2 reproductive toxin
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	1 ppm (vapor)
ACGIH STEL (ppm)	2 ppm (vapor fraction)

	Musk ketone (81-14-1)	
Austria - Occupational Exposure Limits		
	OEL chemical category (AT)	Group B Carcinogen

d-Limonene (5989-27-5)	
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m³)	140 mg/m³
HTP-arvo (8h) (ppm)	25 ppm
HTP-arvo (15 min)	280 mg/m³
HTP-arvo (15 min) (ppm)	50 ppm
Germany - Occupational Exposure Limits (TRGS 90	0)
Occupational exposure limit value (mg/m³)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA (mg/m³)	28 mg/m³
OEL TWA (ppm)	5 ppm
OEL STEL (mg/m³)	112 mg/m³
OEL STEL (ppm)	20 ppm
OEL chemical category (SI)	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (mg/m³)	168 mg/m³
VLA-ED (ppm)	30 ppm
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
Norway - Occupational Exposure Limits	
Grenseverdier (AN) (mg/m³)	140 mg/m³
Grenseverdier (AN) (ppm)	25 ppm
Grenseverdier (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)
Grenseverdier (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
OEL chemical category (NO)	Sensitizing substance
Switzerland - Occupational Exposure Limits	
MAK (mg/m³)	40 mg/m³
MAK (ppm)	7 ppm
KZGW (mg/m³)	80 mg/m³
KZGW (ppm)	14 ppm
OEL chemical category (CH)	Sensitizer

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour
Odour
Codour threshold
Codour thre

Flash point : 90 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : ≈ 1.12

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Type 7 - ChV CC-13204

ATE CLP (oral) 1297.026 mg/kg bodyweight

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight

Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg

Hydroxy (107-75-5)	
LD50 oral rat	> 5 g/kg

Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight

Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Diphenyl oxide (101-84-8)	
LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.5 mg/l/4h

alpha-lonone (127-41-3)	
LD50 oral	4590 mg/kg bodyweight

Amyl salicylate (2050-08-0)	
LD50 oral rat	4100 mg/kg
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

Musk ketone (81-14-1)	
LD50 oral rat	10 g/kg
LD50 dermal rabbit	> 10 g/kg

Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight

Methyl salicylate (119-36-8)	
LD50 oral rat	887 mg/kg
LD50 oral	890 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

para-Cresyl methyl ether (104-93-8)	
LD50 oral rat	1920 mg/kg
LD50 oral	1900 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
LC50 inhalation rat (mg/l)	> 6.1 mg/l/4h

Cinnamic alcohol (104-54-1)	
LD50 oral	2500 mg/kg bodyweight

Citronellyl formate (105-85-1)	
LD50 oral rat	8400 mg/kg
Vanillin (121-33-5)	
	. F040 maller
LD50 dermal rabbit	> 5010 mg/kg
Methyl ionone (mixture of isomers) (1335-46	6-2)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	2900 mg/kg bodyweight
Majantol (103694-68-4)	
LD50 oral	3440 mg/kg bodyweight
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Companie amenda (04.64.5)	
Coumarin crystals (91-64-5)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
3 3 3 1	
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

: Very toxic to aquatic life.

: Toxic to aquatic life with long lasting effects.

Geraniol (106-24-1)	
LC50 fish 1	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Camphene (79-92-5)	
LC50 fish 1	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through])
LC50 fish 2	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	> 1000 mg/l (Species: Desmodesmus subspicatus)

Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

para-Cresyl methyl ether (104-93-8)	
EC50 Daphnia 1	44.2 mg/l (Exposure time: 48 h - Species: Daphnia magna Straus)
EC50 72h algae (1)	320 mg/l (Species: Desmodesmus subspicatus)
EC50 96h algae (1)	390 mg/l (Species: Desmodesmus subspicatus)

according to Regulation (EC) No. 1907/2006 (REACH) with	ils amendment Regulation (EU) 2015/630
Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Methyl ionone (mixture of isomers) (1335-4	6-2)
LC50 fish 1	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Heliotropine crystals (120-57-0)	
LC50 fish 1	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
12.2. Persistence and degradability	
Type 7 - ChV CC-13204	
Persistence and degradability	Not established.
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Type 7 - ChV CC-13204	
Bioaccumulative potential	Not established.
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96
Diphenyl oxide (101-84-8)	
BCF fish 1	470
Partition coefficient n-octanol/water (Log Pow)	4.2
Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.
Methyl salicylate (119-36-8)	
Partition coefficient n-octanol/water (Log Pow)	2.55
Partition coefficient n-octanol/water (Log Pow)	2 650
rantition coefficient n-octanol/water (Log Pow)	2.659

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.9

Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

1 Toddel/1 ackaging disposar recommendations

Additional information Ecology - waste materials : Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose of contents/container in accordance with local/national laws and regulations.

Dispose in a safe manner in accordance with local/national regulations.

: Handle empty containers with care because residual vapours are flammable.

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Musk

ketone), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Musk ketone

), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Musk ketone), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9

7/8/2020 EN (English) 22/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP2

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : E EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

 Limited quantities (ADN)
 : 5 L

 Excepted quantities (ADN)
 : E1

 Carriage permitted (ADN)
 : T

 Equipment required (ADN)
 : PP

 Number of blue cones/lights (ADN)
 : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	
3(a)	Isoamyl acetate ; d-Limonene	
3(b)	Type 7 - ChV CC-13204; Citronellol Pure; Geraniol; Hydroxy; Eugenol; Amyl cinnamic aldehyde; Methyl ionone (mixture of isomers); Amyl salicylate; Cedarwood oil, Texas; Musk ketone; Timberol; Benzyl benzoate; Citronellyl formate; Methyl salicylate; para-Cresyl methyl ether; d-Limonene; Linalyl acetate; Linalool; Majantol	
3(c)	Type 7 - ChV CC-13204; Benzyl acetate; Amyl cinnamic aldehyde; Methyl ionone (mixture of isomers); Amyl salicylate; Cedarwood oil, Texas; Musk ketone; alpha-lonone; Benzyl benzoate; Hexamethylindanopyran; d-Limonene; Majantol	
40.	Isoamyl acetate ; Camphene ; d-Limonene	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) **Employment restrictions** Observe restrictions according Act on the Protection of Young People in Employment

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

Store unit

SZW-lijst van kankerverwekkende stoffen : Cedarwood oil, Texas ,Timberol are listed

SZW-lijst van mutagene stoffen : Timberol is listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen - Ontwikkeling

Denmark : Class III-1 Class for fire hazard

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

: 50 liter

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

7/8/2020 EN (English) 25/27

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statemen	nts:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.