Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 6/25/2024



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product : Mixture : WHITE SANDALWOOD CC-13211 5% in DPG

- : CC-13211_5%
 - : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

- IndustrialFor professional use onlyPerfumes, Fragrances
- Use of the substance/mixture Function or use category
- : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard H412 Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP): H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP): P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH phrases: EUH208 - Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone. May produce an allergic reaction.	Signal word (CLP)	: •
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH phrases : EUH208 - Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-	Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
EUH phrases EUH208 - Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-	Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	EUH phrases	accordance with local, regional, national and/or international regulation. EUH208 - Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	1.4525 – 2.4525	Not classified
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.39 – 0.78	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Sandal Mysore Core	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.16375 – 0.3275	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.132 – 0.264	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.01125 – 0.0225	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.006328875 - 0.01265775	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

in booonphon of mot and modouroo	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate media	cal attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures	5	
5.1. Extinguishing media		

orn Extinguiorning mound	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

 SECTION 6: Accidental release measures

 6.1. Personal precautions, protective equipment and emergency procedures

 6.1.1. For non-emergency personnel

 Emergency procedures
 : Evacuate unnecessary personnel.

 6.1.2. For emergency responders

 Protective equipment
 : Equip cleanup crew with proper protection.

 Emergency procedures
 : Ventilate area.

 6.2. Environmental precautions

: Do not enter fire area without proper protective equipment, including respiratory protection.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products : Incompatible materials :	Strong bases. Strong acids. Sources of ignition. Direct sunlight.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Germany

Storage class (LGK, TRGS 510)	:	LGK 12 - No	n-combustible	liquids			
Joint storage table	:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
		LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
		LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
		LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
		LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	:	LGK 2A, LGI	GK 4.3, LGK 5 K 2B, LGK 3, L	GK 4.1B, LGK 4	, ,	.GK 5.1B, LGK 5.2, LGK 6.1A,), LGK 11, LGK 12, LGK 13, L	

Switzerland

Storage class (LK)

: LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dipropylene glycol monomethyl ether (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m ³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m ³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
	50 ppm	
OEL chemical category	Skin, skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	308 mg/m ³	
	50 ppm	
OEL chemical category	skin notation	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)			
Cyprus - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		
	50 ppm		
OEL chemical category	Skin-potential for cutaneous absorption		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	270 mg/m³		
OEL chemical category	Potential for cutaneous absorption		
Denmark - Occupational Exposure Limits			
OEL TWA	309 mg/m ³		
	50 ppm		
OEL STEL	618 mg/m ³		
	100 ppm		
OEL chemical category	Potential for cutaneous absorption		
Estonia - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		
	50 ppm		
OEL chemical category	skin notation		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	310 mg/m ³		
	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
France - Occupational Exposure Limits			
VME (OEL TWA)	308 mg/m ³ (restrictive limit)		
	50 ppm (restrictive limit)		
OEL chemical category	Risk of cutaneous absorption		
Germany - Occupational Exposure Limits (TRGS 9	300)		
AGW (OEL TWA)	310 mg/m ³ (isomer mixture)		
	50 ppm (isomer mixture)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		
	50 ppm		
OEL chemical category	skin notation		
Greece - Occupational Exposure Limits			
OEL TWA	600 mg/m ³		
	100 ppm		
OEL STEL	900 mg/m³		
	150 ppm		
OEL chemical category	skin - potential for cutaneous absorption		

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)					
Hungary - Occupational Exposure Limits					
AK (OEL TWA)	308 mg/m ³				
Ireland - Occupational Exposure Limits					
OEL TWA	308 mg/m ³ ((2-Methoxymethylethoxy)propanol)				
	50 ppm ((2-Methoxymethylethoxy)propanol)				
OEL STEL	924 mg/m ³ (calculated (2-(2-Methoxypropoxy)-1-propanol)				
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)				
OEL chemical category	Potential for cutaneous absorption				
Italy - Occupational Exposure Limits					
OEL TWA	308 mg/m ³ (1-(3-Methoxypropoxy)propan-1-ol)				
	50 ppm (1-(3-Methoxypropoxy)propan-1-ol)				
OEL chemical category	skin - potential for cutaneous absorption				
Latvia - Occupational Exposure Limits					
OEL TWA	308 mg/m ³				
	50 ppm				
OEL chemical category	skin - potential for cutaneous exposure				
Lithuania - Occupational Exposure Limits					
IPRV (OEL TWA)	300 mg/m ³ (2-(2-Methoxypropoxy)-propanol)				
	50 ppm (2-(2-Methoxypropoxy)-propanol)				
TPRV (OEL STEL)	450 mg/m ³ (2-(2-Methoxypropoxy)-propanol)				
	75 ppm (2-(2-Methoxypropoxy)-propanol)				
OEL chemical category	skin notation				
Luxembourg - Occupational Exposure Limits					
OEL TWA	308 mg/m ³				
	50 ppm				
OEL chemical category	Possibility of significant uptake through the skin				
Malta - Occupational Exposure Limits					
OEL TWA	308 mg/m ³				
	50 ppm				
OEL chemical category	Possibility of significant uptake through the skin				
Netherlands - Occupational Exposure Limits					
TGG-8u (OEL TWA)	300 mg/m ³				
	48.7 ppm				
Poland - Occupational Exposure Limits					
NDS (OEL TWA)	240 mg/m ³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)				
NDSCh (OEL STEL)	480 mg/m ³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)				
Portugal - Occupational Exposure Limits					
OEL TWA	308 mg/m ³ (indicative limit value)				

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)			
	50 ppm (indicative limit value)		
OEL STEL	150 ppm		
OEL chemical category	skin - potential for cutaneous exposure indicative limit value		
Romania - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		
	50 ppm		
OEL chemical category	skin notation		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	308 mg/m ³		
	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
Slovenia - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		
	50 ppm		
OEL STEL	308 mg/m ³		
	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	308 mg/m ³ (indicative limit value)		
	50 ppm (indicative limit value)		
OEL chemical category	skin - potential for cutaneous absorption		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	300 mg/m ³		
	50 ppm		
KGV (OEL STEL)	450 mg/m ³		
	75 ppm		
OEL chemical category	skin notation		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	308 mg/m ³		
	50 ppm		
WEL STEL (OEL STEL)	924 mg/m ³ (calculated)		
	150 ppm (calculated)		
WEL chemical category	Potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	300 mg/m ³		
	50 ppm		
Korttidsverdi (OEL STEL)	375 mg/m ³ (value calculated)		
	75 ppm (value calculated)		
OEL chemical category	skin notation		
5-7			

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	300 mg/m ³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m ³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m ³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m ³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m ³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m ³	
	5 ppm	
OEL STEL	44 mg/m ³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	skin notation	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m ³	
	6 ppm	
MAK (OEL STEL)	140 mg/m ³	
	24 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	50.1 mg/m ³	
	10 ppm	
OEL chemical category	skin notation	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	35 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m ³	
	6 ppm	
OEL STEL	70 mg/m ³	
	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m ³	
	15 ppm	
KGV (OEL STEL)	170 mg/m ³	
	30 ppm	
OEL chemical category	skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
	·	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Color	:	Standard.
Odor	:	characteristic.
Odor threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Non flammable.
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	> 93 °C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	Not available
Viscosity, kinematic	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapor pressure	:	Not available
Vapor pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapor density at 20°C	:	Not available
Particle characteristics	:	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

ECTION 10: Stability and reactivity
.1. Reactivity
additional information available
.2. Chemical stability
t established.
.3. Possibility of hazardous reactions
t established.
.4. Conditions to avoid
ect sunlight. Extremely high or low temperatures.
.5. Incompatible materials
ong acids. Strong bases.
.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified		
Dipropylene glycol monomethyl ether (34590-	94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)		
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)		
LD50 oral	1000 mg/kg body weight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
LD50 oral	1570 mg/kg		
Carbitol (111-90-0)			
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)		
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)
Skin corrosion/irritation	Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitization	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information			
12.1. Toxicity			
(acute)	Not classified Harmful to aquatic life with long lasting effects.		
Dipropylene glycol monomethyl ether (34590-94-8)			
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
benzyl alcohol (100-51-6)			
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)		

Safety Data Sheet

Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
WHITE SANDALWOOD CC-13211 5% in DPG		
Persistence and degradability	Not established.	
Dipropylene glycol monomethyl ether (34590-	94-8)	
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	I-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability	Rapidly degradable	
Sandal Mysore Core (28219-60-5)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
WHITE SANDALWOOD CC-13211 5% in DPG		
Bioaccumulative potential	Not established.	
Dipropylene glycol monomethyl ether (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
ACETYL HEXAMETHYL TETRALIN (21145-77-7)		
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations	3
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecological information HP code	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Sandal Mysore Core ; benzyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	WHITE SANDALWOOD CC-13211 5% in DPG ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Sandal Mysore Core ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran, galaxolide, (HHCB)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France

Professional diseases			
Code	Description		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		
Germany			
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)		 WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV) 	
Netherlands			
ABM category		: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment	
SZW-lijst van kankerverwekkende stoffen		: None of the components are listed	
SZW-lijst van mutagene stoffen		: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Borstvoeding		: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid		: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Ontwikkeling		: None of the components are listed	
Denmark			
Classification remarks Danish National Regulations		 Emergency management guidelines for the storage of flammable liquids must be followed Pregnant/breastfeeding women working with the product must not be in direct contact with the product 	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
EUH208	Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.