Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : COTTON LAVENDER CC-13229 10%

Product code : EU47116F_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Precautionary statements (CLP)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP)

Contains : Hexyl cinnamic aldehyde; Vertenex; Eucalyptol; Lavandin abrialis oil

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

EN (English) 1/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lavandin abrialis oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	1 – 2	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.6 – 1.2	Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.41 – 0.826	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.15 – 0.30001	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	0.1025 – 0.21	Flam. Liq. 3, H226 Eye Irrit. 2, H319 Skin Sens. 1, H317
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.0325 - 0.06	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.03 – 0.05	Aquatic Chronic 3, H412
Methyl hexyl ketone substance with national workplace exposure limit(s) (LT, RO)	CAS-No.: 111-13-7 EC-No.: 203-837-1	0.01 – 0.025	Flam. Liq. 3, H226

EN (English) 2/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.0005 – 0.005	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.0005 – 0.005	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.00005 – 0.001	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

EN (English) 3/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL 122 mg/m³		
OEL STEL [ppm]	20 ppm	

EN (English) 4/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)			
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
Camphor (76-22-2)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA) 13 mg/m³			
MAK (OEL TWA) [ppm]	2 ppm		
Belgium - Occupational Exposure Limits			
OEL TWA	12 mg/m³		
OEL TWA [ppm]	2 ppm		
OEL STEL	19 mg/m³		
OEL STEL [ppm]	3 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	12 mg/m³		
OEL STEL	18 mg/m³		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA) [1]	13 mg/m³		
GVI (OEL TWA) [2]	2 ppm		
KGVI (OEL STEL)	19 mg/m³		
KGVI (OEL STEL) [ppm]	3 ppm		

EN (English) 5/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Camphor (76-22-2)			
Denmark - Occupational Exposure Limits			
OEL TWA [1]	12 mg/m³		
OEL TWA [2]	2 ppm		
OEL STEL	24 mg/m³		
OEL STEL [ppm]	4 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	1.9 mg/m³		
HTP (OEL TWA) [2]	0.3 ppm		
HTP (OEL STEL)	5.7 mg/m³		
HTP (OEL STEL) [ppm]	0.9 ppm		
France - Occupational Exposure Limits			
VME (OEL TWA)	12 mg/m³		
VME (OEL TWA) [ppm]	2 ppm		
Greece - Occupational Exposure Limits			
OEL TWA 12 mg/m³ (inhalable fraction)			
OEL STEL	18 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	12 mg/m³		
OEL TWA [2]	2 ppm		
OEL STEL	18 mg/m³		
OEL STEL [ppm]	3 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	3 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	12 mg/m³		
NDSCh (OEL STEL)	18 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	2 ppm		
OEL STEL [ppm]	3 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	1 mg/m³		
OEL TWA [ppm]	6 ppm		
OEL STEL	3 mg/m³		
OEL STEL [ppm]	18 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA) [1]	13 mg/m³		
NPHV (OEL TWA) [2]	2 ppm		
NPHV (OEL C)	26 mg/m³		

EN (English) 6/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Camphor (76-22-2)			
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	13 mg/m³		
VLA-ED (OEL TWA) [2]	2 ppm		
VLA-EC (OEL STEL)	19 mg/m³		
VLA-EC (OEL STEL) [ppm]	3 ррт		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	13 mg/m³		
WEL TWA (OEL TWA) [2]	2 ppm		
WEL STEL (OEL STEL)	19 mg/m³		
WEL STEL (OEL STEL) [ppm]	3 ppm		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	12 mg/m³		
Grenseverdi (OEL TWA) [2]	2 ppm		
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	13 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2] 2 ppm (aerosol, vapour)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	2 ppm (synthetic)		
ACGIH OEL STEL [ppm]	3 ppm (synthetic)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic		
Methyl hexyl ketone (111-13-7)			
Lithuania - Occupational Exposure Limits			
TPRV (OEL STEL)	200 mg/m³		
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m³		
OEL TWA [ppm]	19 ppm		
OEL STEL	200 mg/m³		
OEL STEL [ppm]	38 ppm		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	140 mg/m³		
HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL)	280 mg/m³		
HTP (OEL STEL) [ppm]	50 ppm		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		

EN (English) 7/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Chemical category	Skin notation, Skin sensitization			
Slovenia - Occupational Exposure Limits				
OEL TWA	28 mg/m³			
OEL TWA [ppm]	5 ppm			
OEL STEL	112 mg/m³			
OEL STEL [ppm]	20 ppm			
OEL chemical category	Potential for cutaneous absorption			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	168 mg/m³			
VLA-ED (OEL TWA) [2]	30 ppm			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA) [1]	140 mg/m³			
Grenseverdi (OEL TWA) [2]	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)			
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)			
OEL chemical category	Allergenic substance			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA) [1]	40 mg/m³			
MAK (OEL TWA) [2]	7 ppm			
KZGW (OEL STEL)	80 mg/m³			
KZGW (OEL STEL) [ppm]	14 ppm			
OEL chemical category	Sensitizer			
.betaPinene (127-91-3)				
Belgium - Occupational Exposure Limits				
OEL TWA [ppm]	20 ppm			
Estonia - Occupational Exposure Limits				
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	150 mg/m³			
IPRV (OEL TWA) [ppm]	25 ppm			

EN (English) 8/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.betaPinene (127-91-3)			
TPRV (OEL STEL)	300 mg/m³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
.alphaPinene (80-56-8)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
TPRV (OEL STEL) [ppm]	50 ppm		

EN (English) 9/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alphaPinene (80-56-8)			
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



EN (English) 10/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Colour Odour : characteristic. : No data available Odour threshold : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

11/19 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

reaction (initialization)			
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Amyl salicylate (2050-08-0)			
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)		
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Vertenex (32210-23-4)			
LD50 oral rat	5 g/kg (Source: NLM_CIP)		
LD50 oral	3370 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Eucalyptol (470-82-6)			
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)		
LD50 oral	2480 mg/kg bodyweight		
Camphor (76-22-2)			
LD50 oral	1500 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h		

EN (English) 12/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyl hexyl ketone (111-13-7) LD50 oral rat 3089 mg/kg (LD50 oral 2500 mg/kg t LD50 dermal rat > 2000 mg/kg LC50 Inhalation - Rat [ppm] > 2132 ppm ((R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Southerat-Pinene (127-91-3)	Source: NLM_CIP) Source: NLM_CIP) podyweight g (Source: ECHA_API) (Exposure time: 6 h Source: NLM_CIP) Source: CHEMVIEW) g (Source: CHEMVIEW) g (Source: EPA_HPV) g (Source: CHEMVIEW)		
LD50 oral rat 3089 mg/kg (LD50 oral 2500 mg/kg t LD50 dermal rat > 2000 mg/kg LC50 Inhalation - Rat [ppm] > 2132 ppm ((R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Southerat-Pinene (127-91-3)	poodyweight g (Source: ECHA_API) (Exposure time: 6 h Source: NLM_CIP) Source: CHEMVIEW) gree: CHEMVIEW) gree: CHEMVIEW)		
LD50 oral 2500 mg/kg to the control of the control	coodyweight g (Source: ECHA_API) (Exposure time: 6 h Source: NLM_CIP) Source: CHEMVIEW) irce: CHEMVIEW) g (Source: EPA_HPV)		
LD50 dermal rat > 2000 mg/kg LC50 Inhalation - Rat [ppm] > 2132 ppm ((R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Southerat-Pinene (127-91-3)	G (Source: ECHA_API) Exposure time: 6 h Source: NLM_CIP) Source: CHEMVIEW) Irce: CHEMVIEW) G (Source: EPA_HPV)		
LC50 Inhalation - Rat [ppm] > 2132 ppm ((R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Southern-Pinene (127-91-3)	Exposure time: 6 h Source: NLM_CIP) Source: CHEMVIEW) Irce: CHEMVIEW) g (Source: EPA_HPV)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Southerneum) .betaPinene (127-91-3)	Source: CHEMVIEW) irce: CHEMVIEW) g (Source: EPA_HPV)		
LD50 oral rat 4400 mg/kg (LD50 dermal rabbit > 5 g/kg (Soul) .betaPinene (127-91-3)	g (Source: EPA_HPV)		
LD50 dermal rabbit > 5 g/kg (Sou .betaPinene (127-91-3)	g (Source: EPA_HPV)		
.betaPinene (127-91-3)	g (Source: EPA_HPV)		
, ,			
LD50 oral rat > 5000 mg/kg			
	g (Source: CHEMVIEW)		
LD50 dermal rabbit > 5000 mg/kg			
.alphaPinene (80-56-8)			
LD50 oral rat 3700 mg/kg (Source: NLM_CIP)		
LD50 oral 500 mg/kg bodyweight			
LD50 dermal rat > 5000 mg/kg (Source: CHEMVIEW)			
Skin corrosion/irritation : Not classified Additional information : Based on ava	ilable date the electrication evitoric are not mot		
Serious eye damage/irritation : Not classified	ilable data, the classification criteria are not met		
	ilable data, the classification criteria are not met		
Respiratory or skin sensitisation : May cause an	allergic skin reaction.		
Additional information : Based on available data, the classification criteria are not met			
Germ cell mutagenicity : Not classified			
Additional information : Based on available data, the classification criteria are not met			
Carcinogenicity : Not classified			
Additional information : Based on available data, the classification criteria are not met			
Benzyl acetate (140-11-4) IARC group 3 - Not classi	fiable		
	паше		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classi	fabla		
3	nable		
Reproductive toxicity : Not classified	ilable date the elegation stitution and the		
	ilable data, the classification criteria are not met		
TOT-single exposure : Not classified : Based on available data, the classification criteria are not met			
Camphor (76-22-2)	nadio data, the diagonication officia are not met		
	amage to organs.		
STOT-repeated exposure : Not classified			
- Process	ilable data, the classification criteria are not met		
Aspiration hazard : Not classified			
•	ilable data, the classification criteria are not met		
Potential adverse human health effects and : Based on available data, the classification criteria are not met			
symptoms			

EN (English) 13/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

		city

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Vertenex (32210-23-4)			
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)		
Eucalyptol (470-82-6)			
LC50 - Fish [1]	95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
Methyl hexyl ketone (111-13-7)	Methyl hexyl ketone (111-13-7)		
LC50 - Fish [1]	33.4 – 37.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
.alphaPinene (80-56-8)			
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		

12.2. Persistence and degradability

COTTON LAVENDER CC-13229 10%	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

COTTON LAVENDER CC-13229 10%		
Bioaccumulative potential Not established.		
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Amyl salicylate (2050-08-0)		
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)	
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C)		
Eucalyptol (470-82-6)		
Partition coefficient n-octanol/water (Log Pow)	3.4	
Camphor (76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	

EN (English) 14/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyl hexyl ketone (111-13-7)		
Partition coefficient n-octanol/water (Log Pow)	2.37 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

EN (English) 15/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptol; Methyl hexyl ketone; (R)-p-mentha- 1,8-diene; d-limonene; .betaPinene; .alpha Pinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	COTTON LAVENDER CC-13229 10%; Hexyl cinnamic aldehyde; Amyl salicylate; Vertenex; Eucalyptol; Lavandin abrialis oil; (R)-p-mentha- 1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	COTTON LAVENDER CC-13229 10%; Hexyl cinnamic aldehyde; Benzyl acetate; Amyl salicylate; Lavandin abrialis oil; (R)-p-mentha- 1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

EN (English) 16/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Eucalyptol; Camphor; Methyl hexyl ketone; (R)- p-mentha-1,8-diene; d- limonene; .betaPinene; .alphaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Joint storage table _GK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.1B **LGK 4.2** IGK 4.3 LGK 5.1A LGK 5.1B LGK 5.1C LGK 6.1A LGK 6.1B LGK 6.1C LGK 5.2 LGK 6.1D LGK 8A LGK 7 LGK 8B LGK 6.2 LGK 10 LGK 11 LGK 12 **LGK 13** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment
: None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

EN (English) 17/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUF	Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Flam. Sol. 2	Flammable solids, Category 2		
H226	Flammable liquid and vapour.		
H228	Flammable solid.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H371	May cause damage to organs.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		

EN (English) 18/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Irrit. 2 Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 19/19