Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/6/2023 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product nameProduct nameProduct rocting of the Portest CC-13244UFI: 0PRU-N1T4-W009-G40HProduct code: CC-13244Type of product: Perfumes, fragrancesProduct group: Trade product	Product code Type of product	: CC-13244 : Perfumes, fragrances
--	---------------------------------	--------------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Danger
Contains	: Cinnamic aldehyde; Orange oil ; Eugenol; Aldehyde C-16; beta-Caryophyllene; Cornmint oil (redist); Isoeugenol; Lime oil distilled ; Ginger oil; delta-Damascone; Damascone Beta
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	8.02 – 16.08	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	8 – 16	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	2.3 – 4.8	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	1.4 – 2.8	Aquatic Chronic 2, H411
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.2 – 2.4	Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to
			Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.2 – 2.4	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.8 – 1.6	Aquatic Chronic 3, H412
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.6 – 1.2	Acute Tox. 4 (Oral), H302
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.22 – 0.64	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.3 – 0.6	Acute Tox. 4 (Oral), H302
Mentha arvensis oil	CAS-No.: 68917-18-0 EC-No.: 294-486-3	0.2 – 0.4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630- 49	0.2 – 0.4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2	0.1 – 0.1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Damascone Beta	CAS-No.: 23726-92-3 EC-No.: 245-843-7	0.1 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	< 0.008	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.008	Flam. Liq. 3, H226
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.008	Flam. Liq. 3, H226
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0028	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0007	Flam. Liq. 3, H226

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630- 49	(0.01 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

Symp	toms/	eff	ect	s

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equi	ipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m ³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	28 mg/m 3 (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

d-Limonene (5989-27-5)			
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³		
VLA-ED (OEL TWA) [2]	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits	·		
Grenseverdi (OEL TWA) [1]	140 mg/m ³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits	·		
MAK (OEL TWA) [1]	40 mg/m ³		
MAK (OEL TWA) [2]	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
KZGW (OEL STEL) [ppm]	14 ppm		
OEL chemical category	Sensitizer		
.betaPinene (127-91-3)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m ³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m ³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m ³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		

Safety Data Sheet

.betaPinene (127-91-3)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m ³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m ³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.alphaPinene (80-56-8)	·	
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m ³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	

Safety Data Sheet

.alphaPinene (80-56-8)		
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m ³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits	·	
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m ³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m ³	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits	L	
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m ³	
NDSCh (OEL STEL)	40 mg/m ³	
decyl alcohol (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m ³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m ³	
OEL TWA [ppm]	15 ppm	
OEL STEL	200 mg/m ³	
OEL STEL [ppm]	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	66 mg/m ³ (aerosol, vapour)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m ³	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m ³	
NDSCh (OEL STEL)	80 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: PI	nysical and o	hemical ı	properties
	iyolcar and c	mennear	properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 74 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 20.5 mm²/s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg	
LD50 dermal	1100 mg/kg bodyweight	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg	
LD50 oral	2500 mg/kg bodyweight	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg	
LD50 oral	4600 mg/kg bodyweight	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg	
LD50 oral	3940 mg/kg bodyweight	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg	

~ • • •

Safety Data Sheet

Aldehyde C-16 (77-83-8)	
LD50 dermal rat	> 2000 mg/kg
Aldehyde C-14 (104-67-6)	
LD50 oral rat	18500 mg/kg
LD50 dermal rat	> 2000 mg/kg
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)
LD50 oral rat	1320 mg/kg
LD50 dermal rat	> 2000 mg/kg
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg
Mentha arvensis oil (68917-18-0)	
LD50 oral rat	1240 mg/kg
LD50 oral	1200 mg/kg bodyweight
Isoeugenol (97-54-1)	
LD50 oral rat	1560 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal	1912 mg/kg bodyweight
Lime oil distilled (8008-26-2)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
zingiber officinale (ginger) root oil (8007-08-7)	
LD50 oral rat	> 5 g/kg
delta-Damascone (57378-68-4)	
LD50 oral	1400 mg/kg bodyweight
Damascone Beta (23726-92-3)	
LD50 oral	2920 mg/kg bodyweight

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)	
LD50 oral rat	4720 mg/kg
LD50 dermal rabbit	3560 mg/kg
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg
LD50 dermal rabbit	> 8100 mg/kg
Skin corrosion/irritation : 0	Causes skin irritation.
Serious eye damage/irritation : 0	Causes serious eye irritation.
	May cause an allergic skin reaction.
	Not classified
	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Isoeugenol (97-54-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard : I	May be fatal if swallowed and enters airways.
FRUITS OF THE FOREST CC-13244	
Viscosity, kinematic	20.5 mm ² /s
Orange oil (8008-57-9)	
Hydrocarbon	Yes
11.2. Information on other hazards	
14.2.4. Endeening diamenting anomatics	

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

40.4

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information

12.1. IOXICITY	
0, 0	Toxic to aquatic life with long lasting effects. Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-14 (104-67-6)				
LC50 - Fish [1]	569 mg/l 96 h			
EC50 - Crustacea [1]	5.85 mg/l 48 h			
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h			
d-Limonene (5989-27-5)				
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)			
.alphaPinene (80-56-8)				
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Benzaldehyde (100-52-7)				
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])			
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
decyl alcohol (112-30-1)				
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Aldehyde C-6 (66-25-1)				
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
12.2. Persistence and degradability				
FRUITS OF THE FOREST CC-13244				
Persistence and degradability	Not established.			
12.3. Bioaccumulative potential				
FRUITS OF THE FOREST CC-13244				
Bioaccumulative potential	Not established.			
Cinnamic aldehyde (104-55-2)				
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)			
Eugenol (97-53-0)	·			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)			
beta-lonone (14901-07-6)				
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)			
Aldehyde C-16 (77-83-8)				
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)			
Aldehyde C-14 (104-67-6)				
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)			

Partition coefficient n-octanol/water (Log Pow)3.6 (at 25 °C)Oxypheylon (Raspberry ketone) crystals (5471-51-2)Partition coefficient n-octanol/water (Log Pow)1.33 (at 20 °C)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1
beta-Caryophyllene (87-44-5)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)
Benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
decyl alcohol (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods				

Waste treatment methods Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions. : Dispose in a safe manner in accordance with local/national regulations. Dispose of

Ecology - waste materials

- contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment. Hazardous waste due to toxicity.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code	: HP3 - "Flammable:"
	 – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil,
	diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
	 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small
	quantities, is liable to ignite within five minutes after coming into contact with air;
	 – flammable solid waste: solid waste which is readily combustible or may cause or
	contribute to fire through friction;
	– flammable gaseous waste: gaseous waste which is flammable in air at 20 $^\circ$ C and a
	standard pressure of 101.3 kPa;
	 water reactive waste: waste which, in contact with water, emits flammable gases in
	dangerous quantities;
	 other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
	HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause
	specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin
	irritation or damage to the eye.
	HP13 - "Sensitising:" waste which contains one or more substances known to cause
	sensitising effects to the skin or the respiratory organs.
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one
	or more sectors of the environment

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil)	Environmentally hazardous substance, liquid, n.o.s. (Orange Oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil)
Transport document descr	iption			I
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Orange Oil), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Orange Oil), 9, III
14.3. Transport hazard o	class(es)	·		
9	9	9	9	9
14.4. Packing group				
Ш	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

Safety Data Sheet

ADR IMDG		ΙΑΤΑ	ADN	RID
No supplementary information available				
4.6. Special precautions for user				
Overland transport				
Classification code (ADR)	: M6			
Special provisions (ADR)	: 274,	335, 375, 601		
_imited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E1			
Packing instructions (ADR)	: P001	I, IBC03, LP01, R001		
Special packing provisions (ADR)	: PP1			
Mixed packing provisions (ADR)	: MP1	9		
Portable tank and bulk container instructions (ADR)				
Portable tank and bulk container special provisions	: TP1	, TP29		
(ADR)				
Tank code (ADR)	: LGB	V		
Vehicle for tank carriage	: AT			
Transport category (ADR)	: 3			
Special provisions for carriage - Packages (ADR)	: V12	0		
Special provisions for carriage - Loading, unloading	: CV1	3		
and handling (ADR)	. 00			
Hazard identification number (Kemler No.)	: 90			
Orange plates		90		
		3082		
Tunnel restriction code (ADR)	: -			
EAC code	: •3Z			
Transport by sea				
Special provisions (IMDG)	: 274,	335, 969		
_imited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)	: LP0'	I, P001		
Special packing provisions (IMDG)	: PP1			
BC packing instructions (IMDG)	: IBCC	03		
Tank instructions (IMDG)	: T4			
Tank special provisions (IMDG)	: TP1,	TP29		
EmS-No. (Fire)	: F-A			
EmS-No. (Spillage)	: S-F			
Stowage category (IMDG)	: A			
Air transport				
PCA Excepted quantities (IATA)	: E1			
PCA Limited quantities (IATA)	: Y964			
PCA limited quantity max net quantity (IATA)	: 30kg	G		
PCA packing instructions (IATA)	: 964			
PCA max net quantity (IATA)	: 450L			
CAO packing instructions (IATA)	: 964			
CAO max net quantity (IATA)	: 450L			
Special provisions (IATA)		A158, A197, A215		
ERG code (IATA)	: 9L			
nland waterway transport				
Classification code (ADN)	: M6			
Special provisions (ADN)		335, 375, 601		
Limited quantities (ADN)	: 5 L			
Excepted quantities (ADN)				
	: E1			
Carriage permitted (ADN)	: T			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	Orange oil ; d-Limonene ; .betaPinene ; .alpha Pinene ; Lime oil distilled ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	FRUITS OF THE FOREST CC-13244 ; Cinnamic aldehyde ; Orange oil ; Eugenol ; Aldehyde C-16 ; d- Limonene ; Benzaldehyde ; Mentha arvensis oil ; Isoeugenol ; Lime oil distilled ; zingiber officinale (ginger) root oil ; delta-Damascone ; Damascone Beta	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (F	EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description			
3(c)	FRUITS OF THE FOREST CC-13244 ; Cinnamic aldehyde ; Orange oil ; Verdox ; beta-lonone ; Aldehyde C- 16 ; Aldehyde C-14 ; d- Limonene ; Mentha arvensis oil ; Lime oil distilled ; zingiber officinale (ginger) root oil ; delta-Damascone ; Damascone Beta ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1			
40.	Orange oil ; d-Limonene ; .betaPinene ; .alpha Pinene ; Lime oil distilled ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.			

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510)	: LGK 10 - Combustible liquids.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage table	[:] LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for	: LGK 1, LGK 2	2A, LGK 5.1A, I	LGK 6.2, LGK 7		-
Joint storage with restrictions permitted for Joint storage permitted for	 : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2. : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13. 				
List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 Contains sensitizing substances according TRGS 907. Is not subject of the Hazardous Incident Ordinance (12. BImSchV) 				
Netherlands					
ABM category	()	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment			
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	 : Orange oil ,Cornmint oil (redist),Ginger oil are listed : Orange oil ,Ginger oil are listed : None of the components are listed : None of the components are listed 				
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed				
Denmark					
Class for fire hazard Store unit Classification remarks	 Class III-1 50 liter Flammable according to the Danish Ministry of Justice; Emergency management guideli for the storage of flammable liquids must be followed 				
Danish National Regulations	 Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contac the product 				
Switzerland					
Storage class (LK)	: LK 6.1 - Toxi	c materials			
15.2. Chemical safety assessment					

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H360FD	May damage fertility. May damage the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 1A	Reproductive toxicity, Category 1A	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.