Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/18/2024 Revision date: 1/23/2023



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : Industrial For professional use only : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	[CLP]
Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2	2008 [CLP]		
Hazard pictograms (CLP)			
	GHS02 GHS07 GHS08 GHS09		
Signal word (CLP)	: Danger		
Contains	 Orange oil ; Geraniol; Nerol; Citronellol Pure; Linalyl acetate; (R)-p-mentha-1,8-diene; d- limonene; Vertenex; Allyl cyclohexylpropionate; Aldehyde C-16; CUPRESSUS FUNEBRIS WOOD OIL; Hexyl salicylate; Cyclamal; Lime oil distilled ; dipentene; limonene; Geranyl acetate; Melonal 		
Hazard statements (CLP)	 H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects. 		
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. 		
Extra phrases	: For professional users only.		
2.3. Other hazards			

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	8.4 – 16.86	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Methyl anthranilate	CAS-No.: 134-20-3 EC-No.: 205-132-4	6.6 – 13.22	Eye Irrit. 2, H319
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	4 – 7.98	Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.1 – 2.22	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	1.1 – 2.18	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	0.9 – 1.86	Acute Tox. 4 (Oral), H302
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.6 – 1.617	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.8 – 1.57	Skin Sens. 1B, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.36 – 1.155	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.4 – 0.83	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.3 – 0.66	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.3 – 0.58	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.3 – 0.58	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.3 – 0.58	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.2 – 0.41	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1 – 0.25	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.24	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0.1 – 0.24	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.18	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.1 – 0.17	Acute Tox. 4 (Oral), H302
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.1 – 0.17	Skin Sens. 1B, H317
ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103- 46	0.1 – 0.17	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.036 – 0.1155	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.012 – 0.0993	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.09	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL) Full text of H- and EUH-statements: see section 16	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.025	Flam. Liq. 3, H226

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Not expected to present a significant hazard under anticipated conditions of normal use. Irritation. May cause an allergic skin reaction. Eye irritation. Risk of lung oedema.
4.3. Indication of any immediate medica	Il attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Fire hazard Hazardous decomposition products in case of fire	: Flammable liquid and vapour. : Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protectiv	/e equipment and emergency procedures			
6.1.1. For non-emergency personnel				
Emergency procedures	 Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. 			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for con	ntainment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures Storage conditions	 Ground/bond container and receiving equipment. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	 Strong bases. Strong acids. Sources of ignition. Direct sunlight. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Ex	posure controls/	personal	protection
		porounai	

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
DEL TWA 32 mg/m ³ (vapor and aerosol)		
	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m ³	

Safety Data Sheet

citral (5392-40-5)		
NDSCh (OEL STEL)	54 mg/m ³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
(R)-p-mentha-1,8-diene; d-limonene (5989-27	-5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m ³	
	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m ³	
	5 ppm	
OEL STEL	112 mg/m ³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m ³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m ³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
Switzerland - Occupational Exposure Lin	lits
MAK (OEL TWA)	40 mg/m ³
	7 ppm
KZGW (OEL STEL)	80 mg/m ³
	14 ppm
OEL chemical category	Sensitizer
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
	19 ppm
OEL STEL	200 mg/m ³
	38 ppm
dipentene; limonene (138-86-3)	
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	3
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer coniferous resin sensitizes the skin
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance

Safety Data Sheet

benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m ³	
	1 ppm	
HTP (OEL C)	17.4 mg/m ³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m ³	
CK (OEL STEL)	10 mg/m ³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m ³	
NDSCh (OEL STEL)	40 mg/m ³	
ethyl acetate (141-78-6)		
EU - Indicative Occupational Exposure Limit (I	OEL)	
IOEL TWA	734 mg/m ³	
	200 ppm	
IOEL STEL	1468 mg/m ³	
	400 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	734 mg/m ³	
	200 ppm	
MAK (OEL STEL)	1468 mg/m ³	
	400 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
	200 ppm	
OEL STEL	1468 mg/m ³	

Safety Data Sheet

ethyl acetate (141-78-6)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	734 mg/m ³
	200 ppm
KGVI (OEL STEL)	1468 mg/m ³
	400 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	734 mg/m³
	200 ppm
OEL STEL	1468 mg/m ³
	400 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	700 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA	540 mg/m ³
	150 ppm
OEL STEL	1468 mg/m ³
	400 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	500 mg/m ³
	150 ppm
OEL STEL	1100 mg/m ³
	300 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	730 mg/m³
	200 ppm
HTP (OEL STEL)	1470 mg/m ³
	400 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	734 mg/m ³ (restrictive limit)
	200 ppm (restrictive limit)
VLE (OEL C/STEL)	1468 mg/m ³ (restrictive limit)
	400 ppm (restrictive limit)
Germany - Occupational Exposure Limits (TRGS 9	300)
AGW (OEL TWA)	730 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar - Occupational Exposure Limits	
OEL TWA	200 mg/m ³
	734 ppm

Safety Data Sheet

ethyl acetate (141-78-6)		
OEL STEL	400 mg/m ³	
	1468 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m ³	
CK (OEL STEL)	1468 mg/m ³	
OEL chemical category	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m ³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m ³	
	54 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	500 mg/m ³	
	150 ppm	
NRV (OEL C)	1100 mg/m ³	
	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m ³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
	1	

Safety Data Sheet

ethyl acetate (141-78-6)		
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	734 mg/m³	
	200 ppm	
TGG-15min (OEL STEL)	1468 mg/m ³	
	400 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	734 mg/m³	
NDSCh (OEL STEL)	1468 mg/m ³	
Portugal - Occupational Exposure Limits		
OEL TWA	734 mg/m ³ (indicative limit value)	
	200 ppm (indicative limit value)	
OEL STEL	1468 mg/m ³ (indicative limit value)	
	400 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	734 mg/m ³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Slovakia - Occupational Exposure Limits	·	
NPHV (OEL TWA)	734 mg/m ³	
	200 ppm	
NPHV (OEL C)	1100 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	734 mg/m ³	
	200 ppm	
OEL STEL	1468 mg/m ³	
	400 ppm	
Spain - Occupational Exposure Limits	·	
VLA-ED (OEL TWA)	734 mg/m ³	
	200 ppm	
VLA-EC (OEL STEL)	1468 mg/m ³	
	400 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	550 mg/m³	
	150 ppm	
KGV (OEL STEL)	1100 mg/m ³	
	300 ppm	
United Kingdom - Occupational Exposure Limits	•	
WEL TWA (OEL TWA)	734 mg/m³	
L	1	

Safety Data Sheet

ethyl acetate (141-78-6)		
	200 ppm	
WEL STEL (OEL STEL)	1468 mg/m ³	
	400 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	734 mg/m³	
	200 ppm	
Korttidsverdi (OEL STEL)	1468 mg/m ³ (value from the regulation)	
	400 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	730 mg/m ³	
	200 ppm	
KZGW (OEL STEL)	1460 mg/m ³	
	400 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	400 ppm	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
	25 ppm	
TPRV (OEL STEL)	300 mg/m ³	
	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m ³	
	20 ppm	
OEL chemical category	Sensitizer	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m ³	
	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m ³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m ³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m ³	
NDSCh (OEL STEL)	80 mg/m ³	
NDSCh (OEL STEL)	80 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

Wear proteotive gioves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Conforms to standard.
Odour	: characteristic. characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 20.5 mm²/s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.012366123 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.93
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 28.1409 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable liquid and vapour.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Orange oil (8008-57-9) I D50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) Methyl anthranilate (134-20-3) LD50 oral rat 2910 mg/kg (Source: NLM_CIP) LD50 oral 2780 mg/kg bodyweight LD50 dermal rabbit 5000 mg/kg (Source: NLM_HSDB) Verdox (88-41-5) LD50 oral rat 4600 mg/kg (Source: NLM_CIP) LD50 oral 4600 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg (Source: NLM_CIP) LD50 oral 3600 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg (Source: NLM_CIP)

Safety Data Sheet

Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Ethyl maltol (4940-11-8)		
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)	
LD50 oral	1200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Allyl cyclohexylpropionate (2705-87-5)		
LD50 oral rat	585 mg/kg (Source: NLM_CIP)	
LD50 oral	380 mg/kg bodyweight	
LD50 dermal rabbit	1600 mg/kg (Source: ECHA_API)	
LD50 dermal	1600 mg/kg bodyweight	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Allyl caproate (123-68-2)		
LD50 oral	218 mg/kg	
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 dermal	300 mg/kg	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Lime oil distilled (8008-26-2)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
dipentene; limonene (138-86-3)		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
Melonal (106-72-9)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
ethyl acetate (141-78-6)	·	
LD50 oral rat	5620 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 18000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat [ppm]	4000 ppm/4h	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified	
Carcinogenicity :	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
ethyl acetate (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	May be fatal if swallowed and enters airways.	
PURPLE BLACKBERRY ROSE CC-13250		
Viscosity, kinematic	20.5 mm ² /s	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
dipentene; limonene (138-86-3)		
Hydrocarbon	Yes	
.alphaPinene (80-56-8)		
Hydrocarbon	Yes	
11.2. Information on other hazards		

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information			
12.1. Toxicity			
	Toxic to aquatic life with long lasting effects. Not classified		
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.		
Geraniol (106-24-1)			
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)		
Nerol (106-25-2)			
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		

Safety Data Sheet

Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
Ethyl maltol (4940-11-8)			
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)		
Vertenex (32210-23-4)			
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)		
Allyl cyclohexylpropionate (2705-87-5)			
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA)		
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
Allyl caproate (123-68-2)			
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Ethyl acetoacetate (141-97-9)			
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)		
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)		
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)		
benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
ethyl acetate (141-78-6)			
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)		
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
.alphaPinene (80-56-8)			
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Aldehyde C-6 (66-25-1)			
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		

Safety Data Sheet

12.2. Persistence and degradability		
PURPLE BLACKBERRY ROSE CC-13250		
Persistence and degradability	Not established.	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
Methyl anthranilate (134-20-3)		
Persistence and degradability	Rapidly degradable	
Verdox (88-41-5)		
Persistence and degradability	Rapidly degradable	
Geraniol (106-24-1)		
Persistence and degradability	Rapidly degradable	
Nerol (106-25-2)		
Persistence and degradability	Rapidly degradable	
Citronellol Pure (106-22-9)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
Ethyl maltol (4940-11-8)		
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
Allyl cyclohexylpropionate (2705-87-5)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
CUPRESSUS FUNEBRIS WOOD OIL (85085-29	9-6)	
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
Allyl caproate (123-68-2)		
Persistence and degradability	Rapidly degradable	
Ethyl acetoacetate (141-97-9)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Cyclamal (103-95-7)		
Persistence and degradability	Rapidly degradable	
Lime oil distilled (8008-26-2)		
Persistence and degradability	Rapidly degradable	
dipentene; limonene (138-86-3)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Melonal (106-72-9)		
Persistence and degradability	Rapidly degradable	
ethyl acetate (141-78-6)		
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
PURPLE BLACKBERRY ROSE CC-13250		
Bioaccumulative potential	Not established.	
Methyl anthranilate (134-20-3)		
Partition coefficient n-octanol/water (Log Pow)	2.17 (at 22 °C)	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl maltol (4940-11-8)				
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)			
Vertenex (32210-23-4)				
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)			
Allyl cyclohexylpropionate (2705-87-5)				
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)			
Aldehyde C-16 (77-83-8)				
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)			
Hexyl salicylate (6259-76-3)				
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)			
Allyl caproate (123-68-2)				
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)			
Ethyl acetoacetate (141-97-9)				
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)			
Cyclamal (103-95-7)				
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)			
Geranyl acetate (105-87-3)	Geranyl acetate (105-87-3)			
Partition coefficient n-octanol/water (Log Pow)	4.04			
benzaldehyde (100-52-7)				
BCF - Fish [1]	(no significant bioaccumulation)			
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)			
Melonal (106-72-9)				
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)			
ethyl acetate (141-78-6)				
BCF - Fish [1]	(30 dimensionless)			
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)			
.alphaPinene (80-56-8)				
Partition coefficient n-octanol/water (Log Pow)	4.1			
Aldehyde C-6 (66-25-1)				
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)			
12.4. Mobility in soil				

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Additional information Ecological information HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Flammable vapours may accumulate in the container. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: the which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	R IMDG IATA		ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993		
14.2. UN proper shippin	g name	·				
FLAMMABLE LIQUID, N.O.S. (Orange oil)	FLAMMABLE LIQUID, N.O.S. (Orange oil)	Flammable liquid, n.o.s. (Orange oil)	FLAMMABLE LIQUID, N.O.S. (Orange oil)	FLAMMABLE LIQUID, N.O.S. (Orange oil)		
Transport document descr	iption					
UN 1993 FLAMMABLE LIQUID, N.O.S. (Orange oil), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Orange oil), 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1993 Flammable liquid, n.o.s. (Orange oil), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Orange oil), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Orange oil), 3, III, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard class(es)						
3	3	3	3	3		

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ		ADN	RID	
14.4. Packing group				I		
III	Ш	III		Ш	111	
14.5. Environmental haz	ards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Ye	environment	-	rous for the nment: Yes	Dangerous for the environment: Yes	
No supplementary informatio	n available					
4.6. Special precautions	s for user					
Overland transport						
Classification code (ADR)		: F1				
Special provisions (ADR)		: 274, 601				
imited quantities (ADR)		: 51				
Excepted quantities (ADR)		: E1				
Packing instructions (ADR)	-	: P001, IBC03, LP01, R	001			
lixed packing provisions (AD		: MP19				
Portable tank and bulk contain						
Portable tank and bulk contair	ner special provisions	: TP1, TP29				
ADR)						
ank code (ADR)		: LGBF				
ehicle for tank carriage		: FL				
ransport category (ADR)		: 3 : V12				
Special provisions for carriage						
Special provisions for carriage		: S2				
lazard identification number (Drange plates	(Kemier No.)	: 30				
prange plates		30 1993				
unnel restriction code (ADR) EAC code		: D/E : •3Y				
ransport by sea						
Special provisions (IMDG)		: 223, 274, 955				
imited quantities (IMDG)		: 5L				
Excepted quantities (IMDG)		: E1				
Packing instructions (IMDG)		: LP01, P001				
BC packing instructions (IMD	G)	: IBC03				
ank instructions (IMDG)		: T4				
ank special provisions (IMDC	G)	: TP1, TP29				
EmS-No. (Fire)		: F-E				
EmS-No. (Spillage)		: S-E				
Stowage category (IMDG)		: A				
Air transport						
PCA Excepted quantities (IAT	A)	: E1				
		: Y344				
PCA limited quantity max net		: 10L				
		: 355				
PCA packing instructions (IAT						
PCA packing instructions (IAT PCA max net quantity (IATA)	- '	: 60L				
		: 60L : 366				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Ventilation (ADN)	: F1 : 274, 601 : 5 L : E1 : T : PP, EX, A : VE01
Number of blue cones/lights (ADN)	: 0
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	
Tank codes for RID tanks (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	: LGBF : 3 : W12 : CE4 : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	PURPLE BLACKBERRY ROSE CC-13250 ; Orange oil ; (R)-p- mentha-1,8-diene; d- limonene ; Lime oil distilled ; dipentene; limonene ; ethyl acetate ; .alphaPinene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	PURPLE BLACKBERRY ROSE CC-13250 ; Orange oil ; Methyl anthranilate ; Geraniol ; Nerol ; Citronellol Pure ; citral ; Linalyl acetate ; (R)-p-mentha-1,8-diene; d-limonene ; Vertenex ; Allyl cyclohexylpropionate ; Aldehyde C-16 ; CUPRESSUS FUNEBRIS WOOD OIL ; Hexyl salicylate ; Allyl caproate ; Cyclamal ; Lime oil distilled ; dipentene; limonene ; Geranyl acetate ; benzaldehyde ; Melonal ; ethyl acetate ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	PURPLE BLACKBERRY ROSE CC-13250 ; Orange oil ; Verdox ; (R)- p-mentha-1,8-diene; d- limonene ; Allyl cyclohexylpropionate ; Aldehyde C-16 ; CUPRESSUS FUNEBRIS WOOD OIL ; Hexyl salicylate ; Allyl caproate ; Cyclamal ; Lime oil distilled ; dipentene; limonene ; Geranyl acetate ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; (R)-p- mentha-1,8-diene; d- limonene ; Lime oil distilled ; dipentene; limonene ; ethyl acetate ; .alphaPinene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content

: 28.1409 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code D	escription	
hy al di	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany		
Employment restrictions		: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)		 WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
ABM category		: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekker	nde stoffen	: Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL are listed
SZW-lijst van mutagene stoffen		: Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding		None of the components are listed
SZW-lijst van reprotoxische sto /ruchtbaarheid	offen –	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling		: None of the components are listed

Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information				
Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BLV	Biological limit value			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Other information

: None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and	Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3		
H224	Extremely flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H336	May cause drowsiness or dizziness.		
H360FD	May damage fertility. May damage the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 1A	Reproductive toxicity, Category 1A		
Skin Corr. 1	Skin corrosion/irritation, Category 1		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.