### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  $\,$ 

# CandleCraft

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form Product name Product code : Mixture : Sweet Fig CC-13284 at 5% in DPG

only

: CC-13284\_ 5%

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial
	For professional use o
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

### 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Edited (III and Elitheteric terrority of the	
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmental effects	
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	

Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Vertenex. May produce an allergic reaction.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.64125 – 3.2825	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.1125 – 0.225	Skin Sens. 1B, H317
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.0875 – 0.175	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.0625 – 0.125	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isoamyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.00625 – 0.0125	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.</li> </ul>
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medi	cal attention and special treatment needed

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) wit	th its amendment Regulation (EU) 2015/830
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	stance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>
SECTION 6: Accidental release measu	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify a	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containmen	t and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Section 8. Exposure controls and personal pro	ptection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions Incompatible products Incompatible materials	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> </ul>

No additional information available

7.3. Specific end use(s)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Isoamyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m <sup>3</sup>	
IOEL STEL [ppm]	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetate (all isomers))	
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m <sup>3</sup> (Pentylacetate)	
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	270 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
KGVI (OEL STEL)	540 mg/m <sup>3</sup>	
KGVI (OEL STEL) [ppm]	100 ppm	
Cyprus - Occupational Exposure Limits	·	
OEL TWA	270 mg/m <sup>3</sup>	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	271 mg/m <sup>3</sup> (Amyl acetate, all isomers)	
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)	
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	270 mg/m <sup>3</sup> (Pentyl acetate)
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)
HTP (OEL STEL)	540 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	100 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	270 mg/m <sup>3</sup> (restrictive limit)
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)
VLE (OEL C/STEL)	540 mg/m <sup>3</sup> (restrictive limit)
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)
Germany - Occupational Exposure Limits (TRGS 90	)0)
AGW (OEL TWA) [1]	270 mg/m³
AGW (OEL TWA) [2]	50 ppm
Gibraltar - Occupational Exposure Limits	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
Greece - Occupational Exposure Limits	
OEL TWA	530 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
OEL STEL	800 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	270 mg/m <sup>3</sup>
CK (OEL STEL)	540 mg/m <sup>3</sup>
Ireland - Occupational Exposure Limits	
OEL TWA [1]	260 mg/m <sup>3</sup>
OEL TWA [2]	50 ppm
OEL STEL	520 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
Italy - Occupational Exposure Limits	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
IPRV (OEL TWA) [ppm]	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
TPRV (OEL STEL) [ppm]	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup> (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL	540 mg/m <sup>3</sup> (indicative limit value)	
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	270 mg/m <sup>3</sup> (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m <sup>3</sup>	
VLA-EC (OEL STEL) [ppm]	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetates)	
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)	
KTV (OEL STEL)	540 mg/m <sup>3</sup> (Pentyl acetates)	
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	260 mg/m <sup>3</sup>	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m <sup>3</sup> (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	
Not classified Not classified Not classified	
500 mg/kg	
1500 mg/kg bodyweight	
4000 mg/kg	
4000 mg/kg bodyweight	
5 g/kg	
3370 mg/kg bodyweight	
> 5000 mg/kg	
4100 mg/kg	
2000 mg/kg bodyweight	
> 5000 mg/kg	
> 3250 mg/kg	
> 3250 mg/kg	
Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

Partition coefficient n-octanol/water (Log Pow)

12.1. Toxicity	
	Not classified
(acute) Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
12.2. Persistence and degradability	
Sweet Fig CC-13284 at 5% in DPG	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Sweet Fig CC-13284 at 5% in DPG	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)

4.5 (at 30 °C)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with i	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
Hexamethylindanopyran (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Isoamyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
Additional information	: Avoid release to the environment.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Product/Packaging disposal recommendations Ecology - waste materials	<ul><li>Dispose in a safe manner in accordance with local/national regulations.</li><li>Avoid release to the environment.</li></ul>		
SECTION 14: Transport information			
In accordance with ADR / IMDG / IATA / ADN / RID			
14.1 UN number			
UN-No. (ADR) UN-No. (IMDG)	: Not applicable : Not applicable		
UN-No. (IATA)	: Not applicable		
UN-No. (ADN) UN-No. (RID)	: Not applicable : Not applicable		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: Not applicable		
Proper Shipping Name (IMDG)	: Not applicable		
Proper Shipping Name (IATA) Proper Shipping Name (ADN)	: Not applicable : Not applicable		
Proper Shipping Name (RID)	: Not applicable		
14.3. Transport hazard class(es)			
ADR Transport hazard class(es) (ADR)	: Not applicable		
IMDG Transport hazard class(es) (IMDG)	: Not applicable		

### IATA

Transport hazard class(es) (IATA)	: Not applicable
ADN	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	<ul> <li>No</li> <li>No</li> <li>No supplementary information available</li> </ul>
14.6. Special precautions for user	
Overland transport Not applicable	
Transport by sea Not applicable	
Air transport Not applicable	
Inland waterway transport Not applicable	

#### **Rail transport**

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

### 15.1.2. National regulations

### Germany

Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	<ul> <li>None of the components are listed</li> </ul>
<b>Denmark</b> Classification remarks Danish National Regulations	<ul> <li>Emergency management guidelines for the storage of flammable liquids must be followed</li> <li>Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>
Switzerland Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> </ul>
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH208	Contains Vertenex. May produce an allergic reaction.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.