Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/25/2021



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Type 21 - Bfy

UFI : PJ7G-03HU-K00H-FECF

Product code : CC-16063

Type of product : Perfumes, fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft de - www.candlecraft

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains : Iso E Super; acetyl cedrene; d-Limonene; Cedramber; Amberwood F; Linalool; Coumarin

crystals; Citronellol Pure; Cashmeran

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	8.125 – 16.25	Skin Sens. 1, H317 Aquatic Chronic 2, H411
acetyl cedrene	(CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28	1.95 – 3.9	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	1.95 – 3.9	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	1.75 – 3.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dihydromyrcenol	(CAS-No.) 18479-58-8 (EC-No.) 242-362-4 (REACH-no) 01-2119457274-37	1.55 – 3.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Cedramber	(CAS-No.) 19870-74-7 (EC-No.) 243-384-7	1.3 – 2.6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7 (REACH-no) 01-2119970713-33	1.3 – 2.6	Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	1.3 – 2.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl ionone (mixture of isomers)	(CAS-No.) 1335-46-2 (EC-No.) 215-635-0	0.65 – 1.3	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Amberwood F	(CAS-No.) 58567-11-6 (EC-No.) 261-332-1	0.65 – 1.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(CAS-No.) 63500-71-0 (EC-No.) 405-040-6 (EC Index-No.) 603-101-00-3 (REACH-no) 01-000015458-64	0.25 – 1.08329	Eye Irrit. 2, H319
Methyl pamplemousse	(CAS-No.) 67674-46-8 (EC-No.) 266-885-2	0.5 – 1	Aquatic Chronic 3, H412 Skin Irrit. 2, H315
Cashmeran	(CAS-No.) 33704-61-9 (EC-No.) 251-649-3 (REACH-no) 01-2119977131-40	0.25 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.125 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	0.075 – 0.15	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Acetic acid, (cyclohexyloxy)-, 2-propenyl ester	(CAS-No.) 68901-15-5 (EC-No.) 272-657-3 (REACH-no) 01-2120770514-54	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)	
Finland - Occupational Exposure Lim	its
HTP (OEL TWA) [1]	140 mg/m³
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m³
HTP (OEL STEL) [ppm]	50 ppm
Germany - Occupational Exposure Li	mits (TRGS 900)
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5) AGW (OEL TWA) [2] S ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA [2] 28 mg/m³ OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL 112 mg/m³ OEL STEL 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm CACGW (OEL STEL) [ppm] 14 ppm Chemical category Sensitizer		
values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA QEL TWA [ppm] Sppm OEL STEL 112 mg/m³ OEL STEL [12 mg/m³ OEL STEL [ppm] Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] VLA-ED (OEL TWA) [2] Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] Sppm Kortidsverdi (OEL STEL) T75 mg/m³ (value calculated) Kortidsverdi (OEL STEL) Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 14 ppm	d-Limonene (5989-27-5)	
Slovenia - Occupational Exposure Limits OEL TWA OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 1440 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [80 mg/m³ KZGW (OEL STEL) [80 mg/m³ KZGW (OEL STEL) [8pm] 14 ppm	AGW (OEL TWA) [2]	
OEL TWA 28 mg/m³ OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Chemical category	Skin notation, Skin sensitization
OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Slovenia - Occupational Exposure Limits	
OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [80 mg/m³ KZGW (OEL STEL) [9pm] 14 ppm	OEL TWA	28 mg/m³
OEL STEL [ppm] 20 ppm Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [ppm] 14 ppm	OEL TWA [ppm]	5 ppm
Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [ppm] 14 ppm KZGW (OEL STEL) [ppm] 14 ppm	OEL STEL	112 mg/m³
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	OEL STEL [ppm]	20 ppm
VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Chemical category	Potential for cutaneous absorption
VLA-ED (OEL TWA) [2] Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] Grenseverdi (OEL TWA) [2] Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Spain - Occupational Exposure Limits	
Chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	VLA-ED (OEL TWA) [1]	168 mg/m³
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	VLA-ED (OEL TWA) [2]	30 ppm
Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Chemical category	Sensitizer, skin - potential for cutaneous absorption
Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Norway - Occupational Exposure Limits	
Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Grenseverdi (OEL TWA) [1]	140 mg/m³
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Grenseverdi (OEL TWA) [2]	25 ppm
Chemical category Sensitizing substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Chemical category	Sensitizing substance
MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	Switzerland - Occupational Exposure Limits	
KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm	MAK (OEL TWA) [1]	40 mg/m³
KZGW (OEL STEL) [ppm] 14 ppm	MAK (OEL TWA) [2]	7 ppm
	KZGW (OEL STEL)	80 mg/m³
Chemical category Sensitizer	KZGW (OEL STEL) [ppm]	14 ppm
	Chemical category	Sensitizer

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



8.2.2.1. Eye and face protection

_					1		
E١	10	n	rn	t۵	cti	ior	١.
┗1	75	v	ıv	ιc	υu		ι.

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 91 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : ≈ 0.93

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

acetyl cedrene (32388-55-9)	
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight

Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight

Amberwood F (58567-11-6)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg

Methyl ionone (mixture of isomers) (1335-46-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	2900 mg/kg bodyweight

Cashmeran (33704-61-9)	
LD50 oral	2900 mg/kg bodyweight

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight

Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	293 mg/kg

Acetic acid, (cyclohexyloxy)-, 2-propenyl ester (68901-15-5)	
LD50 oral rat	620 ml/kg
LD50 oral	682 mg/kg bodyweight
LD50 dermal rat	> 2000 ml/kg

2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

2/25/2021 (Issue date) EN (English) 8/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

	Coumarin crystals (91-64-5)		
IARC group 3 - Not classifial		3 - Not classifiable	

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Cashmeran (33704-61-9)		
	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)

Methyl ionone (mixture of isomers) (1335-46-2)	
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability

Amberwood F (58567-11-6)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Amberwood F (58567-11-6)

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9

2/25/2021 (Issue date) EN (English) 10/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

 Packing group (ADR)
 : III

 Packing group (IMDG)
 : III

 Packing group (IATA)
 : III

 Packing group (ADN)
 : III

 Packing group (RID)
 : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

: 5 L Limited quantities (IMDG) Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	
3(a)	d-Limonene	
3(b)	Iso E Super ; d-Limonene ; acetyl cedrene ; Dihydromyrcenol ; Linalool ; Cedramber ; Amberwood F ; Methyl ionone (mixture of isomers) ; Methyl pamplemousse ; 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	
3(c)	Iso E Super ; d-Limonene ; acetyl cedrene ; Hexamethylindanopyran ; Verdox ; Cedramber ; Amberwood F ; Methyl ionone (mixture of isomers) ; Methyl pamplemousse	
40.	d-Limonene	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Methyl pamplemousse, Cyclogalbanate (Allyl Cyclohexyl Glycolate) are listed

SZW-lijst van mutagene stoffen : Methyl pamplemousse, Cyclogalbanate (Allyl Cyclohexyl Glycolate) are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Ontwikkeling

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

2/25/2021 (Issue date) EN (English) 13/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.