

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its  
amendment Regulation (EU) 2015/830

# CandleCraft

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Pomegranate at 10% in DPG  
Product code : CC-16083\_ 10%

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Perfumes, fragrances  
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

### 1.4. Emergency telephone number

No additional information available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Contains : Aldehyde C-16, Hexyl cinnamic aldehyde, Methyl heptine carbonate  
Hazard statements (CLP) : H317 - May cause an allergic skin reaction.  
H412 - Harmful to aquatic life with long lasting effects.

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P321 - Specific treatment (see supplemental first aid instruction on this label).

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier  | %            | Classification according to Regulation (EC) No. 1272/2008 [CLP]               |
|--|---|--------------|---|
| Benzyl benzoate  | CAS-No.: 120-51-4<br>EC-No.: 204-402-9<br>EC Index-No.: 607-085-00-9<br>REACH-no: 01-2119976371-33  | 3.385 – 6.77 | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |
| Aldehyde C-16  | CAS-No.: 77-83-8<br>EC-No.: 201-061-8<br>REACH-no: 01-2119967770-28                                 | 0.5 – 1      | Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411                                |
| Hexamethylindanopyran  | CAS-No.: 1222-05-5<br>EC-No.: 214-946-9<br>EC Index-No.: 603-212-00-7<br>REACH-no: 01-2119488227-29 | 0.125 – 0.25 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                              |
| Hexyl cinnamic aldehyde  | CAS-No.: 101-86-0<br>EC-No.: 202-983-3<br>REACH-no: 01-2119533092-50                                | 0.05 – 0.1   | Skin Sens. 1, H317<br>Aquatic Chronic 2, H411                                 |
| Ethyl acetate<br>substance with a Community workplace exposure limit | CAS-No.: 141-78-6<br>EC-No.: 205-500-4<br>EC Index-No.: 607-022-00-5<br>REACH-no: 01-2119475103-46  | 0.025 – 0.05 | Flam. Liq. 1, H224<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                   |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.  
First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Ethyl acetate (141-78-6)                                  |                        |
|---|------------------------|
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |                        |
| IOEL TWA  | 734 mg/m <sup>3</sup>  |
| IOEL TWA [ppm]  | 200 ppm                |
| IOEL STEL   | 1468 mg/m <sup>3</sup> |
| IOEL STEL [ppm]   | 400 ppm                |
| <b>Austria - Occupational Exposure Limits</b>             |                        |
| MAK (OEL TWA)   | 734 mg/m <sup>3</sup>  |
| MAK (OEL TWA) [ppm]                                       | 200 ppm                |
| MAK (OEL STEL)  | 1468 mg/m <sup>3</sup> |
| MAK (OEL STEL) [ppm]                                      | 400 ppm                |
| <b>Belgium - Occupational Exposure Limits</b>             |                        |
| OEL TWA   | 734 mg/m <sup>3</sup>  |
| OEL TWA [ppm]   | 200 ppm                |
| OEL STEL  | 1468 mg/m <sup>3</sup> |
| OEL STEL [ppm]  | 400 ppm                |
| <b>Bulgaria - Occupational Exposure Limits</b>            |                        |
| OEL TWA   | 734 mg/m <sup>3</sup>  |
| OEL TWA [ppm]   | 200 ppm                |
| OEL STEL  | 1468 mg/m <sup>3</sup> |
| OEL STEL [ppm]  | 400 ppm                |
| <b>Croatia - Occupational Exposure Limits</b>             |                        |
| GVI (OEL TWA) [1]   | 734 mg/m <sup>3</sup>  |
| GVI (OEL TWA) [2]   | 200 ppm                |
| KGVI (OEL STEL)   | 1468 mg/m <sup>3</sup> |
| KGVI (OEL STEL) [ppm]                                     | 400 ppm                |
| <b>Cyprus - Occupational Exposure Limits</b>              |                        |
| OEL TWA   | 734 mg/m <sup>3</sup>  |
| OEL TWA [ppm]   | 200 ppm                |
| OEL STEL  | 1468 mg/m <sup>3</sup> |
| OEL STEL [ppm]  | 400 ppm                |
| <b>Czech Republic - Occupational Exposure Limits</b>      |                        |
| PEL (OEL TWA)   | 700 mg/m <sup>3</sup>  |

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>Ethyl acetate (141-78-6)</b>                          |  |
|--|--|
| <b>Denmark - Occupational Exposure Limits</b>            |  |
| OEL TWA [1]  | 540 mg/m <sup>3</sup>  |
| OEL TWA [2]  | 150 ppm  |
| <b>Estonia - Occupational Exposure Limits</b>            |  |
| OEL TWA  | 500 mg/m <sup>3</sup>  |
| OEL TWA [ppm]  | 150 ppm  |
| OEL STEL   | 1100 mg/m <sup>3</sup>   |
| OEL STEL [ppm]   | 300 ppm  |
| <b>Finland - Occupational Exposure Limits</b>            |  |
| HTP (OEL TWA) [1]  | 730 mg/m <sup>3</sup>  |
| HTP (OEL TWA) [2]  | 200 ppm  |
| HTP (OEL STEL)   | 1470 mg/m <sup>3</sup>   |
| HTP (OEL STEL) [ppm]                                     | 400 ppm  |
| <b>France - Occupational Exposure Limits</b>             |  |
| VME (OEL TWA)  | 1400 mg/m <sup>3</sup>   |
| VME (OEL TWA) [ppm]                                      | 400 ppm  |
| <b>Germany - Occupational Exposure Limits (TRGS 900)</b> |  |
| AGW (OEL TWA) [1]  | 730 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| AGW (OEL TWA) [2]  | 200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)               |
| <b>Gibraltar - Occupational Exposure Limits</b>          |  |
| OEL TWA  | 200 mg/m <sup>3</sup>  |
| OEL TWA [ppm]  | 734 ppm  |
| OEL STEL   | 400 mg/m <sup>3</sup>  |
| OEL STEL [ppm]   | 1468 ppm   |
| <b>Greece - Occupational Exposure Limits</b>             |  |
| OEL TWA  | 734 mg/m <sup>3</sup>  |
| OEL TWA [ppm]  | 200 ppm  |
| OEL STEL   | 1468 mg/m <sup>3</sup>   |
| OEL STEL [ppm]   | 400 ppm  |
| <b>Hungary - Occupational Exposure Limits</b>            |  |
| AK (OEL TWA)   | 734 mg/m <sup>3</sup>  |
| CK (OEL STEL)  | 1468 mg/m <sup>3</sup>   |
| OEL chemical category                                    | Sensitizer   |
| <b>Ireland - Occupational Exposure Limits</b>            |  |
| OEL TWA [1]  | 734 mg/m <sup>3</sup>  |
| OEL TWA [2]  | 200 ppm  |
| OEL STEL   | 1468 mg/m <sup>3</sup>   |
| OEL STEL [ppm]   | 400 ppm  |

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>Ethyl acetate (141-78-6)</b>                   |   |
|---|---|
| <b>Italy - Occupational Exposure Limits</b>       |   |
| OEL TWA   | 734 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                                     | 200 ppm   |
| OEL STEL  | 1468 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                                    | 400 ppm   |
| <b>Latvia - Occupational Exposure Limits</b>      |   |
| OEL TWA   | 200 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                                     | 54 ppm  |
| <b>Lithuania - Occupational Exposure Limits</b>   |   |
| IPRV (OEL TWA)                                    | 500 mg/m <sup>3</sup>                           |
| IPRV (OEL TWA) [ppm]                              | 150 ppm   |
| NRV (OEL C)                                       | 1100 mg/m <sup>3</sup>                          |
| NRV (OEL C) [ppm]                                 | 300 ppm   |
| <b>Luxembourg - Occupational Exposure Limits</b>  |   |
| OEL STEL  | 1468 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                                    | 400 ppm   |
| <b>Malta - Occupational Exposure Limits</b>       |   |
| OEL TWA   | 734 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                                     | 200 ppm   |
| OEL STEL  | 1468 mg/m <sup>3</sup>                          |
| OEL STEL [ppm]                                    | 400 ppm   |
| <b>Netherlands - Occupational Exposure Limits</b> |   |
| TGG-8u (OEL TWA)                                  | 734 mg/m <sup>3</sup>                           |
| TGG-15min (OEL STEL)                              | 1468 mg/m <sup>3</sup>                          |
| <b>Poland - Occupational Exposure Limits</b>      |   |
| NDS (OEL TWA)                                     | 734 mg/m <sup>3</sup>                           |
| NDSch (OEL STEL)                                  | 1468 mg/m <sup>3</sup>                          |
| <b>Portugal - Occupational Exposure Limits</b>    |   |
| OEL TWA   | 734 mg/m <sup>3</sup> (indicative limit value)  |
| OEL TWA [ppm]                                     | 200 ppm (indicative limit value)                |
| OEL STEL  | 1468 mg/m <sup>3</sup> (indicative limit value) |
| OEL STEL [ppm]                                    | 400 ppm (indicative limit value)                |
| <b>Romania - Occupational Exposure Limits</b>     |   |
| OEL TWA   | 400 mg/m <sup>3</sup>                           |
| OEL TWA [ppm]                                     | 111 ppm   |
| OEL STEL  | 500 mg/m <sup>3</sup>                           |
| OEL STEL [ppm]                                    | 139 ppm   |
| <b>Slovakia - Occupational Exposure Limits</b>    |   |
| NPHV (OEL TWA) [1]                                | 734 mg/m <sup>3</sup>                           |

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>Ethyl acetate (141-78-6)</b>                      |  |
|--|--|
| NPHV (OEL TWA) [2]                                   | 200 ppm  |
| NPHV (OEL C)   | 1100 mg/m <sup>3</sup>                             |
| <b>Slovenia - Occupational Exposure Limits</b>       |  |
| OEL TWA  | 734 mg/m <sup>3</sup>                              |
| OEL TWA [ppm]  | 200 ppm  |
| OEL STEL   | 1468 mg/m <sup>3</sup>                             |
| OEL STEL [ppm]                                       | 400 ppm  |
| <b>Spain - Occupational Exposure Limits</b>          |  |
| VLA-ED (OEL TWA) [1]                                 | 734 mg/m <sup>3</sup>                              |
| VLA-ED (OEL TWA) [2]                                 | 200 ppm  |
| VLA-EC (OEL STEL)                                    | 1468 mg/m <sup>3</sup>                             |
| VLA-EC (OEL STEL) [ppm]                              | 400 ppm  |
| <b>Sweden - Occupational Exposure Limits</b>         |  |
| NGV (OEL TWA)  | 550 mg/m <sup>3</sup>                              |
| NGV (OEL TWA) [ppm]                                  | 150 ppm  |
| KTV (OEL STEL)                                       | 1100 mg/m <sup>3</sup>                             |
| KTV (OEL STEL) [ppm]                                 | 300 ppm  |
| <b>United Kingdom - Occupational Exposure Limits</b> |  |
| WEL TWA (OEL TWA) [1]                                | 734 mg/m <sup>3</sup>                              |
| WEL TWA (OEL TWA) [2]                                | 200 ppm  |
| WEL STEL (OEL STEL)                                  | 1468 mg/m <sup>3</sup>                             |
| WEL STEL (OEL STEL) [ppm]                            | 400 ppm  |
| <b>Norway - Occupational Exposure Limits</b>         |  |
| Grenseverdi (OEL TWA) [1]                            | 734 mg/m <sup>3</sup>                              |
| Grenseverdi (OEL TWA) [2]                            | 200 ppm  |
| Korttidsverdi (OEL STEL)                             | 1468 mg/m <sup>3</sup> (value from the regulation) |
| Korttidsverdi (OEL STEL) [ppm]                       | 400 ppm (value from the regulation)                |
| <b>Switzerland - Occupational Exposure Limits</b>    |  |
| MAK (OEL TWA) [1]                                    | 730 mg/m <sup>3</sup>                              |
| MAK (OEL TWA) [2]                                    | 200 ppm  |
| KZGW (OEL STEL)                                      | 1460 mg/m <sup>3</sup>                             |
| KZGW (OEL STEL) [ppm]                                | 400 ppm  |
| <b>USA - ACGIH - Occupational Exposure Limits</b>    |  |
| ACGIH OEL TWA [ppm]                                  | 400 ppm  |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

##### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
| Colour  | : Standard.         |
| Odour   | : characteristic.   |
| Odour threshold                                 | : No data available |
| pH  | : No data available |
| Relative evaporation rate (butylacetate=1)      | : No data available |
| Melting point                                   | : No data available |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : > 93 °C           |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Flammability (solid, gas)                       | : Non flammable.    |
| Vapour pressure                                 | : No data available |
| Relative vapour density at 20°C                 | : No data available |
| Relative density                                | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |



# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                      |                     |
|----------------------|---------------------|
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic   | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits     | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| <b>Benzyl benzoate (120-51-4)</b>        |                       |
|--|-----------------------|
| LD50 oral rat                            | 500 mg/kg             |
| LD50 oral                                | 1500 mg/kg bodyweight |
| LD50 dermal rabbit                       | 4000 mg/kg            |
| LD50 dermal                              | 4000 mg/kg bodyweight |
| ATE CLP (oral)                           | 500 mg/kg bodyweight  |
| ATE CLP (dermal)                         | 4000 mg/kg bodyweight |
| <b>Aldehyde C-16 (77-83-8)</b>           |                       |
| LD50 oral rat                            | 5470 mg/kg            |
| LD50 dermal rat                          | > 2000 mg/kg          |
| ATE CLP (oral)                           | 5470 mg/kg bodyweight |
| <b>Hexamethylindanopyran (1222-05-5)</b> |                       |
| LD50 oral rat                            | > 3250 mg/kg          |

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| <b>Hexamethylindanopyran (1222-05-5)</b>                  |  |
|---|--|
| LD50 dermal rabbit  | > 3250 mg/kg   |
| <b>Hexyl cinnamic aldehyde (101-86-0)</b>                 |  |
| LD50 oral rat   | 3100 mg/kg   |
| LD50 oral   | 3100 mg/kg bodyweight  |
| LD50 dermal rabbit  | > 3000 mg/kg   |
| LC50 Inhalation - Rat                                     | > 5 mg/l/4h  |
| ATE CLP (oral)  | 3100 mg/kg bodyweight  |
| <b>Ethyl acetate (141-78-6)</b>                           |  |
| LD50 oral rat   | 5620 mg/kg   |
| LD50 dermal rabbit  | > 18000 mg/kg  |
| LC50 Inhalation - Rat [ppm]                               | 4000 ppm/4h  |
| ATE CLP (oral)  | 5620 mg/kg bodyweight  |
| ATE CLP (gases)   | 4000 ppmv/4h   |
| Skin corrosion/irritation                                 | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Serious eye damage/irritation                             | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Respiratory or skin sensitisation                         | : May cause an allergic skin reaction.                               |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Germ cell mutagenicity                                    | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Carcinogenicity   | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Reproductive toxicity                                     | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| STOT-single exposure                                      | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| <b>Ethyl acetate (141-78-6)</b>                           |  |
| STOT-single exposure                                      | May cause drowsiness or dizziness.                                   |
| STOT-repeated exposure                                    | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Aspiration hazard   | : Not classified   |
| Additional information                                    | : Based on available data, the classification criteria are not met   |
| Potential adverse human health effects and symptoms       | : Based on available data, the classification criteria are not met   |
| <b>SECTION 12: Ecological information</b>                 |  |
| <b>12.1. Toxicity</b>                                     |  |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified   |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects.                 |
| <b>Benzyl benzoate (120-51-4)</b>                         |  |
| LC50 - Fish [1]   | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic)  | 0.168 mg/l   |

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Aldehyde C-16 (77-83-8)            |  |
|------------------------------------|--|
| LC50 - Fish [1]                    | 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])        |
| Hexamethylindanopyran (1222-05-5)  |  |
| LC50 - Fish [1]                    | 0.452 mg/l Wolf, 1996d-27682   |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas                                      |
| EC50 - Crustacea [2]               | 260 µg/l REACH Dossier   |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier   |
| Ethyl acetate (141-78-6)           |  |
| LC50 - Fish [1]                    | 220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 - Fish [2]                    | 484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])       |
| EC50 - Crustacea [1]               | 560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                   |

### 12.2. Persistence and degradability

| Pomegranate CC-16083 at 10% in DPG |   |
|------------------------------------|---|
| Persistence and degradability      | Not established.  |
| Benzyl benzoate (120-51-4)         |   |
| Persistence and degradability      | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

| Pomegranate CC-16083 at 10% in DPG              |  |
|---|--|
| Bioaccumulative potential                       | Not established.                       |
| Benzyl benzoate (120-51-4)                      |  |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (at 25 °C)                        |
| Bioaccumulative potential                       | Not established.                       |
| Aldehyde C-16 (77-83-8)                         |  |
| Partition coefficient n-octanol/water (Log Pow) | 2.4 (at 25 °C (cis isomer))            |
| Hexamethylindanopyran (1222-05-5)               |  |
| BCF - Fish [1]                                  | (1618 dimensionless (whole body w.w.)) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7))               |
| Ethyl acetate (141-78-6)                        |  |
| BCF - Fish [1]                                  | (30 dimensionless)                     |
| Partition coefficient n-octanol/water (Log Pow) | 0.73 (at 20 °C (at pH 7))              |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Not applicable

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

Not applicable

### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

| France                |   |
|-----------------------|---|
| Occupational diseases |   |
| Code                  | Description   |
| RG 84                 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

#### Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

#### Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product

#### Switzerland

Storage class (LK)

: LK 10/12 - Liquids

# Pomegranate CC-16083 at 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

#### Full text of H- and EUH-statements:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                      |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1        |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1      |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2      |
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2                          |
| Flam. Liq. 1        | Flammable liquids, Category 1  |
| H224                | Extremely flammable liquid and vapour.                                 |
| H302                | Harmful if swallowed.  |
| H317                | May cause an allergic skin reaction.                                   |
| H319                | Causes serious eye irritation.   |
| H336                | May cause drowsiness or dizziness.                                     |
| H400                | Very toxic to aquatic life.  |
| H410                | Very toxic to aquatic life with long lasting effects.                  |
| H411                | Toxic to aquatic life with long lasting effects.                       |
| H412                | Harmful to aquatic life with long lasting effects.                     |
| Skin Sens. 1        | Skin sensitisation, Category 1   |
| Skin Sens. 1B       | Skin sensitisation, category 1B  |
| STOT SE 3           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.