Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 11/26/2024 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : VANILLA SUGAR COOKIE CC-16119 10% in DPG

Product code : CC-16119_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Contains : Cinnamic aldehyde; alpha-Methylcinnamic aldehyde; beta-Caryophyllene; Eugenol; benzyl

alcohol

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	0.81 – 1.65	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
alpha-Methylcinnamic aldehyde	CAS-No.: 101-39-3 EC-No.: 202-938-8 REACH-no: 01-2119538797- 21	0.28 – 0.56	Skin Sens. 1, H317 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.15 – 0.4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.11 – 0.3	Asp. Tox. 1, H304 Skin Sens. 1B, H317
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.12 – 0.24	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.001 – 0.00775	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.001 – 0.00775	Flam. Liq. 3, H226

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.0005 – 0.0055	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE)	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.0001 – 0.00075	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

11/26/2024 (Issue date) EN (English) 3/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LGK 12 Not compassion inquiri

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

11/26/2024 (Issue date) EN (English) 4/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biological limit values		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
	I	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<u> </u>	
.alphaPinene (80-56-8)	
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	·
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	·
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	·
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	·
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	·
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
Beigiam Goodpational Exposure Ellints	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

TPRV (OEL STEL) 25 ppm 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm	.betaPinene (127-91-3)	
monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carrene, have a lesser effect) So mg/m² (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carrene, have a lesser effect) Lithuania - Occupational Exposure Limits PRY (OEL TWA) 150 mg/m² 25 ppm TPRV (OEL STEL) 300 mg/m² 50 ppm Portugal - Occupational Exposure Limits PORTUGAL - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL Obermical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m² 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NOV (OEL TWA) 150 mg/m² 25 ppm NOV (OEL STEL) 300 mg/m² 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits NOV (OEL STEL) 175 mg/m² (value calculated) USA - ACGIH - Occupational Exposure Limits NOV (OEL STEL) 20 ppm (Value calculated) USA - ACGIH - Occupational Exposure Limits NOV (OEL STEL) Sensitizer Norway - Occupational Exposure Limits NOV (OEL STEL) 150 mg/m² 25 ppm Norway - Occupational Exposure Limits NOV (OEL STEL) 175 mg/m² (value calculated) USA - ACGIH - Occupational Exposure Limits NOV (OEL STEL) Sensitizer Norway - Occupational Exposure Limits NOV (OEL STEL) Sensitizer Norway - Occupational Exposure Limits NOV (OEL STEL) Sensitizer Norway - Occupational Exposure Limits NOV (OEL STEL) Sensitizer NORWay - Occupational Exposure Limits NOV (OEL STEL) Sensitizer NORWay - Occupational Exposure Limits NOV (OEL STEL) Sensitizer NORWay - Occupational Exposure Limits NOV (OEL STEL) Sensitizer NORWay - Occupational E	Estonia - Occupational Exposure Limits	
monoterpenes, with the exception of 3-Garene, have a lesser effect)	OEL TWA	
monoterpenes, with the exception of 3-Carene, have a lesser effect) 50 ppm (Turpentine produced from Nordic conflers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) FPRV (OEL TWA)		
monoterpenes, with the exception of 3-Carene, have a lesser effect)	OEL STEL	
PRV (OEL TWA)		
TPRV (OEL STEL) 25 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 21 3 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits KGV (OEL STEL) 140 mg/m³ 25 ppm Korttidsverdi (OEL TWA) 150 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m² Czech Republic - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sweden - Occupational Exposure Limits NGY (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer NOWAY - Occupational Exposure Limits Foreseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH Chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits Ceceh Republic - Occupational Exposure Limits OEL TWA 5 mg/m² S mg/m² Ceceh Republic - Occupational Exposure Limits	IPRV (OEL TWA)	150 mg/m³
Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL TWA) 250 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL TWA) 175 mg/m³ (value calculated) 37.5 ppm (value cal		25 ppm
Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGY (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 500 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Forenseverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 175 mg/m³ (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH Chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits Czech Republic - Occupational Exposure Limits Czech Republic - Occupational Exposure Limits	TPRV (OEL STEL)	300 mg/m³
OEL TWA 20 pm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL TWA) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits CEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits CSECH Republic - Occupational Exposure Limits		50 ppm
OEL chemical category Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits 5 mg/m³ Czech Republic - Occupational Exposure Limits	Portugal - Occupational Exposure Limits	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Kortidsverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer	OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 410 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	Spain - Occupational Exposure Limits	
Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm Sop m OEL chemical category Sensitizer OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	VLA-ED (OEL TWA)	113 mg/m³
Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 25 ppm KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits		20 ppm
NGV (OEL TWA) 150 mg/m³	OEL chemical category	Sensitizer
KGV (OEL STEL) 25 ppm 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	Sweden - Occupational Exposure Limits	
KGV (OEL STEL) 300 mg/m³ 50 ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	NGV (OEL TWA)	150 mg/m³
OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits		25 ppm
OEL chemical category Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	KGV (OEL STEL)	300 mg/m³
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) ACGIH - Occupational Exposure Limits ACGIH OEL TWA ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits		50 ppm
Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	OEL chemical category	Sensitizer
25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	Norway - Occupational Exposure Limits	
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	Grenseverdi (OEL TWA)	140 mg/m³
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits		25 ppm
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits		37.5 ppm (value calculated)
ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits	
benzyl alcohol (100-51-6) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits	benzyl alcohol (100-51-6)	
Czech Republic - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits	
	OEL TWA	5 mg/m³
PEL (OEL TWA) 40 mg/m³	Czech Republic - Occupational Exposure Limits	
	PEL (OEL TWA)	40 mg/m³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl alcohol (100-51-6)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
p-Cymene (99-87-6)		
Denmark - Occupational Exposure Limits		
OEL TWA	135 mg/m³ (Methylisopropylbenzenes)	
	25 ppm (Methylisopropylbenzenes)	
OEL STEL	270 mg/m³ (Methylisopropylbenzenes)	
	50 ppm (Methylisopropylbenzenes)	
Estonia - Occupational Exposure Limits	I	
OEL TWA	140 mg/m³	
	25 ppm	
OEL STEL	190 mg/m³	
	35 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	
	I .	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

p-Cymene (99-87-6)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	140 mg/m³	
	25 ppm	
TPRV (OEL STEL)	190 mg/m³	
	35 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	140 mg/m³	
	25 ppm	
KGV (OEL STEL)	190 mg/m³	
	35 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

characteristic. Odour Odour threshold Not available Melting point Not available Freezing point Not available Boiling point Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature рΗ : Not available : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density Relative density : Not available Relative vapour density at 20°C : Not available

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) : Acute toxicity (dermal) :	Not classified Not classified Not classified	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
alpha-Methylcinnamic aldehyde (101-39-3)		
LD50 oral rat	2050 mg/kg (Source: NLM_CIP)	
LD50 oral	2050 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
p-Cymene (99-87-6)		
LD50 oral rat	4750 mg/kg (Source: NLM_CIP)	
LD50 oral	4750 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h Source: EU_CLH)	
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h	
Skin corrosion/irritation : Additional information : Serious eye damage/irritation : Additional information : Respiratory or skin sensitisation : Additional information : Additional information :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Eugenol (97-53-0)

IARC group 3 - Not classifiable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

beta-Caryophyllene (87-44-5)

Hydrocarbon

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

.alpha.-Pinene (80-56-8)

Hydrocarbon Yes

.beta.-Pinene (127-91-3)

Hydrocarbon Yes

p-Cymene (99-87-6)

Hydrocarbon Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

, ,

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : No

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

LC50 - Fish [1] 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	

12.2. Persistence and degradability

VANILLA SUGAR COOKIE CC-16119 10% in DPG		
Persistence and degradability	Not established.	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
alpha-Methylcinnamic aldehyde (101-39-3)		
Persistence and degradability	Rapidly degradable	
beta-Caryophyllene (87-44-5)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5	5)	
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
.betaPinene (127-91-3)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
p-Cymene (99-87-6)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

VANILLA SUGAR COOKIE CC-16119 10% in DPG	
Bioaccumulative potential Not established.	
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow) 6.23 (at 25 °C (at pH 7)		
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)		
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow) 1.05		
p-Cymene (99-87-6)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 20 °C (at pH 7)	
Partition coefficient n-octanol/water (Log Kow)	0	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecological information

HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene; .alpha Pinene; .betaPinene; p- Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	VANILLA SUGAR COOKIE CC-16119 10% in DPG; Cinnamic aldehyde; alpha- Methylcinnamic aldehyde ; beta-Caryophyllene; Eugenol; (R)-p-mentha- 1,8-diene; d-limonene; .alphaPinene; benzyl alcohol; p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	VANILLA SUGAR COOKIE CC-16119 10% in DPG; Cinnamic aldehyde; alpha- Methylcinnamic aldehyde ; (R)-p-mentha-1,8-diene; d-limonene; .alpha Pinene; p-Cymene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene ; .alpha Pinene ; .betaPinene ; p- Cymene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen – Borstvoeding

None of the components are listed

None of the components are listed

None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

11/26/2024 (Issue date) EN (English) 16/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.