Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 11/27/2024 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CINNAMON STREUSEL CC-16120 10% in DPG

Product code : CC-16120_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Contains : Cinnamic aldehyde; benzyl alcohol; COUMARIN Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	2.53 – 5.0695	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	1.233 – 2.465	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.21 – 0.42	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.110006 – 0.225012	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.013 - 0.023	Acute Tox. 4 (Oral), H302
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.01 – 0.02	Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.01 – 0.015	Flam. Liq. 3, H226

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	< 0.0012	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.0012	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.0012	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.0000508 – 0.00010795	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000001275	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

11/27/2024 (Issue date) EN (English) 3/34

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : IGK 1 IGK 2A IG

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7
Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

11/27/2024 (Issue date) EN (English) 4/34

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	

11/27/2024 (Issue date) EN (English) 5/34

Safety Data Sheet

benzyl alcohol (100-51-6)		
OEL chemical category	Skin notation	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	

Safety Data Sheet

.alphaPinene (80-56-8)	
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
<u> </u>	

Safety Data Sheet

.betaPinene (127-91-3)	
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limit	s
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
USA - ACGIH - Occupational Exposure L	imits
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
Toluene (108-88-3)	
EU - Indicative Occupational Exposure L	imit (IOEL)
IOEL TWA	192 mg/m³
	50 ppm
IOEL STEL	384 mg/m³

Safety Data Sheet

Toluene (108-88-3)	
	100 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	190 mg/m³
	50 ppm
MAK (OEL STEL)	380 mg/m³
	100 ppm
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
OEL TWA	77 mg/m³
	20 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
Bulgaria - Biological limit values	
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m³
	50 ppm
KGVI (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin-potential for cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)	
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	200 mg/m³
OEL chemical category	Potential for cutaneous absorption
Czech Republic - Biological limit values	
BLV	1.6 μmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1000 μmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.) 1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)
Denmark - Occupational Exposure Limits	
OEL TWA	94 mg/m³
	25 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	81 mg/m ³
	25 ppm
HTP (OEL STEL)	380 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)
	100 ppm (restrictive limit)

Safety Data Sheet

Toluene (108-88-3)		
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption	
France - Biological limit values		
BLV	20 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Germany - Biological limit values (TRGS 903)		
Biological limit value	600 µg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 µg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift	
Gibraltar - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	190 mg/m³	
CK (OEL STEL)	384 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Ireland - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

Native Cocupational Exposure Limits OEL TWA 192 mg/m² OEL chemical category sin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 50 mg/m² OEL chemical category 80 mg/m² OEL chemical category \$0 mg/m² Latvia - Biological Exposure Indices 14 pg/m BEI 16 gig creatinine Parameter. Hippuris acid - Medium: urine - Sampling time, end of shift on some parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter. Toluene - Medium: blood - Sampling time, end of shift on graph parameter	Toluene (108-88-3)		
OEL chemical category skin - potential for cutaneous absorption CEL trivia - Occupational Exposure Limits OEL TWA \$50 mg/m³ 4 ppm OEL chemical category skin - potential for cutaneous exposure Latvia - Biological Exposure Indices BEI 1.6 gig creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift	Italy - Occupational Exposure Limits		
OEL chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 50 mg/m³ OEL Chemical category skin - potential for cutaneous exposure Latvia - Biological Exposure Indices 16 gg creatinine Parameter. Hippuric acid - Medium: urine - Sampling time: end of shift of 50 mg/m² Lithuania - Occupational Exposure Limits 18 gg creatinine Parameter. Toluene - Medium: blood - Sampling time: end of shift of 50 mg/m² Lithuania - Occupational Exposure Limits 192 mg/m³ PRV (OEL TWA) 192 mg/m³ 50 pm 700 pm OEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits 192 mg/m³ OEL TWA 192 mg/m³ 30 ppm 394 mg/m³ 100 ppm 100 ppm OEL STEL 494 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Mata - Occupational Exposure Limits 192 mg/m³ OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL Chemical category Possibility of significant uptake through the skin Notherl	OEL TWA	192 mg/m³	
Latvia - Occupational Exposure Limits OEL TWA 50 mg/m² 14 ppm 14 ppm OEL chemical category be potential for cutaneous exposure Latvia - Biological Exposure Indices 1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood		50 ppm	
OEL TWA 50 mg/m³ OEL chemical category skin - potential for cutaneous exposure Latvia - Biological Exposure Indices BEI 1.6 g/g creatinine Parameter: Hippuric acid - Medium: unine - Sampling time: end of shift on 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift no 50.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of s	OEL chemical category	skin - potential for cutaneous absorption	
Material Category 44 ppm CAL chemical category skin - potential for cutaneous exposure Latvia - Biological Exposure Indices BEI 1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5.05 mg/l Parameter: Toluene - Medium: blood -	Latvia - Occupational Exposure Limits		
OEL chemical category skin - potential for cutaneous exposure Latvia - Biological Exposure Indices BEI 1.5 g/g creatinine Parameter: Hippuric acid - Medium: unine - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shif	OEL TWA	50 mg/m³	
Latvia - Biological Exposure Indices BEI 1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Sampling time: end of shift on 5m g/l Parameter: Toluene - Medium: blood - Medium: blood - Sampling time: end of shift on 5m g/l		14 ppm	
BEI 1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift of 50 fmg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift of 50 fmg/m² Lithuania - Occupational Exposure Limits IPRY (OEL TWA) 192 mg/m² 50 ppm 700 ppm OEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits 50 ppm OEL TWA 192 mg/m² 50 ppm 50 ppm OEL STEL 384 mg/m³ 60 ppm 700 ppm OEL chemical category possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ OEL TWA 192 mg/m³ OPpm 190 ppm OEL STEL 384 mg/m³ 0 ppm 100 ppm OEL chemical category possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits 100 ppm TGG-16 min (OEL STEL) 150 mg/m³ 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits 100 ppm Poland - Occupational Exposure Limits 100 pg/m³	OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits IPRY (OEL TWA) 192 mg/m³ TPRY (OEL STEL) 284 mg/m³ 190 pm CEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits Possibility of Significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³	Latvia - Biological Exposure Indices		
IPRY (OEL TWA) 192 mg/m³ 50 ppm TPRV (OEL STEL) 384 mg/m³ 100 ppm OEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL Chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ OEL TWA 192 mg/m³ 50 ppm 9 ppm OEL STEL 384 mg/m³ 60 ppm 9 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits Possibility of significant uptake through the skin Teg-8u (OEL TWA) 150 mg/m³ 30 ppm 39 ppm Today of ppm 100 ppm Poland - Occupational Exposure Limits 100 mg/m³ Poland - Occupational Exposure Limits 200 mg/m³ Portugal - Occupational Exposure Limits 100 mg/m³ <td>BEI</td> <td></td>	BEI		
50 ppm TRV (OEL STEL) 384 mg/m³ 100 ppm 100 ppm CEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Matta - Occupational Exposure Limits TOEL TWA 192 mg/m³ 50 ppm 100 ppm OEL STEL 384 mg/m³ 100 ppm Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm 100 ppm Poland - Occupational Exposure Limits No S(OEL TWA) 100 mg/m³ No S(OEL TWA) 100 mg/m³ No S(OEL TWA) 100 mg/m³	Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL) 384 mg/m³ 100 ppm OEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 984 mg/m³ 50 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDS (OEL STEL) 200 mg/m³ NDSCh (OEL STEL) 200 mg/m³	IPRV (OEL TWA)	192 mg/m³	
New Productive Limits Lixembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits 200 mg/m³		50 ppm	
CEL chemical category Reproductive toxin, Skin notation Luxembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 0Pm Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits To mg/m³ TGP-8u (OEL TWA) 150 mg/m³ 39 ppm TGP-15min (OEL STEL) 39 ppm 400 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDS (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	TPRV (OEL STEL)	384 mg/m³	
Luxembourg - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 100 ppm 100 ppm OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ 50 ppm 50 ppm OEL STEL 384 mg/m³ 0EL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits 150 mg/m³ TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits 100 mg/m³ NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits 200 mg/m³		100 ppm	
OEL TWA 192 mg/m³ OEL STEL 384 mg/m³ OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ OEL TWA 192 mg/m³ 50 ppm OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 30 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDS (OEL TWA) 100 mg/m³ NDS (OEL TWA) 200 mg/m³ NDS (OEL STEL) 200 mg/m³	OEL chemical category	Reproductive toxin, Skin notation	
OEL STEL 384 mg/m³ OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 192 mg/m³ OEL TWA 192 mg/m³ 50 ppm OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 30 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	Luxembourg - Occupational Exposure Limits		
OEL STEL 384 mg/m³ OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³	OEL TWA	192 mg/m³	
DEL chemical category DEL chemical category Malta - Occupational Exposure Limits DEL TWA DEL TWA DEL TWA DEL STEL 384 mg/m³ 100 ppm DEL chemical category DEL chemical categor		50 ppm	
OEL chemical category Malta - Occupational Exposure Limits OEL TWA OEL STEL OEL chemical category OEL chemical category Possibility of significant uptake through the skin Popm OEL STEL OEL STEL OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) TGG-15min (OEL STEL) 384 mg/m³ 39 ppm 700 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL STEL) OD mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	OEL STEL	384 mg/m³	
Malta - Occupational Exposure Limits OEL TWA 192 mg/m³ 50 ppm OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits		100 ppm	
OEL TWA 192 mg/m³ 50 ppm OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	OEL chemical category	Possibility of significant uptake through the skin	
So ppm S	Malta - Occupational Exposure Limits		
OEL STEL 384 mg/m³ 100 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	OEL TWA	192 mg/m³	
DEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits		50 ppm	
OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	OEL STEL	384 mg/m³	
Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 150 mg/m³ 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL TWA) NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits		100 ppm	
TGG-8u (OEL TWA) 150 mg/m³ 39 ppm 39 ppm TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	OEL chemical category	Possibility of significant uptake through the skin	
39 ppm 384 mg/m³ 100 ppm	Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL) 384 mg/m³ 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	TGG-8u (OEL TWA)	150 mg/m³	
Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits		39 ppm	
Poland - Occupational Exposure Limits NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	TGG-15min (OEL STEL)	384 mg/m³	
NDS (OEL TWA) 100 mg/m³ NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits		100 ppm	
NDSCh (OEL STEL) 200 mg/m³ Portugal - Occupational Exposure Limits	Poland - Occupational Exposure Limits	•	
Portugal - Occupational Exposure Limits	NDS (OEL TWA)	100 mg/m³	
	NDSCh (OEL STEL)	200 mg/m³	
OEL TWA 192 mg/m³ (indicative limit value)	Portugal - Occupational Exposure Limits	•	
	OEL TWA	192 mg/m³ (indicative limit value)	

Safety Data Sheet

Toluene (108-88-3)	
	50 ppm (indicative limit value)
OEL STEL	384 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Romania - Biological limit values	
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift
Slovakia - Occupational Exposure Limits	·
NPHV (OEL TWA)	192 mg/m³
	50 ppm
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)
OEL chemical category	Potential for cutaneous absorption
Slovakia - Biological limit values	·
BLV	600 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift
Slovenia - Occupational Exposure Limits	·
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Category 2, Potential for cutaneous absorption
Spain - Occupational Exposure Limits	•
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)		
Spain - Biological limit values		
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	192 mg/m³	
	50 ppm	
KGV (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	191 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	384 mg/m³	
	100 ppm	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	94 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	190 mg/m³	
	50 ppm	
KZGW (OEL STEL)	760 mg/m³	
	200 ppm	
OEL chemical category	Skin notation, Category 2 reproductive toxin	
Switzerland - BAT		
BAT	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm	

Safety Data Sheet

Toluene (108-88-3)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA - ACGIH - Biological Exposure Indices		
BEI	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	309 mg/m³	
	50 ppm	
OEL STEL	618 mg/m³	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	310 mg/m³ (isomer mixture)	
	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
	100 ppm	
OEL STEL	900 mg/m³	
	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	
	50 ppm (1-(3-Methoxypropoxy)propan-1-ol)	
OEL chemical category	skin - potential for cutaneous absorption	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
	50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
	75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
	48.7 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL STEL	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL STEL	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
	50 ppm	
KGV (OEL STEL)	450 mg/m³	
	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	308 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	300 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
	<u> </u>	

Safety Data Sheet

benzaldehyde (100-52-7)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits	1	
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	13 ppm	

Safety Data Sheet

Benzyl acetate (140-11-4)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOE	L)	
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	270 mg/m³	
	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
	·	

Safety Data Sheet

isopentyl acetate (123-92-2)		
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m³	
	100 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TR	GS 900)	
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
022 0122		

Safety Data Sheet

Tably - Occupational Exposure Limits	isopentyl acetate (123-92-2)	
S0 ppm	Italy - Occupational Exposure Limits	
OEL STEL 540 mg/m³ / 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ / 50 ppm Lithuania - Occupational Exposure Limits Ferry (OEL TWA) 1PRV (OEL TWA) 270 mg/m³ / 50 ppm TPRV (OEL STEL) 540 mg/m³ / 100 ppm Luxembourg - Occupational Exposure Limits CEL TWA OEL TWA 270 mg/m³ / 50 ppm OEL STEL 540 mg/m³ / 100 ppm Malfa - Occupational Exposure Limits CEL TWA OEL TWA 270 mg/m³ / 50 ppm OEL STEL 540 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits 50 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ / 100 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ / 100 ppm NDSCh (OEL STEL) 500 mg/m³ / 100 ppm NDSCh (OEL STEL) 500 mg/m³ / 100 ppm Portugal - Occupational Exposure Limits 500 mg/m³ / (indicative limit value) 50 ppm (indicative limit value) (Pentyl acetate, all isomers) OEL TWA 270 mg/m³ (indicative limit value) 100 ppm (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value)	OEL TWA	270 mg/m³
Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ 50 ppm TPRV (OEL STEL) 540 mg/m³ 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Malta - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ (indicative limit value) 500 pm (indicative limit value) Romania - Occupational Exposure Limits Romania - Occupational Exposure Limits OEL TWA Romania - Occupational Exposure Limits		50 ppm
Latvia - Occupational Exposure Limits	OEL STEL	540 mg/m³
OEL TWA 270 mg/m³ 50 ppm 50 ppm Lithuania - Occupational Exposure Limits 270 mg/m³ IPRV (OEL TWA) 270 mg/m³ 50 ppm 540 mg/m³ TPRV (OEL STEL) 540 mg/m³ Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 50 ppm 0 OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 100 ppm Netherlands - Occupational Exposure Limits 530 mg/m³ Poland - Occupational Exposure Limits 98.1 ppm Poland - Occupational Exposure Limits 500 mg/m³ NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 50 ppm (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicativ		100 ppm
S0 ppm	Latvia - Occupational Exposure Limits	
Lithuania - Occupational Exposure Limits 270 mg/m³ 50 ppm	OEL TWA	270 mg/m³
IPRV (OEL TWA)		50 ppm
S0 ppm	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL)	IPRV (OEL TWA)	270 mg/m³
100 ppm		50 ppm
DEL TWA 270 mg/m³ 50 ppm	TPRV (OEL STEL)	540 mg/m³
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Malta - Occupational Exposure Limits 700 ppm OEL TWA 270 mg/m³ 50 ppm 500 ppm OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 700 ppm Netherlands - Occupational Exposure Limits 530 mg/m³ Poland - Occupational Exposure Limits 81 ppm NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³		100 ppm
S0 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ 100 ppm S40 mg/m³ S40	Luxembourg - Occupational Exposure Limits	
S40 mg/m³ 100 ppm	OEL TWA	270 mg/m³
Too ppm		50 ppm
Malta - Occupational Exposure Limits	OEL STEL	540 mg/m³
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 100 ppm TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 100 ppm (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³		100 ppm
So ppm Sol p	Malta - Occupational Exposure Limits	
OEL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value)	OEL TWA	270 mg/m³
Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³		50 ppm
Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 270 mg/m³ (indicative limit value)	OEL STEL	540 mg/m³
TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³		100 ppm
Poland - Occupational Exposure Limits NDS (OEL TWA) NDSCh (OEL STEL) Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 270 mg/m³ (indicative limit value)	Netherlands - Occupational Exposure Limits	
Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers)) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	TGG-15min (OEL STEL)	530 mg/m³
NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³		98.1 ppm
NDSCh (OEL STEL) Fortugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	Poland - Occupational Exposure Limits	
Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	NDS (OEL TWA)	250 mg/m³
OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	NDSCh (OEL STEL)	500 mg/m³
DEL STEL 50 ppm (indicative limit value (Pentyl acetate, all isomers) 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits DEL TWA 270 mg/m³	Portugal - Occupational Exposure Limits	
OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL TWA	270 mg/m³ (indicative limit value)
100 ppm (indicative limit value) Romania - Occupational Exposure Limits OEL TWA 270 mg/m³		50 ppm (indicative limit value (Pentyl acetate, all isomers)
Romania - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL STEL	540 mg/m³ (indicative limit value)
OEL TWA 270 mg/m³		100 ppm (indicative limit value)
	Romania - Occupational Exposure Limits	
50 ppm	OEL TWA	270 mg/m³
		50 ppm
OEL STEL 540 mg/m³	OEL STEL	540 mg/m³
100 ppm		100 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)	
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	270 mg/m³
NITTY (OLL TWA)	50 ppm
NDHV (OEL C)	
NPHV (OEL C)	540 mg/m³
Slovenia - Occupational Exposure Limits	[070 / 0
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m³
	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)
	50 ppm (Pentyl acetates)
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)
	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	260 mg/m³
	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)
	75 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Particle characteristics

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available

11/27/2024 (Issue date) EN (English) 24/34

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	

11/27/2024 (Issue date) EN (English) 25/34

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LDS0 darmal rabbit	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat S700 mg/kg (Source: NLM_CIP)	LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 oral rat 3700 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
LD50 dermal rat 5000 mg/kg (Source: CHEMVIEW)	.alphaPinene (80-56-8)	
LD50 oral rat	LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
Disposative	LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
Toluene (108-88-3) LD50 oral rat 2600 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2600 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 12.5 mg/l/4h Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Denzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 or	.betaPinene (127-91-3)	
Toluene (108-88-3) LD50 oral rat 2600 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 12.5 mg/l/4h Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) JED50 oral rat 5.35 g/kg (Source: NLM_HSDB) JED50 oral rat 1292 mg/kg (Source: NLM_CIP) benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat < 5 mg/l/4h Benzyl acetate (140-11-4) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) Sin corrosion/iritation > 5000 mg/kg (Source: JAPAN_GHS) Sin corrosion/iritation Sased on available data, the classification criteria are not met Serious eye damage/iritation Sased on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified	LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)
LD50 oral rat 2600 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 12.5 mg/l/4h Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) 9500 mg/kg (Source: NLM_CIP) benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 91292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/k	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 12.5 mg/l/4th Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1290 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat < 5 mg/l/4th Benzyl acetate (140-11-4) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral 2490 mg/kg (Source: JAPAN_GHS) LD50 oral 2490 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) LARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LARC group 3 - Not classifiable (108-88-3)	Toluene (108-88-3)	
LC50 Inhalation - Rat Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat LD50 dermal rabbit 9500 mg/kg (Source: NLM_HSDB) benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1295 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) 249	LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)
Dipropylene glycol monomethyl ether (34590-94-8) LD50 dermal rabbit 9500 mg/kg (Source: NLM_HSDB) Denzaldehyde (100-52-7) LD50 dermal rabbit 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral 2490 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 5000 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3)	LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)
LD50 oral rat LD50 dermal rabbit Denzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: NLM_CIP) Denzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat Denzyl acetate (140-11-4) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral ratbit D50 oral ratbit D50 oral ratbit Not classified Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 · Not classifiable Toluene (108-88-3)	LC50 Inhalation - Rat	12.5 mg/l/4h
LD50 dermal rabbit benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 2490 mg/kg (Source: JAPAN_GHS) 2490	Dipropylene glycol monomethyl ether (34590	-94-8)
benzaldehyde (100-52-7) LD50 oral rat	LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)
LD50 oral rat LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat Senzyl acetate (140-11-4) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2490 mg/kg (Source: JAPAN_GHS) LD50 oral 2490 mg/kg (Source: JAPAN_GHS) LD50 oral 2490 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 5000 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation : Not classified Sased on available data, the classification criteria are not met	LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat < 5 mg/l/4h Benzyl acetate (140-11-4) LD50 oral rat	benzaldehyde (100-52-7)	
LC50 Inhalation - Rat	LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
Benzyl acetate (140-11-4) LD50 oral rat	LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LD50 oral rat LD50 oral LD50 oral LD50 dermal rabbit > 5000 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3)	LC50 Inhalation - Rat	< 5 mg/l/4h
LD50 oral LD50 dermal rabbit > 5000 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3)	Benzyl acetate (140-11-4)	
LD50 dermal rabbit > 5000 mg/kg (Source: JAPAN_GHS) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3)	LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Gern cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3)	LD50 oral	2490 mg/kg bodyweight
Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group : 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group : 3 - Not classifiable Toluene (108-88-3)	LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group : 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group : 3 - Not classifiable Toluene (108-88-3)		
Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)		
Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)	Additional information :	Based on available data, the classification criteria are not met
Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)		
Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)		,
Additional information : Based on available data, the classification criteria are not met COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)	ů ,	
COUMARIN (91-64-5) IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)	9	
IARC group 3 - Not classifiable (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Toluene (108-88-3)		3 - Not classifiable
IARC group 3 - Not classifiable Toluene (108-88-3)		
	IARC group	3 - Not classifiable
IARC group 3 - Not classifiable	Toluene (108-88-3)	
	IARC group	3 - Not classifiable

11/27/2024 (Issue date) EN (English) 26/34

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)				
IARC group	3 - Not classifiable			
Additional information :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
Toluene (108-88-3)				
STOT-single exposure	May cause drowsiness or dizziness.			
	Not classified Based on available data, the classification criteria are not met			
Toluene (108-88-3)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
•	Not classified Based on available data, the classification criteria are not met			
benzyl benzoate (120-51-4)				
Viscosity, kinematic	7.456 mm²/s			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
Hydrocarbon	Yes			
.alphaPinene (80-56-8)				
Hydrocarbon	Yes			
.betaPinene (127-91-3)				
Hydrocarbon	Yes			
Toluene (108-88-3)				
Hydrocarbon	Yes			

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)				
benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			
benzyl alcohol (100-51-6)				
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			

Safety Data Sheet

benzyl alcohol (100-51-6)				
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)			
LC50 - Fish [1] 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-th Source: EPA)				
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)			
.alphaPinene (80-56-8)				
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)			
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Toluene (108-88-3)				
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])			
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)			
Dipropylene glycol monomethyl ether (34590-	94-8)			
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
benzaldehyde (100-52-7)				
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)			
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)			
12.2. Persistence and degradability				

CINNAMON STREUSEL CC-16120 10% in DPG			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Cinnamic aldehyde (104-55-2)			
Persistence and degradability	Rapidly degradable		
benzyl alcohol (100-51-6)			
Persistence and degradability	Rapidly degradable		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
Persistence and degradability Rapidly degradable			

Safety Data Sheet

.alphaPinene (80-56-8)				
Persistence and degradability	Rapidly degradable			
.betaPinene (127-91-3)				
Persistence and degradability	Rapidly degradable			
Toluene (108-88-3)				
Persistence and degradability	Rapidly degradable			
Dipropylene glycol monomethyl ether (34590-	94-8)			
Persistence and degradability	Rapidly degradable			
benzaldehyde (100-52-7)				
Persistence and degradability	Rapidly degradable			
Benzyl acetate (140-11-4)				
Persistence and degradability	Rapidly degradable			
isopentyl acetate (123-92-2)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				
CINNAMON STREUSEL CC-16120 10% in DPG				
Bioaccumulative potential	Not established.			
benzyl benzoate (120-51-4)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
Bioaccumulative potential	Not established.			
Cinnamic aldehyde (104-55-2)				
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)			
benzyl alcohol (100-51-6)				
Partition coefficient n-octanol/water (Log Pow)	1.05			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)			
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
.alphaPinene (80-56-8)				
Partition coefficient n-octanol/water (Log Pow)	4.1			
Toluene (108-88-3)				
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)			
Dipropylene glycol monomethyl ether (34590-	94-8)			
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)			
benzaldehyde (100-52-7)				
BCF - Fish [1]	(no significant bioaccumulation)			
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping	g name					
Not applicable Not applicable Not applicable Not applicable Not applicable						
14.3. Transport hazard class(es)						
Not applicable Not applicable Not applicable Not applicable Not applicable						
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary information	No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	(R)-p-mentha-1,8-diene; d-limonene; .alpha Pinene; .betaPinene; Toluene; isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	CINNAMON STREUSEL CC-16120 10% in DPG; benzyl benzoate; Cinnamic aldehyde; benzyl alcohol; (R)-p- mentha-1,8-diene; d- limonene; .alphaPinene ; Toluene; benzaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	CINNAMON STREUSEL CC-16120 10% in DPG; benzyl benzoate; Cinnamic aldehyde; (R)- p-mentha-1,8-diene; d- limonene; .alphaPinene; Benzyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	(R)-p-mentha-1,8-diene; d-limonene; .alpha Pinene; .betaPinene; Toluene; isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		
48.	Toluene	Toluene		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

France

Occupational diseases			
Code Description			
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : Toluene is listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

11/27/2024 (Issue date) EN (English) 32/34

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUF	H-statements:
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.