## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : GOLDEN HONEYSUCKLE CC-16128 10% in DPG

Product code : CC-16128\_10%
Type of product : Perfumes, fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

#### 1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Cyclamal, Amyl cinnamic aldehyde, Hexyl

salicylate, Citronellol Pure, Linalool. May produce an allergic reaction.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

EN (English) 1/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.27 – 0.545	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.26 – 0.51	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.17 – 0.34	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.0717 – 0.169	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.07004 – 0.13585	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.07 – 0.135	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.06 – 0.125	Aquatic Chronic 3, H412
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	0.06 – 0.11	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.05 – 0.100000149	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.028932 – 0.0614805	Not classified
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00001	Aquatic Chronic 3, H412

EN (English) 2/27

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0 – 0.000007569 2	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000000089 4	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

EN (English) 3/27

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : IGK 1 IGK 24 IG

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

### 7.3. Specific end use(s)

No additional information available

EN (English) 4/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Alcohol C-10 (112-30-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Germany - Occupational Exposure Limits (TRGS	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	10 mg/m³
Romania - Occupational Exposure Limits	·
OEL TWA	100 mg/m³
	15 ppm
OEL STEL	200 mg/m³
	30 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m³
	10 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	61 mg/m³
	10 ppm
OEL STEL	122 mg/m³
	20 ppm
Ireland - Occupational Exposure Limits	•
OEL TWA	10 ppm
OEL STEL	30 ppm (calculated)
Latvia - Occupational Exposure Limits	•
OEL TWA	5 mg/m³

EN (English) 5/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lithuaira - Occupational Exposure Limits  PREV (OEL TWA) 5 mgm² Portugal - Occupational Exposure Limits  OEL TWA 10 pm OEL STEL 20 mgm² Portugal - Occupational Exposure Limits  OEL STEL 30 mgm² Portugal - Occupational Exposure Limits  PASSIFI 20 mgm² Portugal - Occupational Exposure Limits  PASSIFI 20 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 50 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 6 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 7 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 8 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits  VIA-EO (OEL TWA) 9 mgm² Portugal - Occupational Exposure Limits (TROS) 9 mgm² Portugal - Occupa	Benzyl acetate (140-11-4)	
Portugal - Occupational Exposure Limits           OEL TWA         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         Somg/m³           0EL TWA         80 mg/m³           8 ppm         Both mode           0EL STEL         80 mg/m³           13 ppm         Both mode           Spain - Occupational Exposure Limits         Car mg/m³           USA - ACGIH - Occupational Exposure Limits         To ppm           USA - ACGIH - Occupational Exposure Limits         To ppm           ACGIH Chemical category         Not Classifiable as a Human Carcinogen           Carbitol (111-90-)           Austria - Occupational Exposure Limits         Somg/m³           Mak (OEL TWA)         36 mg/m³           6 ppm         6 ppm           MAK (OEL STEL)         140 mg/m³           2 typin         15 ppm           Estonia - Occupational Exposure Limits         Sol. mg/m³           Exportance - Occupational Exposure Limits (TRGS)         Sol. mg/m³           OEL TWA         Sol. mg/m³           10 ppm         Occupational Exposure Limits (TRGS)           Cermany - Occupational Exposure Limits (TRGS)         Sol. mg/m³           <	Lithuania - Occupational Exposure Limits	
OEL TWA         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m²           OEL STEL         80 pm m           OEL STEL         80 mg/m²           13 ppm         13 ppm           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA)         62 mg/m²           10 ppm         CUSA - ACGIH - Occupational Exposure Limits           VASCIH OCCUPATIONAL PROPRIED TO TAMA         10 ppm           ACGIH OCEL TWA         10 ppm           CAPITICATION TO TAMA         10 ppm           CAPITICATION TO TAMA         35 mg/m²           AUXILIA (CEL TWA)         35 mg/m²           ESTONIA - Occupational Exposure Limits         35 mg/m²           ESTONIA - Occupational Exposure Limits         50.1 mg/m²           10 ppm           OEL TWA         50.1 mg/m²           0EL TWA         35 mg/m²           0EL TWA         35 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL TWA         36 mg/m²           0EVENTIA         35 mg/m²           10 ppm           O	IPRV (OEL TWA)	5 mg/m³
OEL chamical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m³           OEL STEL         80 mg/m³           B9 mg/m³         13 ppm           Spain - Occupational Exposure Limits         E2 mg/m³           VLA-ED (OEL TWA)         62 mg/m³           MSA - ACGIH - Occupational Exposure Limits         10 ppm           CAGIH OEL TWA         10 ppm           ACGIH chamical category         Not Classifiable as a Human Carcinogen           CAPITION         10 ppm           ACGIH CITWA         10 ppm           ACGIH CHAMA         10 ppm           CAPITION (11-90-0)         Not Classifiable as a Human Carcinogen           CAPITION (11-90-0)         Not Classifiable as a Human Carcinogen           CAPITION (11-90-0)         10 ppm           CAPITION (11-90-0)         35 mg/m³           CAPITION (11-90-0)         140 mg/m³           CAPITION (20 mg/m³)         140 mg/m³           ESECUTION (20 mg/m³)         140 mg/m³           CEL TWA)         25 mg/m³           CEL TWA)         25 mg/m³           CAPITION (20 mg/m²)         25 mg/m³ <td>Portugal - Occupational Exposure Limits</td> <td></td>	Portugal - Occupational Exposure Limits	
Romania - Occupational Exposure Limits           OEL STEL         80 ppm           OEL STEL         80 ppm           Spain - Occupational Exposure Limits         13 ppm           VLA-ED (OEL TWA)         62 mg/m²           10 ppm         10 ppm           USA - ACGIH - Occupational Exposure Limits         Not Classifiable as a Human Carcinogen           CAGIH CHEL TWA         10 ppm           ACGIH CHEL TWA         Not Classifiable as a Human Carcinogen           Carbitol (111-90-0)           Austria - Occupational Exposure Limits           MAK (OEL TWA)         35 mg/m³           6 ppm           MAK (OEL STEL)         140 mg/m³           24 ppm           Estonia - Occupational Exposure Limits           CEL TWA         50.1 mg/m³           10 ppm           OEL Chemical category         50.1 mg/m³           OEL Chemical category         50.0 mg/m³           OEL Chemical category         50.0 mg/m³           OEL TWA         50.0 mg/m³	OEL TWA	10 ppm
OEL TWA	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Paper   Pap	Romania - Occupational Exposure Limits	
DELISTEL         80 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         62 mg/m³           Mg/m³           ACGIH OCCUpational Exposure Limits           ACGIH OCCUpational Exposure Limits           ACGIH OCCUpational Exposure Limits           Carbitol (111-90-0)           Austria - Occupational Exposure Limits           MAK (OEL TWA)         35 mg/m³           6 ppm         6 ppm           Estonia - Occupational Exposure Limits           Estonia - Occupational Exposure Limits           Estonia - Occupational Exposure Limits           For many - Occupational Exposure Limits (TRGS)           Som p/m² (fer risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Som p/m² (fer risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sion p/m² (fer risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sion p/m² (fer risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sion p/m² (fer risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           For p/m² (fer risk of damage to the	OEL TWA	50 mg/m³
Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         62 mg/m³           10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OBL TWA         10 ppm           ACGIH OBL TWA         10 ppm           ACGIH Actional Category         Not Classifiable as a Human Carcinogen           Carbitol (111-90-0)           Wastria - Occupational Exposure Limits           MAK (OEL TWA)         35 mg/m³           6 ppm         6 ppm           Estonia - Occupational Exposure Limits           Estonia - Occupational Exposure Limits           Formany - Occupational Exposure Limits (TROS)           OEL TWA         35 mg/m³           6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sovenia - Occupational Exposure Limits           Si Smg/m³           6 ppm           OEL TWA         35 mg/m³           6 ppm           OEL TWA         6 ppm           Occupational Exposure Limits           Formal Propriemant Exposure Limits           Formal Propriemant Exposure Limits           Formal		8 ppm
Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         62 mg/m³           USA - ACGIH - Occupational Exposure Limits         10 ppm           ACGIH OEL TWA         10 ppm           ACGIH OEL TWA         Not Classifiable as a Human Carcinogen           Carbitol (111-90-0)           Austria - Occupational Exposure Limits           MAK (OEL TWA)         35 mg/m³           6 ppm         6 ppm           Estonia - Occupational Exposure Limits           Estonia - Occupational Exposure Limits           OEL TWA         50.1 mg/m³           10 ppm         10 ppm           OEL chemical category         Skin notation           Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	OEL STEL	80 mg/m³
VLAED (OEL TWA)         62 mg/m³           USA - ACGIH - Occupational Exposure Limits         10 ppm           ACGIH OEL TWA         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           Carbitol (111-90-0)         35 mg/m³           MAK (OEL TWA)         35 mg/m³           6 ppm           MAK (OEL STEL)         140 mg/m³           24 ppm           Estonia - Occupational Exposure Limits           CPL TWA         50.1 mg/m³           0Ppm           0Pum           0Pum<		13 ppm
To ppm   T	Spain - Occupational Exposure Limits	
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 10 pm  ACGIH chemical category Not Classifiable as a Human Carcinogen  Carbitol (111-90-0)  Austria - Occupational Exposure Limits  MAK (OEL TWA) 35 mg/m³ 6 ppm  MAK (OEL STEL) 140 mg/m³ 24 ppm  Estonia - Occupational Exposure Limits  OEL TWA 50,1 mg/m³ 10 ppm  OEL chemical category Skin notation  Germany - Occupational Exposure Limits (TRGS 90*)  AGW (OEL TWA) 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA 50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA 70 mg/m³ 6 ppm  OEL TWA 70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 80 mg/m³ 12 ppm	VLA-ED (OEL TWA)	62 mg/m³
ACGIH OEL TWA         10 ppm           ACGIH chemical category         Not Classifiable as a Human Carcinogen           Carbitol (111-90-0)           Austria - Occupational Exposure Limits           MAK (OEL TWA)         35 mg/m³           6 ppm           MAK (OEL STEL)           140 mg/m³           24 ppm           Estonia - Occupational Exposure Limits           OEL TWA           0EL TWA         50.1 mg/m³           10 ppm           0EL chemical category         Skin notation           Germany - Occupational Exposure Limits (TRGS 9000)           AGW (OEL TWA)         35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Stovenia - Occupational Exposure Limits           OEL TWA         35 mg/m³           6 ppm           OEL STEL         70 mg/m³           12 ppm           Sweden - Occupational Exposure Limits           NGV (OEL TWA)         80 mg/m³		10 ppm
ACGIH chemical category  Not Classifiable as a Human Carcinogen  Carbitol (111-90-0)  Austria - Occupational Exposure Limits  MAK (OEL TWA)  All 140 mg/m³ 24 pm  Estonia - Occupational Exposure Limits  Estonia - Occupational Exposure Limits  OEL TWA  ACGIH TWA  ACCIDENTIAL  ACC	USA - ACGIH - Occupational Exposure Limits	
Carbitol (111-90-0)  Austria - Occupational Exposure Limits  MAK (OEL TWA)  All MAK (OEL STEL)  MAK (OEL STEL)  ANAK (OEL STEL)  Estonia - Occupational Exposure Limits  CEL TWA  CEL TWA  CEL Chemical category  ANAK (OEL TWA)  ANAK (OEL TWA)  Sin notation  CERMANY - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	ACGIH OEL TWA	10 ppm
MAK (OEL TWA)  ABY (OEL TWA)  ABY (OEL STEL)  MAK (OEL STEL)  ABY (OEL STEL)  BIOL TWA  BIOL TWA	ACGIH chemical category	Not Classifiable as a Human Carcinogen
MAK (OEL TWA)  ABAK (OEL STEL)  ABAK (OEL STEL)  ABAK (OEL STEL)  BION MAK (OEL STEL)  ABAK (OEL STEL)  ABAK (OEL TWA)  ABAK (OEL TWA)  BION MAK (OEL TWA)  ABAK (OEL TWA)  BION MAK (OEL TWA)	Carbitol (111-90-0)	
MAK (OEL STEL)  140 mg/m³ 24 ppm  Estonia - Occupational Exposure Limits  OEL TWA  50.1 mg/m³ 10 ppm  OEL chemical category  Skin notation  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  OEL TWA  35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  OEL TWA  OEL TWA  35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL  70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³	Austria - Occupational Exposure Limits	
MAK (OEL STEL)  140 mg/m³ 24 ppm   Estonia - Occupational Exposure Limits  OEL TWA  60.1 mg/m³ 10 ppm  OEL chemical category  Skin notation  Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	MAK (OEL TWA)	35 mg/m³
Estonia - Occupational Exposure Limits   50.1 mg/m³   10 ppm     OEL chemical category   Skin notation     Germany - Occupational Exposure Limits (TRGS 9000)   Smg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)     Slovenia - Occupational Exposure Limits   Smg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)     Slovenia - Occupational Exposure Limits   Smg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)     Slovenia - Occupational Exposure Limits   Smg/m³ (for pm for pmg/m³ (for pm for pmg/m³ (for pmg/		6 ppm
Estonia - Occupational Exposure Limits  OEL TWA  50.1 mg/m³ 10 ppm  OEL chemical category Skin notation  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL 70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 80 mg/m³  80 mg/m³	MAK (OEL STEL)	140 mg/m³
DEL TWA  50.1 mg/m³ 10 ppm  DEL chemical category Skin notation  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  DEL TWA 35 mg/m³ 6 ppm 6 ppm  DEL STEL 70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 80 mg/m³  80 mg/m³		24 ppm
DEL chemical category Skin notation  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  DEL TWA  DEL STEL 70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 80 mg/m³  Sweden - Occupational Exposure Limits  NGV (OEL TWA) 80 mg/m³	Estonia - Occupational Exposure Limits	
OEL chemical category  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  AGW (OEL TWA)  BGW values are observed)  6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  CPL TWA  OEL STEL  70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³	OEL TWA	50.1 mg/m³
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL  70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³		10 ppm
AGW (OEL TWA)  35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL  70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³	OEL chemical category	Skin notation
BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL  70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³	Germany - Occupational Exposure Limits (TRGS 90	00)
Slovenia - Occupational Exposure Limits  OEL TWA  35 mg/m³ 6 ppm  OEL STEL 70 mg/m³ 12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³  80 mg/m³	AGW (OEL TWA)	
OEL TWA       35 mg/m³         6 ppm         OEL STEL       70 mg/m³         12 ppm         Sweden - Occupational Exposure Limits         NGV (OEL TWA)       80 mg/m³		
Figure 1	Slovenia - Occupational Exposure Limits	
OEL STEL         70 mg/m³           12 ppm           Sweden - Occupational Exposure Limits           NGV (OEL TWA)         80 mg/m³	OEL TWA	35 mg/m³
12 ppm  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³		6 ppm
Sweden - Occupational Exposure Limits  NGV (OEL TWA)  80 mg/m³	OEL STEL	70 mg/m³
NGV (OEL TWA)  80 mg/m³		12 ppm
	Sweden - Occupational Exposure Limits	
15 ppm	NGV (OEL TWA)	80 mg/m³
13 ррп		15 ppm

EN (English) 6/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)		
KGV (OEL STEL)	170 mg/m³	
	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	309 mg/m³	
	50 ppm	
OEL STEL	618 mg/m³	

EN (English) 7/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	310 mg/m³ (isomer mixture)	
	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
	100 ppm	
OEL STEL	900 mg/m³	
	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	
	50 ppm (1-(3-Methoxypropoxy)propan-1-ol)	
OEL chemical category	skin - potential for cutaneous absorption	

EN (English) 8/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-	-94-8)
Latvia - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	skin - potential for cutaneous exposure
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)
	50 ppm (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)
	75 ppm (2-(2-Methoxypropoxy)-propanol)
OEL chemical category	Skin notation
Luxembourg - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	300 mg/m³
	48.7 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-1-ol)
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
Portugal - Occupational Exposure Limits	
OEL TWA	308 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL STEL	150 ppm
OEL chemical category	skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Skin notation
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	308 mg/m³
	50 ppm
OEL chemical category	Potential for cutaneous absorption

EN (English) 9/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Slovenia - Occupational Exposure Limits OEL TWA	
OEL TWA	
	308 mg/m <sup>3</sup>
	50 ppm
OEL STEL	308 mg/m³
	50 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL chemical category	skin - potential for cutaneous absorption
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	300 mg/m³
	50 ppm
KGV (OEL STEL)	450 mg/m³
	75 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	308 mg/m³
	50 ppm
WEL STEL (OEL STEL)	924 mg/m³ (calculated)
	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	300 mg/m³
	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)
	75 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)
Toluene (108-88-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	192 mg/m³
	50 ppm

EN (English) 10/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
IOEL STEL	384 mg/m³
	100 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	<u>'</u>
MAK (OEL TWA)	190 mg/m³
	50 ppm
MAK (OEL STEL)	380 mg/m³
	100 ppm
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	·
OEL TWA	77 mg/m³
	20 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	·
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
Bulgaria - Biological limit values	
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m³
	50 ppm
KGVI (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm

EN (English) 11/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	200 mg/m³
OEL chemical category	Potential for cutaneous absorption
Czech Republic - Biological limit values	
BLV	1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)  1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)
Denmark - Occupational Exposure Limits	
OEL TWA	94 mg/m³
	25 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	81 mg/m³
	25 ppm
HTP (OEL STEL)	380 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	·
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)

EN (English) 12/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
	100 ppm (restrictive limit)
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption
France - Biological limit values	
BLV	20 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limits (TRGS 9	900)
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS 903)	
Biological limit value	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift
Gibraltar - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m³
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	·
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³

EN (English) 13/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)				
OEL chemical category	Potential for cutaneous absorption			
Italy - Occupational Exposure Limits				
OEL TWA	192 mg/m³			
	50 ppm			
OEL chemical category	skin - potential for cutaneous absorption			
Latvia - Occupational Exposure Limits	'			
OEL TWA	50 mg/m³			
	14 ppm			
OEL chemical category	skin - potential for cutaneous exposure			
Latvia - Biological Exposure Indices	'			
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift			
Lithuania - Occupational Exposure Limits	·			
IPRV (OEL TWA)	192 mg/m³			
	50 ppm			
TPRV (OEL STEL)	384 mg/m³			
	100 ppm			
OEL chemical category	Reproductive toxin, Skin notation			
Luxembourg - Occupational Exposure Limits				
OEL TWA	192 mg/m³			
	50 ppm			
OEL STEL	384 mg/m³			
	100 ppm			
OEL chemical category	Possibility of significant uptake through the skin			
Malta - Occupational Exposure Limits				
OEL TWA	192 mg/m³			
	50 ppm			
OEL STEL	384 mg/m³			
	100 ppm			
OEL chemical category	Possibility of significant uptake through the skin			
Netherlands - Occupational Exposure Limits	'			
TGG-8u (OEL TWA)	150 mg/m³			
	39 ppm			
TGG-15min (OEL STEL)	384 mg/m³			
	100 ppm			
Poland - Occupational Exposure Limits	•			
NDS (OEL TWA)	100 mg/m³			
NDSCh (OEL STEL)	200 mg/m³			

EN (English) 14/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)				
Portugal - Occupational Exposure Limits				
OEL TWA	192 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
OEL STEL	384 mg/m³ (indicative limit value)			
	100 ppm (indicative limit value)			
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value			
Romania - Occupational Exposure Limits				
OEL TWA	192 mg/m³			
	50 ppm			
OEL STEL	384 mg/m³			
	100 ppm			
OEL chemical category	Skin notation			
Romania - Biological limit values				
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA)	192 mg/m³			
	50 ppm			
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)			
OEL chemical category	Potential for cutaneous absorption			
Slovakia - Biological limit values				
BLV	600 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift			
Slovenia - Occupational Exposure Limits				
OEL TWA	192 mg/m³			
	50 ppm			
OEL STEL	384 mg/m³			
	100 ppm			
OEL chemical category	Category 2, Potential for cutaneous absorption			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
VLA-EC (OEL STEL)	384 mg/m³			
	100 ppm			
OEL chemical category	skin - potential for cutaneous absorption			

EN (English) 15/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)			
Spain - Biological limit values			
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	192 mg/m³		
	50 ppm		
KGV (OEL STEL)	384 mg/m³		
	100 ppm		
OEL chemical category	Skin notation		
United Kingdom - Occupational Exposure	e Limits		
WEL TWA (OEL TWA)	191 mg/m³		
	50 ppm		
WEL STEL (OEL STEL)	384 mg/m³		
	100 ppm		
WEL chemical category	Potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	94 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	190 mg/m³		
	50 ppm		
KZGW (OEL STEL)	760 mg/m³		
	200 ppm		
OEL chemical category	Skin notation, Category 2 reproductive toxin		
Switzerland - BAT			
BAT	600 µg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 µmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 µmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 75 µg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift		
USA - ACGIH - Occupational Exposure Li	mits		
ACGIH OEL TWA	20 ppm		

EN (English) 16/27

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
USA - ACGIH - Biological Exposure Indices			
	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

## Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

EN (English) 17/27

: Not applicable

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Not available Melting point Freezing point Not available Boiling point Not available Flammability Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available рΗ Not available Viscosity, kinematic Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available : Not available Relative density : Not available Relative vapour density at 20°C

#### 9.2. Other information

Particle characteristics

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

EN (English) 18/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Alcohol C-10 (112-30-1)			
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)		
Amyl cinnamic aldehyde (122-40-7)			
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg (Source: ECHA)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
Citronellol Pure (106-22-9)			
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)		
LD50 oral	3450 mg/kg bodyweight		
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)		
LD50 dermal	2650 mg/kg bodyweight		
Sandela (66068-84-6)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 5.27 mg/l/4h		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		

EN (English) 19/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)			
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)		
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)		
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)		
Dipropylene glycol monomethyl ether (3459	0-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)		
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)		
Toluene (108-88-3)			
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat	12.5 mg/l/4h		
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Not classified</li> </ul>		
Additional information Carcinogenicity Additional information	<ul> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>		
Benzyl acetate (140-11-4)			
IARC group	3 - Not classifiable		
Toluene (108-88-3)			
IARC group	3 - Not classifiable		
Reproductive toxicity Additional information STOT-single exposure Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>		
Toluene (108-88-3)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure Additional information	Not classified     Based on available data, the classification criteria are not met		
Toluene (108-88-3)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard Additional information	Not classified     Based on available data, the classification criteria are not met		
Toluene (108-88-3)			
	Yes		

# 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

EN (English) 20/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(GITOTIC)				
Alcohol C-10 (112-30-1)				
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Linalool (78-70-6)				
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	rlindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682			
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas			
EC50 - Crustacea [2]	260 μg/l REACH Dossier			
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier			
Carbitol (111-90-0)				
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through Source: EPA)			
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Dipropylene glycol monomethyl ether (34590-94-8)				
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Toluene (108-88-3)				
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])			
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)			

# 12.2. Persistence and degradability

GOLDEN HONEYSUCKLE CC-16128 10% in DPG			
Persistence and degradability Not established.			
Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability Rapidly degradable			

EN (English) 21/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Persistence and degradability  Alcohol C-10 (112-30-1)  Persistence and degradability  Rapidly degradable  Amyl cinnamic aldehyde (122-40-7)  Persistence and degradability  Rapidly degradable  Benzyl acetate (140-11-4)  Persistence and degradability  Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability  Rapidly degradable  Citronellol Pure (106-22-9)  Persistence and degradability  Rapidly degradable			
Persistence and degradability  Amyl cinnamic aldehyde (122-40-7)  Persistence and degradability  Rapidly degradable  Benzyl acetate (140-11-4)  Persistence and degradability  Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability  Rapidly degradable  Citronellol Pure (106-22-9)			
Amyl cinnamic aldehyde (122-40-7)  Persistence and degradability Rapidly degradable  Benzyl acetate (140-11-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Citronellol Pure (106-22-9)			
Persistence and degradability  Rapidly degradable  Benzyl acetate (140-11-4)  Persistence and degradability  Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability  Rapidly degradable  Citronellol Pure (106-22-9)			
Benzyl acetate (140-11-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Citronellol Pure (106-22-9)			
Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Citronellol Pure (106-22-9)			
Hexyl salicylate (6259-76-3)  Persistence and degradability  Rapidly degradable  Citronellol Pure (106-22-9)			
Persistence and degradability Rapidly degradable  Citronellol Pure (106-22-9)			
Citronellol Pure (106-22-9)			
Persistence and degradability Rapidly degradable			
Sandela (66068-84-6)			
Persistence and degradability Rapidly degradable			
Linalool (78-70-6)			
Persistence and degradability Rapidly degradable			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
Persistence and degradability Rapidly degradable			
Carbitol (111-90-0)			
Persistence and degradability Rapidly degradable			
Dipropylene glycol monomethyl ether (34590-94-8)			
Persistence and degradability Rapidly degradable			
Toluene (108-88-3)			
Persistence and degradability Rapidly degradable			
12.3. Bioaccumulative potential			
GOLDEN HONEYSUCKLE CC-16128 10% in DPG			
Bioaccumulative potential Not established.			
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow) 3.4 (at 35 °C)			
Bioaccumulative potential Not established.			
Alcohol C-10 (112-30-1)			
Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)			
Amyl cinnamic aldehyde (122-40-7)			
Partition coefficient n-octanol/water (Log Pow) 2.498 (at 25 °C (at pH 6.2)			
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)			

EN (English) 22/27

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hexyl salicylate (6259-76-3)			
artition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7)			
Citronellol Pure (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Carbitol (111-90-0)			
Partition coefficient n-octanol/water (Log Pow)	-0.8		
Dipropylene glycol monomethyl ether (34590-94-8)			
Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)			
Toluene (108-88-3)			
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)		

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

: Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

EN (English) 23/27

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	aldehyde ; Hexyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

EN (English) 24/27

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	GOLDEN HONEYSUCKLE CC- 16128 10% in DPG; Hexyl cinnamic aldehyde; Cyclamal; Alcohol C-10; Amyl cinnamic aldehyde; Benzyl acetate; Hexyl salicylate; Sandela; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
48.	Toluene	Toluene

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

EN (English) 25/27

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.2. National regulations

#### **France**

Occupational diseases	
Code	Description
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### **Germany**

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Sandela is listed

SZW-lijst van mutagene stoffen : Sandela is listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the com

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : Toluene is listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Hexyl cinnamic aldehyde, Cyclamal, Amyl cinnamic aldehyde, Hexyl salicylate, Citronellol Pure, Linalool. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.

EN (English) 26/27

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 27/27