# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : GOLDEN HONEYSUCKLE CC-16128 5% in DPG

Product code : CC-16128\_5%
Type of product : Perfumes, fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

#### 1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Linalool. May produce an allergic reaction.

Extra phrases : For professional users only.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

EN (English) 1/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.135 – 0.2725	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.13 – 0.255	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.085 – 0.17	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.03 – 0.0625	Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105-	0.014466 – 0.03074025	Not classified
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 - 0.000005	Aquatic Chronic 3, H412
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0 – 0.000003784 6	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000000044 7	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

EN (English) 2/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

# 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

EN (English) 3/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids. Incompatible materials : Sources of ignition. Direct sunlight.

**Germany** 

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, Joint storage permitted for

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m <sup>3</sup>	
	15 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	

EN (English) 4/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m³
	10 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	61 mg/m³
	10 ppm
OEL STEL	122 mg/m³
	20 ppm
Ireland - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL STEL	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	8 ppm
OEL STEL	80 mg/m³
	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	62 mg/m³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Carbitol (111-90-0)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	35 mg/m³
	6 ppm
MAK (OEL STEL)	140 mg/m³

EN (English) 5/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)		
	24 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	50.1 mg/m³	
	10 ppm	
OEL chemical category	Skin notation	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m³	
	6 ppm	
OEL STEL	70 mg/m³	
	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
	15 ppm	
KGV (OEL STEL)	170 mg/m³	
	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
	Skin, Skin notation	

EN (English) 6/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Bulgaria - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	308 mg/m³
	50 ppm
OEL chemical category	Skin notation
Cyprus - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	270 mg/m³
OEL chemical category	Potential for cutaneous absorption
Denmark - Occupational Exposure Limits	
OEL TWA	309 mg/m³
	50 ppm
OEL STEL	618 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	310 mg/m³
	50 ppm
OEL chemical category	Potential for cutaneous absorption
France - Occupational Exposure Limits	
VME (OEL TWA)	308 mg/m³ (restrictive limit)
	50 ppm (restrictive limit)
OEL chemical category	Risk of cutaneous absorption
Germany - Occupational Exposure Limits (TRGS 9	000)
AGW (OEL TWA)	310 mg/m³ (isomer mixture)
	50 ppm (isomer mixture)
Gibraltar - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Skin notation

EN (English) 7/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Greece - Occupational Exposure Limits         600 mg/m²           OEL STEL         900 mg/m²           150 ppm         150 ppm           OEL STEL         900 mg/m²           150 ppm         150 ppm           OEL Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m²           NE (OEL TWA)         308 mg/m²           Ireland - Occupational Exposure Limits         308 mg/m² ((2-Methoxymethylethoxyl)propanol)           OEL STEL         924 mg/m² (calculated (2-(2-Methoxypropoxyl)-propanol)           OEL STEL         924 mg/m² (calculated (2-(2-Methoxypropoxyl)-propanol)           OEL Chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         Sppm (14-(3-Methoxypropoxyl)propan-1-ol)           OEL Chemical category         skin - potential for cutaneous absorption           Latvia - Occupational Exposure Limits         50 ppm (14-(3-Methoxypropoxyl)-propanol)           OEL Chemical category         skin - potential for cutaneous absorption           Lithuania - Occupational Exposure Limits         50 ppm           OEL Chemical category         skin - potential for cutaneous exposure           Lithuania - Occupational Exposure Limits         50 ppm (2-(2-Methoxypropoxyl)-propanol)           TFPW (OEL STEL)<	Dipropylene glycol monomethyl ether (34590	-94-8)
OEL STEL     900 mg/m²       OEL chemical category     skin - potential for cutaneous absorption       Hungary - Occupational Exposure Limits       AK (OEL TWA)     308 mg/m²       Ireland - Occupational Exposure Limits       OEL TWA     308 mg/m² ((2-Methoxymethylethoxy)propanol)       OEL STEL     924 mg/m² ((alculated (2-(2-Methoxypropoxy)-1-propanol)       OEL chemical category     Potential for cutaneous absorption       Italy - Occupational Exposure Limits     308 mg/m² (1-(3-Methoxypropoxy)-1-propanol)       OEL TWA     308 mg/m² (1-(3-Methoxypropoxy)-1-propanol)       OEL TWA     308 mg/m² (1-(3-Methoxypropoxy)-1-propanol)       OEL TWA     308 mg/m² (1-(3-Methoxypropoxy)propan-1-ol)       OEL Chemical category     skin - potential for cutaneous absorption       Lativia - Occupational Exposure Limits     309 pm       OEL Chemical category     skin - potential for cutaneous exposure       Lithuania - Occupational Exposure Limits     309 pm/m² (2-(2-Methoxypropoxy)-propanol)       TPRV (OEL TWA)     300 mg/m² (2-(2-Methoxypropoxy)-propanol)       OEL chemical category     Skin notation       Luxembourg - Occupational Exposure Limits     50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Mattar - Occupational Exposure Limits     50 ppm       OEL chemical category     Possibility of significant uptake through the s	Greece - Occupational Exposure Limits	
OEL chemical category sin - potential for cutaneous absorption  Wingary - Occupational Exposure Limits  AK (OEL TWA) 388 mg/m³ ((2-Methoxymethylethoxy)propanol)  Fireland - Occupational Exposure Limits  OEL TWA 308 mg/m³ ((2-Methoxymethylethoxy)propanol)  DEL STEL 309 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)  DEL chemical category Potential for cutaneous absorption  Italy - Occupational Exposure Limits  OEL TWA 308 mg/m³ ((3-Methoxypropoxy)-1-propanol)  DEL chemical category Potential for cutaneous absorption  Italy - Occupational Exposure Limits  OEL TWA 308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)  DEL chemical category sin - potential for cutaneous absorption  Lativia - Occupational Exposure Limits  OEL TWA 308 mg/m³ (2-(2-Methoxypropoxy)propan-1-ol)  DEL chemical category sin - potential for cutaneous exposure  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol)  TPRV (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol)  TPRV (OEL STEL) 450 mg/m³ (2-(2-Methoxypropoxy)-propanol)  OEL chemical category Sin notation  Luxemboury - Occupational Exposure Limits  OEL TWA 308 mg/m³ (3-(2-Methoxypropoxy)-propanol)  OEL chemical category possibility of significant uptake through the skin  Matta - Occupational Exposure Limits  OEL TWA 308 mg/m³ (3-(2-Methoxypropoxy)-propanol)  OEL chemical category possibility of significant uptake through the skin  Matta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Matta - Occupational Exposure Limits  OEL TWA 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  OEL Chemical category Possibility of significant uptake through the skin	OEL TWA	600 mg/m³
150 ppm		100 ppm
Selin - potential for cutaneous absorption	OEL STEL	900 mg/m³
Hungary - Occupational Exposure Limits     AK (OEL TWA)   308 mg/m³     Iroland - Occupational Exposure Limits		150 ppm
AK (OEL TWA)   308 mg/m²     Iroland - Occupational Exposure Limits   308 mg/m² ((2-Methoxymethylethoxy)propanol)     50 ppm ((2-Methoxymethylethoxy)propanol)     50 ppm ((2-Methoxymethylethoxy)propanol)     50 ppm ((2-Methoxymethylethoxy)propanol)     50 ppm ((2-Methoxymethylethoxy)propoxy)-1-propanol)     50 ppm ((2-Methoxypropoxy)-1-propanol)     50 ppm ((2-Methoxypropoxy)-1-propanol)     50 ppm ((2-Methoxypropoxy)-1-propanol)     50 ppm (1-Methoxypropoxy)propan-1-ol)     50 ppm (1-Methoxypropoxy)propanol-1-ol)     50 ppm (1-Methoxypropoxy)propanol-	OEL chemical category	skin - potential for cutaneous absorption
Ireland - Occupational Exposure Limits           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           50 ppm ((2-Methoxymethylethoxy)propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Latvia - Occupational Exposure Limits         308 mg/m³ (50 ppm           OEL Chemical category         skin - potential for cutaneous exposure           Lithusnia - Occupational Exposure Limits         300 mg/m³ (2-(2-Methoxypropoxy)-propanol)           IPRV (OEL TWA)         300 mg/m³ (2-(2-Methoxypropoxy)-propanol)           TPRV (OEL STEL)         450 mg/m² (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         Skin notation           Luxembourg - Occupational Exposure Limits         OEL chemical category           OEL chemical category         Possibility of significant uptake through the skin           Malta - Occupational Exposure Limits         50 ppm           OEL chemical category         Possibility of significant uptake through the skin           Malta - Occupational Exposure Lim	Hungary - Occupational Exposure Limits	
OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           50 ppm (1-(3-Methoxypropoxy)propan-1-ol)           50 ppm (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Lativia - Occupational Exposure Limits           OEL TWA         308 mg/m³           50 ppm           OEL chemical category         skin - potential for cutaneous exposure           Lithuania - Occupational Exposure Limits           DEV (OEL TWA)         300 mg/m³ (2-(2-Methoxypropoxy)-propanol)           50 ppm (2-(2-Methoxypropoxy)-propanol)           TRPW (OEL STEL)         450 mg/m³ (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         Skin notation           Luxembourg - Occupational Exposure Limits           OEL Chemical category         Possibility of significant uptake through the sk	AK (OEL TWA)	308 mg/m³
S0 ppm ((2-Methoxymethylethoxy)propoxyl)-1-propanol)   OEL STEL   924 mg/m³ (calculated (2-(2-Methoxypropoxyl)-1-propanol)     150 ppm (1-(3-Methoxypropoxyl)propan-1-ol)     150 ppm (1-(3-Methoxypropoxyl)propan-1-ol)     150 ppm (1-(3-Methoxypropoxyl)propan-1-ol)     150 ppm (1-(3-Methoxypropoxyl)propan-1-ol)     150 ppm (2-ETWA	Ireland - Occupational Exposure Limits	
OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol))           150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol))           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Latvia - Occupational Exposure Limits           OEL TWA         308 mg/m³ (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         skin - potential for cutaneous exposure           Lithuania - Occupational Exposure Limits         300 mg/m³ (2-(2-Methoxypropoxy)-propanol)           PRV (OEL TWA)         300 mg/m³ (2-(2-Methoxypropoxy)-propanol)           TPRV (OEL STEL)         450 mg/m³ (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         Skin notation           Luxembourg - Occupational Exposure Limits           OEL TWA         308 mg/m³ (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         Possibility of significant uptake through the skin           Malta - Occupational Exposure Limits           OEL TWA         308 mg/m³ (2-(2-Methoxypropoxy)-propanol)           OEL chemical category         Possibility of significant uptake throu	OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)
150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)   Cell Chemical category   Potential for cutaneous absorption   Cell TWA		50 ppm ((2-Methoxymethylethoxy)propanol)
OEL chemical category     Potential for cutaneous absorption       Italy - Occupational Exposure Limits       OEL TWA     308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)       OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm     50 ppm       CEL chemical category     skin - potential for cutaneous exposure       Lithuania - Occupational Exposure Limits       IPRV (OEL TWA)     300 mg/m³ (2-(2-Methoxypropoxy)-propanol)       50 ppm (2-(2-Methoxypropoxy)-propanol)       75 ppm (2-(2-Methoxypropoxy)-propanol)       75 ppm (2-(2-Methoxypropoxy)-propanol)       75 ppm (2-(2-Methoxypropoxy)-propanol)       CEL chemical category     \$08 mg/m³       50 ppm       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Malta - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Netherlands - Occupational Exposure Limits	OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)
Italy - Occupational Exposure Limits       OEL TWA     308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)       OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     skin - potential for cutaneous exposure       Lithuania - Occupational Exposure Limits       IPRV (OEL TWA)     300 mg/m³ (2-(2-Methoxypropoxy)-propanol)       50 ppm (2-(2-Methoxypropoxy)-propanol)     50 ppm (2-(2-Methoxypropoxy)-propanol)       75 ppm (2-(2-Methoxypropoxy)-propanol)     75 ppm (2-(2-Methoxypropoxy)-propanol)       OEL chemical category     Skin notation       Luxembourg - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Mata - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Mata - Occupational Exposure Limits       OEL chemical Category     Possibility of significant uptake through the skin       Netherlands - Occupational Exposure Limits       TGG-8u (OEL TWA)       300 mg/m³ <td></td> <td>150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)</td>		150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)
OEL TWA  308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol) 50 ppm (1-(3-Methoxypropoxy)propan-1-ol)  OEL chemical category skin - potential for cutaneous absorption  Latvia - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category skin - potential for cutaneous exposure  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol)  TPRV (OEL STEL) 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category Skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  TGG-8u (OEL TWA) 300 mg/m³ 300 mg/m³	OEL chemical category	Potential for cutaneous absorption
So ppm (1-(3-Methoxypropoxy)propan-1-ol)	Italy - Occupational Exposure Limits	
OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits     308 mg/m³       OEL TWA     50 ppm       OEL chemical category     skin - potential for cutaneous exposure       Lithuania - Occupational Exposure Limits       IPRV (OEL TWA)     300 mg/m³ (2-(2-Methoxypropoxy)-propanol)       50 ppm (2-(2-Methoxypropoxy)-propanol)     75 ppm (2-(2-Methoxypropoxy)-propanol)       TPRV (OEL STEL)     450 mg/m³ (2-(2-Methoxypropoxy)-propanol)       OEL chemical category     Skin notation       Luxembourg - Occupational Exposure Limits       OEL TWA     308 mg/m³       Go ppm       OEL chemical category     Possibility of significant uptake through the skin       Malta - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm       OEL chemical category     Possibility of significant uptake through the skin       Netherlands - Occupational Exposure Limits        TOER - Occupational Exposure Limits       TOER - Occupational Exposure Limits       TOER - Occupational Exposure Limits       TOER - Occupational Exposure Limits	OEL TWA	308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)
Latvia - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category skin - potential for cutaneous exposure  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Metherlands - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin		50 ppm (1-(3-Methoxypropoxy)propan-1-ol)
OEL TWA  308 mg/m³ 50 ppm  OEL chemical category skin - potential for cutaneous exposure  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	OEL chemical category	skin - potential for cutaneous absorption
OEL chemical category skin - potential for cutaneous exposure  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	Latvia - Occupational Exposure Limits	
Skin - potential for cutaneous exposure	OEL TWA	308 mg/m³
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  300 mg/m³ (2-(2-Methoxypropoxy)-propanol)  50 ppm (2-(2-Methoxypropoxy)-propanol)  TPRV (OEL STEL)  450 mg/m³ (2-(2-Methoxypropoxy)-propanol)  75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category  Skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³  50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³  50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³  300 mg/m³		50 ppm
IPRV (OEL TWA)  300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol)  TPRV (OEL STEL)  450 mg/m³ (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category  Skin notation  Cuxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	OEL chemical category	skin - potential for cutaneous exposure
TPRV (OEL STEL)  450 mg/m³ (2-(2-Methoxypropoxy)-propanol)  75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category  Skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL)  450 mg/m³ (2-(2-Methoxypropoxy)-propanol)  75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category  Skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³ 300 mg/m³	IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)
75 ppm (2-(2-Methoxypropoxy)-propanol)  OEL chemical category Skin notation  Luxembourg - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 300 mg/m³ 300 mg/m³		50 ppm (2-(2-Methoxypropoxy)-propanol)
OEL chemical category  Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³  300 mg/m³	TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)
Luxembourg - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³		75 ppm (2-(2-Methoxypropoxy)-propanol)
OEL TWA  308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 300 mg/m³	OEL chemical category	Skin notation
OEL chemical category Possibility of significant uptake through the skin  Malta - Occupational Exposure Limits  OEL TWA 308 mg/m³ 50 ppm  OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 300 mg/m³	Luxembourg - Occupational Exposure Limits	
OEL chemical category  Malta - Occupational Exposure Limits  OEL TWA  OEL chemical category  OEL chemical category  Possibility of significant uptake through the skin  70 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	OEL TWA	308 mg/m³
Malta - Occupational Exposure Limits  OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³		50 ppm
OEL TWA  308 mg/m³ 50 ppm  OEL chemical category  Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	OEL chemical category	Possibility of significant uptake through the skin
DEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 300 mg/m³	Malta - Occupational Exposure Limits	•
OEL chemical category Possibility of significant uptake through the skin  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³	OEL TWA	308 mg/m³
Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  300 mg/m³		50 ppm
TGG-8u (OEL TWA)  300 mg/m³	OEL chemical category	Possibility of significant uptake through the skin
	Netherlands - Occupational Exposure Limits	1
48.7 ppm	TGG-8u (OEL TWA)	300 mg/m³
		48.7 ppm

EN (English) 8/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590	-94-8)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
Portugal - Occupational Exposure Limits	
OEL TWA	308 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL STEL	150 ppm
OEL chemical category	skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL chemical category	Skin notation
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	308 mg/m³
	50 ppm
OEL chemical category	Potential for cutaneous absorption
Slovenia - Occupational Exposure Limits	
OEL TWA	308 mg/m³
	50 ppm
OEL STEL	308 mg/m³
	50 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL chemical category	skin - potential for cutaneous absorption
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	300 mg/m³
	50 ppm
KGV (OEL STEL)	450 mg/m³
	75 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	308 mg/m³
·	50 ppm
WEL STEL (OEL STEL)	924 mg/m³ (calculated)
	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
<u> </u>	

EN (English) 9/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590	D-94-8)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	300 mg/m³
	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)
	75 ppm (value calculated)
DEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
(ZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
JSA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)
Foluene (108-88-3)	
EU - Indicative Occupational Exposure Limit (IOEL	-)
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	190 mg/m³
	50 ppm
MAK (OEL STEL)	380 mg/m³
	100 ppm
DEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
DEL TWA	77 mg/m³
	20 ppm
DEL STEL	384 mg/m³
	100 ppm
DEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	
DEL TWA	192 mg/m³
	50 ppm
DEL STEL	384 mg/m³
	100 ppm

EN (English) 10/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
Bulgaria - Biological limit values	
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m³
	50 ppm
KGVI (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	200 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
Czech Republic - Biological limit values	
BLV	1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)  1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)  1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)
Denmark - Occupational Exposure Limits	
OEL TWA	94 mg/m³
	25 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption

EN (English) 11/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
Estonia - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	81 mg/m³
	25 ppm
HTP (OEL STEL)	380 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)
	100 ppm (restrictive limit)
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption
France - Biological limit values	
BLV	20 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limits (TRGS	900)
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS 903)	
Biological limit value	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift
Gibraltar - Occupational Exposure Limits	•
OEL TWA	192 mg/m³

EN (English) 12/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m³
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Italy - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	14 ppm
OEL chemical category	skin - potential for cutaneous exposure
Latvia - Biological Exposure Indices	
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	192 mg/m³
	50 ppm
TPRV (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Reproductive toxin, Skin notation
Luxembourg - Occupational Exposure Limi	ts
	192 mg/m³

EN (English) 13/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)		
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	150 mg/m³	
	39 ppm	
TGG-15min (OEL STEL)	384 mg/m³	
	100 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³	
NDSCh (OEL STEL)	200 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	192 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL STEL	384 mg/m³ (indicative limit value)	
	100 ppm (indicative limit value)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Romania - Biological limit values		
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	192 mg/m³	
	50 ppm	
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)	
OEL chemical category	Potential for cutaneous absorption	

EN (English) 14/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)			
Slovakia - Biological limit values			
BLV	600 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift		
Slovenia - Occupational Exposure Limits			
OEL TWA	192 mg/m³		
	50 ppm		
OEL STEL	384 mg/m³		
	100 ppm		
OEL chemical category	Category 2, Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)		
	50 ppm (indicative limit value)		
VLA-EC (OEL STEL)	384 mg/m³		
	100 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Spain - Biological limit values			
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	192 mg/m³		
	50 ppm		
KGV (OEL STEL)	384 mg/m³		
	100 ppm		
OEL chemical category	Skin notation		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	191 mg/m³		
	50 ppm		
WEL STEL (OEL STEL)	384 mg/m³		
	100 ppm		
WEL chemical category	Potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	94 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)		

EN (English) 15/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)				
	37.5 ppm (value calculated)			
OEL chemical category	Skin notation			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	190 mg/m³			
	50 ppm			
KZGW (OEL STEL)	760 mg/m³			
	200 ppm			
OEL chemical category	Skin notation, Category 2 reproductive toxin			
Switzerland - BAT				
BAT	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)  Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)  0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)  4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)  75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	20 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			
USA - ACGIH - Biological Exposure Indices				
BEI	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)			

## 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

EN (English) 16/25

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour characteristic. Odour threshold Not available : Not available Melting point Freezing point : Not available **Boiling point** : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available

: Not available

: Not applicable

## 9.2. Other information

Particle characteristics

Relative vapour density at 20°C

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

EN (English) 17/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

,				
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)			
LD50 oral	3100 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)			
LC50 Inhalation - Rat	> 5 mg/l/4h			
Alcohol C-10 (112-30-1)				
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)			
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)			
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)			
Benzyl acetate (140-11-4)				
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)			
LD50 oral	2490 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)			
Linalool (78-70-6)				
LD50 oral	2790 mg/kg			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)				
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)			
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)			
LC50 Inhalation - Rat > 5.04 mg/l/4h				

EN (English) 18/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)				
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)			
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)			
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)			
Dipropylene glycol monomethyl ether (34590-	94-8)			
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)			
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)			
Toluene (108-88-3)				
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)			
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)			
LC50 Inhalation - Rat	12.5 mg/l/4h			
Additional information :   Serious eye damage/irritation :   Additional information :   Respiratory or skin sensitisation :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
Germ cell mutagenicity :   Additional information :   Carcinogenicity :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
Benzyl acetate (140-11-4)				
IARC group	3 - Not classifiable			
Toluene (108-88-3)				
IARC group	3 - Not classifiable			
Additional information :   STOT-single exposure :   Additional information :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
Toluene (108-88-3)				
STOT-single exposure	May cause drowsiness or dizziness.			
	Not classified Based on available data, the classification criteria are not met			
Toluene (108-88-3)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
•	Not classified Based on available data, the classification criteria are not met			
Toluene (108-88-3)				
Hydrocarbon	Yes			

# 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

# 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

EN (English) 19/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(CITOTIC)				
Alcohol C-10 (112-30-1)				
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Linalool (78-70-6)				
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	lindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682			
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas			
EC50 - Crustacea [2]	260 μg/l REACH Dossier			
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier			
Carbitol (111-90-0)				
LC50 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stat				
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through Source: EPA)			
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Dipropylene glycol monomethyl ether (34590-94-8)				
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Toluene (108-88-3)				
LC50 - Fish [1] 15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: EPA)				
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)				
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])			
EC50 96h - Algae [1] > 433 mg/l (Species: Pseudokirchneriella subcapitata)				

# 12.2. Persistence and degradability

GOLDEN HONEYSUCKLE CC-16128 5% in DPG	
Persistence and degradability	Not established.
Hexyl cinnamic aldehyde (101-86-0)	
Persistence and degradability	Rapidly degradable

EN (English) 20/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	
Dipropylene glycol monomethyl ether (34590-94-8)		
Persistence and degradability	Rapidly degradable	
Toluene (108-88-3)		
Persistence and degradability	Rapidly degradable	

# 12.3. Bioaccumulative potential

SOLDEN HONEYSUCKLE CC-16128 5% in DPG			
Bioaccumulative potential	Not established.		
Alcohol C-10 (112-30-1)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Carbitol (111-90-0)			
Partition coefficient n-octanol/water (Log Pow)	-0.8		
Dipropylene glycol monomethyl ether (34590-94-8)			
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)		
Toluene (108-88-3)			
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)		

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

EN (English) 21/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations

**Ecological information** 

**HP Code** 

: Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID				
14.1. UN number or ID number								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
14.2. UN proper shipping name								
Not applicable	Not applicable							
14.3. Transport hazard class(es)								
Not applicable Not applicable Not applicable Not applicable Not applicable								
14.4. Packing group								
Not applicable Not applicable Not applicable Not applicable Not applicable								
14.5. Environmental hazards								
Not applicable Not applicable Not applicable Not applicable Not applicable								
No supplementary information available								

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

## Transport by sea

Not applicable

# Air transport

Not applicable

## **Inland waterway transport**

Not applicable

## Rail transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

EN (English) 22/25

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (	restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(a)	Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	Hexyl cinnamic aldehyde ; Linalool ; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	GOLDEN HONEYSUCKLE CC- 16128 5% in DPG; Hexyl cinnamic aldehyde; Alcohol C-10; Benzyl acetate; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		
48.	Toluene	Toluene		

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

EN (English) 23/25

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

#### 15.1.2. National regulations

#### **France**

Occupational diseases	
Code	Description
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : Toluene is listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Hexyl cinnamic aldehyde, Linalool. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

EN (English) 24/25

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 25/25