Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Cranberry Brulee CC-16135 UFI : MW34-J4NR-E009-85RM

Product code : CC-16135

Type of product : Perfumes, fragrances

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft

Weiherwiese 10

65510 Idstein-Germany

T 49-6126 9363 -0

in fo@candle craft. de-www. candle craft. de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Contains : Aldehyde C-16; Orange oil ; Heliotropine crystals; Triplal (Vertocitral)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------|---|--------------|---|
| Vanillin | CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60 | 3 – 6 | Eye Irrit. 2, H319 |
| Phenylmethanol | CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- | 2.5 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 |
| Veltol plus crystals | CAS-No.: 4940-11-8 EC-No.: 225-582-5 | 2.375 – 4.75 | Acute Tox. 4 (Oral), H302 |
| Aldehyde C-16 | CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28 | 1.25 – 2.5 | Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| Orange oil | CAS-No.: 8008-57-9 EC-No.: 232-433-8; 600-006- 9; 616-926-9 REACH-no: 01-2119493353- 35 | 1.25 – 2.5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Verdyl acetate | CAS-No.: 5413-60-5 EC-No.: 226-501-6 | 0.5 – 1 | Aquatic Chronic 3, H412 |
| Allyl caproate | CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26 | 0.425 – 0.85 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|--|
| Triplal (Vertocitral) | CAS-No.: 68039-49-6 EC-No.: 268-264-1 | 0.2 – 0.4 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Heliotropine crystals | CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21 | 0.1 – 0.2 | Skin Sens. 1B, H317 |
| Propionic acid substance with a Community workplace exposure limit | CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0 | 0 – 0.003 | Flam. Liq. 3, H226 Skin Corr. 1B, H314 STOT SE 3, H335 |

| Specific concentration limits | | |
|-------------------------------|---|---|
| Name | Product identifier | Specific concentration limits |
| Propionic acid | CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0 | (10 ≤C < 100) STOT SE 3, H335 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 100) Skin Corr. 1B, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

10/27/2021 (Issue date) EN (English) 3/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Absence when the series of the

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| Phenylmethanol (100-51-6) | | |
|---|----------|--|
| Bulgaria - Occupational Exposure Limits | | |
| OEL TWA | 5 mg/m³ | |
| Czech Republic - Occupational Exposure Limits | | |
| PEL (OEL TWA) | 40 mg/m³ | |
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) [1] | 45 mg/m³ | |
| HTP (OEL TWA) [2] | 10 ppm | |

Safety Data Sheet

| Phenylmethanol (100-51-6) | | |
|--|---|--|
| Germany - Occupational Exposure Limits (TRGS 900) | | |
| AGW (OEL TWA) [1] | 22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| AGW (OEL TWA) [2] | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Chemical category | Skin notation | |
| Latvia - Occupational Exposure Limits | | |
| OEL TWA | 5 mg/m³ | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 5 mg/m³ | |
| Chemical category | Skin notation | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 240 mg/m³ | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 22 mg/m³ | |
| OEL TWA [ppm] | 5 ppm | |
| OEL STEL | 44 mg/m³ | |
| OEL STEL [ppm] | 10 ppm | |
| Chemical category | Potential for cutaneous absorption | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) [1] | 22 mg/m³ (aerosol, vapour) | |
| MAK (OEL TWA) [2] | 5 ppm (aerosol, vapour) | |
| Chemical category | Skin notation | |
| Propionic acid (79-09-4) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 31 mg/m³ | |
| IOEL TWA [ppm] | 10 ppm | |
| IOEL STEL | 62 mg/m ³ | |
| IOEL STEL [ppm] | 20 ppm | |
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 31 mg/m³ | |
| MAK (OEL TWA) [ppm] | 10 ppm | |
| MAK (OEL STEL) | 62 mg/m ³ | |
| MAK (OEL STEL) [ppm] | 20 ppm | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |

Safety Data Sheet

| Propionic acid (79-09-4) | | |
|---|---|--|
| Bulgaria - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Croatia - Occupational Exposure Limits | | |
| GVI (OEL TWA) [1] | 31 mg/m³ | |
| GVI (OEL TWA) [2] | 10 ppm | |
| KGVI (OEL STEL) | 62 mg/m³ | |
| KGVI (OEL STEL) [ppm] | 20 ppm | |
| Cyprus - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Czech Republic - Occupational Exposure Limits | | |
| PEL (OEL TWA) | 30 mg/m³ | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA [1] | 31 mg/m³ | |
| OEL TWA [2] | 10 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 30 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) [1] | 31 mg/m³ | |
| HTP (OEL TWA) [2] | 10 ppm | |
| HTP (OEL STEL) | 61 mg/m³ | |
| HTP (OEL STEL) [ppm] | 20 ppm | |
| France - Occupational Exposure Limits | | |
| VME (OEL TWA) | 31 mg/m³ (indicative limit) | |
| VME (OEL TWA) [ppm] | 10 ppm (indicative limit) | |
| VLE (OEL C/STEL) | 62 mg/m³ (indicative limit) | |
| VLE (OEL C/STEL) [ppm] | 20 ppm (indicative limit) | |
| Germany - Occupational Exposure Limits (TRGS 900) | | |
| AGW (OEL TWA) [1] | 31 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| AGW (OEL TWA) [2] | 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |

Safety Data Sheet

| Propionic acid (79-09-4) | | |
|---|----------|--|
| Gibraltar - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Greece - Occupational Exposure Limits | | |
| OEL TWA | 30 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 60 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 31 mg/m³ | |
| CK (OEL STEL) | 62 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA [1] | 31 mg/m³ | |
| OEL TWA [2] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Italy - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Latvia - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 31 mg/m³ | |
| IPRV (OEL TWA) [ppm] | 10 ppm | |
| TPRV (OEL STEL) | 62 mg/m³ | |
| TPRV (OEL STEL) [ppm] | 20 ppm | |
| Luxembourg - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Malta - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |

Safety Data Sheet

| Propionic acid (79-09-4) | | |
|---|-----------------------------------|--|
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Netherlands - Occupational Exposure Limits | | |
| TGG-8u (OEL TWA) | 31 mg/m³ | |
| TGG-15min (OEL STEL) | 62 mg/m³ | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 30 mg/m³ | |
| NDSCh (OEL STEL) | 45 mg/m³ | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ (indicative limit value) | |
| OEL TWA [ppm] | 10 ppm (indicative limit value) | |
| OEL STEL | 62 mg/m³ (indicative limit value) | |
| OEL STEL [ppm] | 20 ppm (indicative limit value) | |
| Romania - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Slovakia - Occupational Exposure Limits | | |
| NPHV (OEL TWA) [1] | 31 mg/m³ | |
| NPHV (OEL TWA) [2] | 10 ppm | |
| NPHV (OEL C) | 62 mg/m³ | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) [1] | 31 mg/m³ (indicative limit value) | |
| VLA-ED (OEL TWA) [2] | 10 ppm (indicative limit value) | |
| VLA-EC (OEL STEL) | 62 mg/m³ | |
| VLA-EC (OEL STEL) [ppm] | 20 ppm | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 30 mg/m³ | |
| NGV (OEL TWA) [ppm] | 10 ppm | |
| KTV (OEL STEL) | 62 mg/m³ | |
| KTV (OEL STEL) [ppm] | 20 ppm | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) [1] | 31 mg/m³ | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Propionic acid (79-09-4) | | |
|--|-----------------------------|--|
| WEL TWA (OEL TWA) [2] | 10 ppm | |
| WEL STEL (OEL STEL) | 46 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 15 ppm | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) [1] | 30 mg/m³ | |
| Grenseverdi (OEL TWA) [2] | 10 ppm | |
| Korttidsverdi (OEL STEL) | 45 mg/m³ (value calculated) | |
| Korttidsverdi (OEL STEL) [ppm] | 20 ppm (value calculated) | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) [1] | 30 mg/m³ | |
| MAK (OEL TWA) [2] | 10 ppm | |
| KZGW (OEL STEL) | 60 mg/m³ | |
| KZGW (OEL STEL) [ppm] | 20 ppm | |
| Turkey - Occupational Exposure Limits | | |
| OEL TWA | 31 mg/m³ | |
| OEL TWA [ppm] | 10 ppm | |
| OEL STEL | 62 mg/m³ | |
| OEL STEL [ppm] | 20 ppm | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH OEL TWA [ppm] | 10 ppm | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 75 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : 0.966

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10/27/2021 (Issue date) EN (English) 10/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acute toxicity (inhalation) : | Not classified |
|---|---|
| Vanillin (121-33-5) | |
| LD50 dermal rabbit | > 5010 mg/kg |
| Veltol plus crystals (4940-11-8) | |
| LD50 oral rat | 1150 mg/kg |
| LD50 oral | 1200 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| Phenylmethanol (100-51-6) | |
| LD50 oral rat | 1230 mg/kg |
| LD50 oral | 1620 mg/kg bodyweight |
| LD50 dermal | 2500 mg/kg bodyweight |
| Aldehyde C-16 (77-83-8) | |
| LD50 oral rat | 5470 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| Allyl caproate (123-68-2) | |
| LD50 oral | 300 mg/kg bodyweight |
| LD50 dermal rabbit | 820 mg/kg |
| | oze megrig |
| LD50 dermal | 300 mg/kg bodyweight |
| | 5 7 |
| LD50 dermal | 300 mg/kg bodyweight |
| LD50 dermal LC50 Inhalation - Rat (Vapours) | 300 mg/kg bodyweight |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) | 300 mg/kg bodyweight 3 mg/l/4h |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) LD50 oral | 300 mg/kg bodyweight 3 mg/l/4h 3050 mg/kg bodyweight |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) LD50 oral LD50 dermal rabbit | 300 mg/kg bodyweight 3 mg/l/4h 3050 mg/kg bodyweight |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) LD50 oral LD50 dermal rabbit Heliotropine crystals (120-57-0) | 300 mg/kg bodyweight 3 mg/l/4h 3050 mg/kg bodyweight > 5000 mg/kg |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) LD50 oral LD50 dermal rabbit Heliotropine crystals (120-57-0) LD50 oral rat | 300 mg/kg bodyweight 3 mg/l/4h 3050 mg/kg bodyweight > 5000 mg/kg 2700 mg/kg |
| LD50 dermal LC50 Inhalation - Rat (Vapours) Verdyl acetate (5413-60-5) LD50 oral LD50 dermal rabbit Heliotropine crystals (120-57-0) LD50 oral rat LD50 oral | 300 mg/kg bodyweight 3 mg/l/4h 3050 mg/kg bodyweight > 5000 mg/kg 2700 mg/kg 2700 mg/kg bodyweight |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Propionic acid (79-09-4) | |
|-----------------------------------|--|
| LD50 oral rat | 351 mg/kg |
| LD50 oral | 3455 mg/kg bodyweight |
| LD50 dermal rat | 3235 mg/kg |
| LD50 dermal | 3235 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 19.7 mg/l (Exposure time: 1 h) |
| Orange oil (8008-57-9) | |
| LD50 oral rat | 4400 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| Propionic acid (79-09-4) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

| (OTHOTHO) | |
|----------------------------------|--|
| Vanillin (121-33-5) | |
| LC50 - Fish [1] | 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 - Fish [2] | 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| NOEC (acute) | 10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight]) |
| Veltol plus crystals (4940-11-8) | |
| LC50 - Fish [1] | > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| Phenylmethanol (100-51-6) | |
| LC50 - Fish [1] | 460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| LC50 - Fish [2] | 10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| EC50 - Crustacea [1] | 23 mg/l (Exposure time: 48 h - Species: water flea) |
| Aldehyde C-16 (77-83-8) | |
| LC50 - Fish [1] | 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static]) |
| Allyl caproate (123-68-2) | |
| LC50 - Fish [1] | 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Heliotropine crystals (120-57-0) | |
|----------------------------------|--|
| LC50 - Fish [1] | 2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static]) |
| Propionic acid (79-09-4) | |
| LC50 - Fish [1] | > 1 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| LC50 - Fish [2] | 73 – 99.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| EC50 72h - Algae [1] | 45.8 mg/l (Species: Desmodesmus subspicatus) |
| EC50 96h - Algae [1] | 43 mg/l (Species: Desmodesmus subspicatus) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| Vanillin (121-33-5) | | |
|---|-----------------|--|
| Partition coefficient n-octanol/water (Log Pow) | 1.23 (at 22 °C) | |
| Phenylmethanol (100-51-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1.1 | |
| Propionic acid (79-09-4) | | |
| Partition coefficient n-octanol/water (Log Pow) 0.25 – 0.33 | | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) | |
|--|---|
| Reference code | Applicable on |
| 3(a) | Orange oil ; Propionic acid |
| 3(b) | Cranberry Brulee CC-16135; Phenylmethanol; Aldehyde C-16; Orange oil; Allyl caproate; Triplal (Vertocitral); Propionic acid |
| 3(c) | Cranberry Brulee CC-16135; Aldehyde C-16; Orange oil; Allyl caproate; Verdyl acetate; Triplal (Vertocitral) |
| 40. | Orange oil ; Propionic acid |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Triplal (Vertocitral) are listed SZW-lijst van mutagene stoffen : Orange oil ,Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms | |
|----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |

Safety Data Sheet

| Abbreviations and acronyms | | |
|----------------------------|--|--|
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

| Full text of H- and EUH-statements | |
|------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements | |
|------------------------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.