

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Cake Icing CC-16175
UFI	: YT34-14YC-300S-MU5J
Product code	: CC-16175
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731;
Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Full text of H-statements: see section 16	

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)	: Warning
Contains	: 2-Hydroxybenzoic acid, benzyl ester; Linalool; Cinnamic aldehyde; Cyclamal; Heliotropine crystals; Furaneol; Coumarin crystals

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040-60	3 – 6	Eye Irrit. 2, H319
Phenylmethanol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	2.5 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
2-Hydroxybenzoic acid, benzyl ester	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-31	2 – 4	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl vanillin crystals	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.95 – 1.9	Eye Irrit. 2, H319
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33	0.595 – 1.19	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242-45	0.5 – 1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582-32	0.3 – 0.6	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Coumarin crystals	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756-26	0.25 – 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Heliotropine crystals	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608-21	0.1 – 0.2	Skin Sens. 1B, H317
Furaneol	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Skin Sens. 1A, H317
Acetic acid substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	0 – 0.05	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314
Propionic acid substance with a Community workplace exposure limit	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	0 – 0.02	Flam. Liq. 3, H226 Skin Corr. 1B, H314 STOT SE 3, H335

Specific concentration limits		
Name	Product identifier	Specific concentration limits
Acetic acid	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	(10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314
Propionic acid	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	(10 ≤C < 100) STOT SE 3, H335 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 100) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Phenylmethanol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	40 mg/m ³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	45 mg/m ³
HTP (OEL TWA) [2]	10 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m ³
Chemical category	Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	22 mg/m ³
OEL TWA [ppm]	5 ppm
OEL STEL	44 mg/m ³
OEL STEL [ppm]	10 ppm
Chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	22 mg/m ³ (aerosol, vapour)
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)
Chemical category	Skin notation
Acetic acid (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	25 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acetic acid (64-19-7)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	25 mg/m ³
MAK (OEL TWA) [ppm]	10 ppm
MAK (OEL STEL)	50 mg/m ³
MAK (OEL STEL) [ppm]	20 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	38 mg/m ³
OEL STEL [ppm]	15 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	25 mg/m ³
GVI (OEL TWA) [2]	10 ppm
KGVI (OEL STEL)	50 mg/m ³
KGVI (OEL STEL) [ppm]	20 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	25 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA [1]	25 mg/m ³
OEL TWA [2]	10 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	25 mg/m ³
OEL STEL [ppm]	10 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	13 mg/m ³
HTP (OEL TWA) [2]	5 ppm
HTP (OEL STEL)	25 mg/m ³

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acetic acid (64-19-7)	
HTP (OEL STEL) [ppm]	10 ppm
France - Occupational Exposure Limits	
VLE (OEL C/STEL)	25 mg/m ³
VLE (OEL C/STEL) [ppm]	10 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	25 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Greece - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	37 mg/m ³
OEL STEL [ppm]	15 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	25 mg/m ³
CK (OEL STEL)	50 mg/m ³
Ireland - Occupational Exposure Limits	
OEL TWA [1]	50 mg/m ³
OEL TWA [2]	20 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Italy - Occupational Exposure Limits	
OEL TWA	10 mg/m ³
OEL TWA [ppm]	25 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	25 mg/m ³
IPRV (OEL TWA) [ppm]	10 ppm
TPRV (OEL STEL)	50 mg/m ³
TPRV (OEL STEL) [ppm]	20 ppm

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acetic acid (64-19-7)	
Luxembourg - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Malta - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	25 mg/m ³
TGG-15min (OEL STEL)	50 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	25 mg/m ³
NDSch (OEL STEL)	50 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	25 mg/m ³ (indicative limit value)
OEL TWA [ppm]	10 ppm (indicative limit value)
OEL STEL	50 mg/m ³ (indicative limit value)
OEL STEL [ppm]	20 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	25 mg/m ³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa)
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³ (for gaseous or vapor phase chemicals, the limit value is expressed at 20°C and 101.3 kPa)
OEL STEL [ppm]	20 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	25 mg/m ³
NPHV (OEL TWA) [2]	10 ppm
NPHV (OEL C)	50 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	50 mg/m ³
OEL STEL [ppm]	20 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	25 mg/m ³
VLA-ED (OEL TWA) [2]	10 ppm

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acetic acid (64-19-7)	
VLA-EC (OEL STEL)	50 mg/m ³
VLA-EC (OEL STEL) [ppm]	20 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	13 mg/m ³
NGV (OEL TWA) [ppm]	5 ppm
KTV (OEL STEL)	25 mg/m ³
KTV (OEL STEL) [ppm]	10 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	25 mg/m ³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	50 mg/m ³
WEL STEL (OEL STEL) [ppm]	20 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	25 mg/m ³
Grenseverdi (OEL TWA) [2]	10 ppm
Korttidsverdi (OEL STEL)	50 mg/m ³ (value from the regulation)
Korttidsverdi (OEL STEL) [ppm]	20 ppm (value from the regulation)
Chemical category	Sensitizing substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	25 mg/m ³
MAK (OEL TWA) [2]	10 ppm
KZGW (OEL STEL)	50 mg/m ³
KZGW (OEL STEL) [ppm]	20 ppm
Turkey - Occupational Exposure Limits	
OEL TWA	25 mg/m ³
OEL TWA [ppm]	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	10 ppm
ACGIH OEL STEL [ppm]	15 ppm
Propionic acid (79-09-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	31 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	62 mg/m ³
IOEL STEL [ppm]	20 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	31 mg/m ³
MAK (OEL TWA) [ppm]	10 ppm
MAK (OEL STEL)	62 mg/m ³

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)	
MAK (OEL STEL) [ppm]	20 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	31 mg/m ³
GVI (OEL TWA) [2]	10 ppm
KGVI (OEL STEL)	62 mg/m ³
KGVI (OEL STEL) [ppm]	20 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	30 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA [1]	31 mg/m ³
OEL TWA [2]	10 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	30 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	31 mg/m ³
HTP (OEL TWA) [2]	10 ppm
HTP (OEL STEL)	61 mg/m ³
HTP (OEL STEL) [ppm]	20 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	31 mg/m ³ (indicative limit)
VME (OEL TWA) [ppm]	10 ppm (indicative limit)

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)	
VLE (OEL C/STEL)	62 mg/m ³ (indicative limit)
VLE (OEL C/STEL) [ppm]	20 ppm (indicative limit)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	31 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Greece - Occupational Exposure Limits	
OEL TWA	30 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	60 mg/m ³
OEL STEL [ppm]	20 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	31 mg/m ³
CK (OEL STEL)	62 mg/m ³
Ireland - Occupational Exposure Limits	
OEL TWA [1]	31 mg/m ³
OEL TWA [2]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Italy - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	31 mg/m ³
IPRV (OEL TWA) [ppm]	10 ppm
TPRV (OEL STEL)	62 mg/m ³
TPRV (OEL STEL) [ppm]	20 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	31 mg/m ³

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)	
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Malta - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	31 mg/m ³
TGG-15min (OEL STEL)	62 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	30 mg/m ³
NDSch (OEL STEL)	45 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	31 mg/m ³ (indicative limit value)
OEL TWA [ppm]	10 ppm (indicative limit value)
OEL STEL	62 mg/m ³ (indicative limit value)
OEL STEL [ppm]	20 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	31 mg/m ³
NPHV (OEL TWA) [2]	10 ppm
NPHV (OEL C)	62 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	31 mg/m ³ (indicative limit value)
VLA-ED (OEL TWA) [2]	10 ppm (indicative limit value)
VLA-EC (OEL STEL)	62 mg/m ³
VLA-EC (OEL STEL) [ppm]	20 ppm

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)	
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	30 mg/m ³
NGV (OEL TWA) [ppm]	10 ppm
KTV (OEL STEL)	62 mg/m ³
KTV (OEL STEL) [ppm]	20 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	31 mg/m ³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	46 mg/m ³
WEL STEL (OEL STEL) [ppm]	15 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	30 mg/m ³
Grenseverdi (OEL TWA) [2]	10 ppm
Korttidsverdi (OEL STEL)	45 mg/m ³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	20 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	30 mg/m ³
MAK (OEL TWA) [2]	10 ppm
KZGW (OEL STEL)	60 mg/m ³
KZGW (OEL STEL) [ppm]	20 ppm
Turkey - Occupational Exposure Limits	
OEL TWA	31 mg/m ³
OEL TWA [ppm]	10 ppm
OEL STEL	62 mg/m ³
OEL STEL [ppm]	20 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	10 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.973
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-Hydroxybenzoic acid, benzyl ester (118-58-1)

LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

Vanillin (121-33-5)

LD50 dermal rabbit	> 5010 mg/kg
--------------------	--------------

Phenylmethanol (100-51-6)

LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight

Linalool (78-70-6)

LD50 oral	2790 mg/kg bodyweight
-----------	-----------------------

Cinnamic aldehyde (104-55-2)

LD50 oral rat	2220 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight

Ethyl vanillin crystals (121-32-4)

LD50 oral rat	1590 mg/kg
---------------	------------

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl vanillin crystals (121-32-4)	
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Furaneol (3658-77-3)	
LD50 oral	1608 mg/kg bodyweight
Acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg
LD50 oral	3540 mg/kg bodyweight
LD50 dermal rabbit	1060 mg/kg
LD50 dermal	1100 mg/kg bodyweight
LC50 Inhalation - Rat	11.4 mg/l/4h
Propionic acid (79-09-4)	
LD50 oral rat	351 mg/kg
LD50 oral	3455 mg/kg bodyweight
LD50 dermal rat	3235 mg/kg
LD50 dermal	3235 mg/kg bodyweight
LC50 Inhalation - Rat	> 19.7 mg/l (Exposure time: 1 h)
Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	293 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Coumarin crystals (91-64-5)

IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Propionic acid (79-09-4)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

2-Hydroxybenzoic acid, benzyl ester (118-58-1)

LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
-----------------	--

Vanillin (121-33-5)

LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

Phenylmethanol (100-51-6)

LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

Linalool (78-70-6)

EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
----------------------	--

Ethyl vanillin crystals (121-32-4)

LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
-----------------	--

Benzyl benzoate (120-51-4)

LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Heliotropine crystals (120-57-0)

LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
-----------------	--

Acetic acid (64-19-7)

LC50 - Fish [1]	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	75 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)

LC50 - Fish [1]	> 1 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	73 – 99.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 72h - Algae [1]	45.8 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	43 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

Vanillin (121-33-5)

Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
---	-----------------

Phenylmethanol (100-51-6)

Partition coefficient n-octanol/water (Log Pow)	1.1
---	-----

Cinnamic aldehyde (104-55-2)

Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)
---	-----------------

Benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Acetic acid (64-19-7)

Partition coefficient n-octanol/water (Log Pow)	-0.31 (at 20 °C)
---	------------------

Propionic acid (79-09-4)

Partition coefficient n-octanol/water (Log Pow)	0.25 – 0.33
---	-------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Cake Icing CC-16175 ; Acetic acid ; Propionic acid
3(b)	Cake Icing CC-16175 ; 2-Hydroxybenzoic acid, benzyl ester ; Phenylmethanol ; Linalool ; Cinnamic aldehyde ; Benzyl benzoate ; Cyclamal ; Furaneol ; Acetic acid ; Propionic acid
3(c)	2-Hydroxybenzoic acid, benzyl ester ; Cinnamic aldehyde ; Benzyl benzoate ; Cyclamal
40.	Acetic acid ; Propionic acid

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms	
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4

Cake Icing CC-16175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.