

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/17/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Bohemia Type CC-16178 at 10% in DPG

Product code : CC-16178-10%

Type of product : Perfumes, fragrances

Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Cinnamic alcohol, Iso E Super, Rosemary Oil. May produce an allergic

reaction.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.2625 – 0.525	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.2125 – 0.425	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Bacdanol	CAS-No.: 28219-61-6 EC-No.: 248-908-8 REACH-no: 01-2119529224- 45	0.0925 – 0.185	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 1, H410
Rosemary Oil	CAS-No.: 8000-25-7 EC-No.: 283-291-9	0.075 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3;616-769-6	0.075 – 0.15	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0 – 0.004	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

2/17/2022 (Issue date) EN (English) 2/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

2/17/2022 (Issue date) EN (English) 3/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	14 mg/m³	
IOEL STEL [ppm]	2 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³	
MAK (OEL TWA) [ppm]	1 ppm	
MAK (OEL STEL)	14 mg/m³	
MAK (OEL STEL) [ppm]	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)	
OEL TWA [ppm]	1 ppm (vapor)	
OEL STEL	14 mg/m³ (vapor)	
OEL STEL [ppm]	2 ppm (vapor)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	7 mg/m³	
GVI (OEL TWA) [2]	1 ppm	
KGVI (OEL STEL)	14 mg/m³	
KGVI (OEL STEL) [ppm]	2 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	5 mg/m³	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)			
Denmark - Occupational Exposure Limits			
OEL TWA [1]	7 mg/m³		
OEL TWA [2]	1 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	7 mg/m³		
HTP (OEL TWA) [2]	1 ppm		
HTP (OEL STEL)	14 mg/m³		
HTP (OEL STEL) [ppm]	2 ppm		
France - Occupational Exposure Limits			
VME (OEL TWA)	7 mg/m³		
VME (OEL TWA) [ppm]	1 ppm		
OEL chemical category	Risk of cutaneous absorption		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)		
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	200 ppm		
Greece - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	7 mg/m³		
CK (OEL STEL)	14 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	7 mg/m³ (vapour)		
OEL TWA [2]	1 ppm (vapour)		
OEL STEL	14 mg/m³ (vapour)		
OEL STEL [ppm]	2 ppm (vapour)		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)			
Italy - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	7 mg/m³		
IPRV (OEL TWA) [ppm]	1 ppm		
TPRV (OEL STEL)	14 mg/m³		
TPRV (OEL STEL) [ppm]	2 ppm		
Luxembourg - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Malta - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	7 mg/m³		
TGG-15min (OEL STEL)	14 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	7 mg/m³		
NDSCh (OEL STEL)	14 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm (vapor)		
OEL STEL	14 mg/m³ (indicative limit value)		
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)		
Romania - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
OEL TWA [ppm]	0.7 ppm		
OEL STEL	10 mg/m³		
OEL STEL [ppm]	1.4 ppm		
Slovakia - Occupational Exposure Limits	Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	7 mg/m³		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)		
NPHV (OEL TWA) [2]	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	7.1 mg/m³ (vapor)	
VLA-ED (OEL TWA) [2]	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	
NGV (OEL TWA) [ppm]	1 ppm	
KTV (OEL STEL)	14 mg/m³	
KTV (OEL STEL) [ppm]	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	7.1 mg/m³ (vapour)	
WEL TWA (OEL TWA) [2]	1 ppm (vapour)	
WEL STEL (OEL STEL)	21.3 mg/m³ (calculated-vapour)	
WEL STEL (OEL STEL) [ppm]	3 ppm (calculated-vapour)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	7 mg/m³	
Grenseverdi (OEL TWA) [2]	1 ppm	
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	2 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	7 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	1 ppm (aerosol, vapour)	
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	2 ppm (aerosol, vapour)	
OEL chemical category	Category 2 developmental toxin, Category 2 reproductive toxin	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	1 ppm (vapor)	
ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)	

# 8.1.2. Recommended monitoring procedures

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : Standard. Odour : characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : > 93 °C Flash point

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Non flammable.
Vapour pressure : No data available

Relative vapour density at 20 °C : No data available Relative density : No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

# 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Cedarwood oil, Virginia (8000-27-9)			
LD50 oral rat	> 5 g/kg		
Hexamethylindanopyran (1222-05-5)	Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg		
LD50 dermal rabbit	> 3250 mg/kg		
Cinnamic alcohol (104-54-1)			
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Rosemary Oil (8000-25-7)			
LD50 oral rat	5 g/kg		
Diphenyl oxide (101-84-8)			
LD50 oral rat	2450 mg/kg		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)	
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Rosemary Oil (8000-25-7)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier

# 12.2. Persistence and degradability

Bohemia Type CC-16178 at 10% in DPG	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

# 12.3. Bioaccumulative potential

Bohemia Type CC-16178 at 10% in DPG	
Bioaccumulative potential	Not established.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.9
Diphenyl oxide (101-84-8)	
BCF - Fish [1]	470
Partition coefficient n-octanol/water (Log Pow)	4.2

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.

Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# 14.1 UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

# 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**RID** 

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Rosemary Oil
3(b)	Iso E Super ; Rosemary Oil ; Cedarwood oil, Virginia ; Bacdanol
3(c)	Bohemia Type CC-16178 at 10% in DPG; Iso E Super; Rosemary Oil; Cedarwood oil, Virginia; Bacdanol; Hexamethylindanopyran
40.	Rosemary Oil

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

Water hazard class (WGK) WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Is not subject of the Hazardous Incident Ordinance (12. BlmSchV) Hazardous Incident Ordinance (12. BlmSchV)

Contains sensitizing substances according TRGS 907 List of sensitizing substances (TRGS 907)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Rosemary Oil, Cedarwood oil, Virginia are listed SZW-lijst van mutagene stoffen Rosemary Oil, Cedarwood oil, Virginia are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

**Denmark** 

: Emergency management guidelines for the storage of flammable liquids must be followed Classification remarks **Danish National Regulations** : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

> COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Cinnamic alcohol, Iso E Super, Rosemary Oil. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	

2/17/2022 (Issue date) EN (English) 13/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.