



# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 2/17/2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Type 33 - Bohe CC-16178 at 5% in DPG
Product code	: CC-16178-5%
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Cinnamic alcohol, Iso E Super. May produce an allergic reaction.

#### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29	0.13125 – 0.2625	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04	0.10625 – 0.2125	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496-29	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545-33	0 – 0.002	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

##### Diphenyl oxide (101-84-8)

##### EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	7 mg/m <sup>3</sup>
----------	---------------------

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
IOEL TWA [ppm]	1 ppm
IOEL STEL	14 mg/m <sup>3</sup>
IOEL STEL [ppm]	2 ppm
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	7 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	1 ppm
MAK (OEL STEL)	14 mg/m <sup>3</sup>
MAK (OEL STEL) [ppm]	2 ppm
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup> (vapor)
OEL TWA [ppm]	1 ppm (vapor)
OEL STEL	14 mg/m <sup>3</sup> (vapor)
OEL STEL [ppm]	2 ppm (vapor)
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	7 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	1 ppm
KGVI (OEL STEL)	14 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	2 ppm
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	5 mg/m <sup>3</sup>
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	7 mg/m <sup>3</sup>
OEL TWA [2]	1 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	7 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	1 ppm
HTP (OEL STEL)	14 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	2 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	7 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	1 ppm
OEL chemical category	Risk of cutaneous absorption
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	7.1 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
<b>Gibraltar - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	200 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	7 mg/m <sup>3</sup>
CK (OEL STEL)	14 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	7 mg/m <sup>3</sup> (vapour)
OEL TWA [2]	1 ppm (vapour)
OEL STEL	14 mg/m <sup>3</sup> (vapour)
OEL STEL [ppm]	2 ppm (vapour)
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	7 mg/m <sup>3</sup>

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
IPRV (OEL TWA) [ppm]	1 ppm
TPRV (OEL STEL)	14 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	2 ppm
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-8u (OEL TWA)	7 mg/m <sup>3</sup>
TGG-15min (OEL STEL)	14 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	7 mg/m <sup>3</sup>
NDSch (OEL STEL)	14 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm (vapor)
OEL STEL	14 mg/m <sup>3</sup> (indicative limit value)
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL TWA [ppm]	0.7 ppm
OEL STEL	10 mg/m <sup>3</sup>
OEL STEL [ppm]	1.4 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	7 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	1 ppm
NPHV (OEL C)	7.1 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	7.1 mg/m <sup>3</sup> (vapor)
VLA-ED (OEL TWA) [2]	1 ppm (vapor)
VLA-EC (OEL STEL)	14.2 mg/m <sup>3</sup> (vapor)
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	7 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	1 ppm
KTV (OEL STEL)	14 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	2 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	7.1 mg/m <sup>3</sup> (vapour)
WEL TWA (OEL TWA) [2]	1 ppm (vapour)
WEL STEL (OEL STEL)	21.3 mg/m <sup>3</sup> (calculated-vapour)
WEL STEL (OEL STEL) [ppm]	3 ppm (calculated-vapour)
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	7 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	1 ppm
Korttidsverdi (OEL STEL)	14 mg/m <sup>3</sup> (value from the regulation)
Korttidsverdi (OEL STEL) [ppm]	2 ppm (value from the regulation)
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	7 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	1 ppm (aerosol, vapour)
KZGW (OEL STEL)	14 mg/m <sup>3</sup> (aerosol, vapour)
KZGW (OEL STEL) [ppm]	2 ppm (aerosol, vapour)
OEL chemical category	Category 2 developmental toxin, Category 2 reproductive toxin
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	1 ppm (vapor)
ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

##### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available



# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Hexamethylindanopyran (1222-05-5)

LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

#### Cinnamic alcohol (104-54-1)

LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg

#### Diphenyl oxide (101-84-8)

LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h

Skin corrosion/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Serious eye damage/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : Not classified

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 µg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier

### 12.2. Persistence and degradability

Type 33 - Bohe CC-16178 at 5% in DPG	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

### 12.3. Bioaccumulative potential

Type 33 - Bohe CC-16178 at 5% in DPG	
Bioaccumulative potential	Not established.

Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.9

Diphenyl oxide (101-84-8)	
BCF - Fish [1]	470
Partition coefficient n-octanol/water (Log Pow)	4.2

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information	: Avoid release to the environment.
------------------------	-------------------------------------

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.  
Dispose in a safe manner in accordance with local/national regulations.
- Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

- UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

- ADR**  
Transport hazard class(es) (ADR) : Not applicable

- IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

- IATA**  
Transport hazard class(es) (IATA) : Not applicable

- ADN**  
Transport hazard class(es) (ADN) : Not applicable

- RID**  
Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

- Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

- Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

- Overland transport**  
Not applicable

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

Not applicable

### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	Iso E Super
3(c)	Type 33 - Bohe CC-16178 at 5% in DPG ; Iso E Super ; Hexamethylindanopyran

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

##### Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
- Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
- List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

##### Netherlands

- SZW-lijst van kankerverwekkende stoffen : None of the components are listed
- SZW-lijst van mutagene stoffen : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

##### Denmark

- Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
- Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

# Type 33 - Bohe CC-16178 at 5% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Switzerland

Storage class (LK) : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
EUH208	Contains Cinnamic alcohol, Iso E Super. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.