Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 11/12/2024 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name	: Mixture : MAPLE HONEYCRISP MARGARITA CC-16203 10% in DPG
Product code	: CC-16203_10%
Type of product	: Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture Function or use category Industrial
For professional use only
Perfumes, Fragrances
Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance of mixt	are
Classification according to Regulation (EC) No. 1	272/2008 [CLP]
Skin sensitization, Category 1	H317
Hazardous to the aquatic environment – Chronic Haz Category 3	zard H412
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and env	vironmental effects
No additional information available	
2.2. Label elements	
Labeling according to Regulation (EC) No. 1272/2	2008 [CLP]
Hazard pictograms (CLP)	GHS07
Signal word (CLP)	: Warning
Contains	Linut singer is aldebude. Orange site Vertegen CINNAMAL 4 (4.9.2.4.5.0.7.0. Octobude

 Contains
 : Warning

 Contains
 : Hexyl cinnamic aldehyde; Orange oil ; Vertenex; CINNAMAL; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

 Hazard statements (CLP)
 : H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.

 Precautionary statements (CLP)
 : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing should not be allowed out of the workplace.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases	: Restricted to professional users.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.74 – 1.47497	Aquatic Chronic 2, H411	
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.54 – 1.08454	Skin Sens. 1, H317 Aquatic Chronic 2, H411	
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.33 – 0.65072	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.24 – 0.4772	Skin Sens. 1B, H317	
CINNAMAL	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0.15 – 0.30367	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.13 – 0.26029	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410	
Alcohol C-12 substance with national workplace exposure limit(s) (LV, SI)	CAS-No.: 112-53-8 EC-No.: 203-982-0	0.06 – 0.11279	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.03 – 0.06941	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Acetyl Propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0 – 0.00868	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0 – 0.00842	Not classified
2-furaldehyde substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, NO, CH, TR)	CAS-No.: 98-01-1 EC-No.: 202-627-7 EC Index-No.: 605-010-00-4	0 – 0.00026	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate med	ical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measure	es
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters					
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.				
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.				
SECTION 6: Accidental release	measures				

6.1. Personal precautions, protectiv	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up				
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible Collect spillage. Store away from other materials.				
6.4. Reference to other sections				

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.					
7.2. Conditions for safe storage, including	ng any incompa	tibilities				
Storage conditions Incompatible products Incompatible materials	 Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 					
Germany						
Storage class (LGK, TRGS 510)	: LGK 12 - Non-combustible liquids					
Joint storage table	[:] LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	: LGK 4.1A, : LGK 2A, LO	LGK 1, LGK 6.2, LGK 7 LGK 4.1A, LGK 4.3, LGK 5.1C LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGH 10-13				'
Switzerland						
Storage class (LK)	: LK 10/12 -	Liquids				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 155 mg/m³ OEL TWA 155 mg/m³ OEL STEL 155 mg/m³ OEL STEL 155 mg/m³ Citral (5392-40-5) 20 ppm Belgium - Occupational Exposure Limits 0 OEL TWA 32 mg/m³ (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits 0 OEL TWA 5 ppm OEL TWA 5 ppm OEL TWA 5 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) Poland - Occupational Exposure Limits 27 mg/m³ NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 04 mg/m³ OEL TWA 5 ppm (inhalable fraction; vapor)			
Slovenia - Occupational Exposure Limits OEL TWA 155 mg/m³ 20 ppm 20 ppm OEL STEL 155 mg/m³ 20 ppm 20 ppm citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits 5 ppm OEL TWA 5 ppm OEL TWA 5 ppm OEL Chemical category Skin Ireland - Occupational Exposure Limits 15 ppm (calculated) OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 54 mg/m³			
OEL TWA155 mg/m³ 20 ppmOEL STEL155 mg/m³ 20 ppmcitral (5392-40-5)Belgium - Occupational Exposure LimitsOEL TWA32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol)OEL themical categorySkinIreland - Occupational Exposure LimitsOEL TWA5 ppmOEL TWA5 ppm (vapor and aerosol)OEL themical categorySkinIreland - Occupational Exposure Limits15 ppm (calculated)OEL STEL15 ppm (calculated)Poland - Occupational Exposure Limits27 mg/m³NDS (OEL TWA)27 mg/m³NDSCh (OEL STEL)54 mg/m³Portugal - Occupational Exposure Limits			
20 ppm OEL STEL 155 mg/m³ 20 ppm citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 0EL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) Poland - Occupational Exposure Limits 27 mg/m³ NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 54 mg/m³			
OEL STEL 155 mg/m³ 20 ppm citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits 0EL TWA OEL STEL 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 54 mg/m³			
O 20 ppm citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 54 mg/m³			
citral (5392-40-5)Belgium - Occupational Exposure LimitsOEL TWA32 mg/m³ (vapor and aerosol)5 ppm (vapor and aerosol)5 ppm (vapor and aerosol)OEL chemical categorySkinIreland - Occupational Exposure LimitsOEL TWA5 ppmOEL STEL15 ppm (calculated)Poland - Occupational Exposure LimitsNDS (OEL TWA)27 mg/m³NDSCh (OEL STEL)54 mg/m³Portugal - Occupational Exposure Limits			
Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL TWA 5 ppm OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits 54 mg/m³			
OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits			
Sppm (vapor and aerosol) OEL chemical category Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits			
OEL chemical category Skin Ireland - Occupational Exposure Limits 5 ppm OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits			
Ireland - Occupational Exposure Limits OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits			
OEL TWA 5 ppm OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) NDS (OEL TWA) 27 mg/m ³ NDSCh (OEL STEL) 54 mg/m ³ Portugal - Occupational Exposure Limits			
OEL STEL 15 ppm (calculated) Poland - Occupational Exposure Limits 15 ppm (calculated) NDS (OEL TWA) 27 mg/m ³ NDSCh (OEL STEL) 54 mg/m ³ Portugal - Occupational Exposure Limits			
Poland - Occupational Exposure Limits NDS (OEL TWA) 27 mg/m ³ NDSCh (OEL STEL) 54 mg/m ³ Portugal - Occupational Exposure Limits			
NDS (OEL TWA) 27 mg/m³ NDSCh (OEL STEL) 54 mg/m³ Portugal - Occupational Exposure Limits			
NDSCh (OEL STEL) 54 mg/m ³ Portugal - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits			
OEL TWA 5 ppm (inhalable fraction; vapor)			
OEL chemical category Sensitizer dermal, A4 - Not Class cutaneous exposure	ifiable as a Human Carcinogen, skin - potential for		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) 5 ppm (inhalable fraction and var	or)		
OEL chemical category Sensitizer, skin - potential for cut	aneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA 5 ppm (inhalable fraction and var	or)		
ACGIH chemical category Not Classifiable as a Human Car exposure by the cutaneous route	cinogen, Skin - potential significant contribution to overall		
Acetyl Propionyl (600-14-6)			
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) 0.083 mg/m ³	dermal sensitizer		
0.02 ppm	dermal sensitizer		

Safety Data Sheet

Acetyl Propionyl (600-14-6)		
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m ³	
	0.02 ppm	
OEL STEL	0.083 mg/m ³	
	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	0.08 mg/m ³	
	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m ³	
	0.04 ppm	
OEL chemical category	Sensitizer, skin notation	
1,2-Propanediol (57-55-6)		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)	
	150 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 mg/m ³ (particulates) 470 mg/m ³ (total vapour and particulates)	
	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m ³ (calculated-particulates) 30 mg/m ³ (calculated)	
	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m ³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m ³ (vapor and inhalable fraction)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	474 mg/m ³ (total vapour and particulates) 10 mg/m ³ (particulates)	
	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m ³ (calculated-total vapour and particulates) 30 mg/m ³ (calculated-particulate)	
	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	79 mg/m³	

Safety Data Sheet

1,2-Propanediol (57-55-6)		
	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m ³ (value calculated)	
	37.5 ppm (value calculated)	
2-furaldehyde (98-01-1)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	20 mg/m ³	
	5 ppm	
OEL chemical category	skin notation, Group B Carcinogen	
Belgium - Occupational Exposure Limits		
OEL TWA	8 mg/m³	
	2 ppm	
OEL chemical category	Skin	
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Furfurol)	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	8 mg/m³	
	2 ppm	
KGVI (OEL STEL)	20 mg/m³	
	5 ppm	
OEL chemical category	skin notation	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	10 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	7.9 mg/m ³	
	2 ppm	
OEL STEL	15.8 mg/m ³	
	4 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	8 mg/m³	
	2 ppm	
OEL STEL	20 mg/m³	
	5 ppm	
OEL chemical category	skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	8 mg/m³	
	2 ppm	
HTP (OEL STEL)	20 mg/m³	

Safety Data Sheet

2-furaldehyde (98-01-1)	
	5 ppm
OEL chemical category	Potential for cutaneous absorption
France - Occupational Exposure Limits	
VLE (OEL C/STEL)	8 mg/m³
	2 ppm
OEL chemical category	Carcinogen category 2
France - Biological limit values	
BLV	Parameter: total Furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Greece - Occupational Exposure Limits	
OEL TWA	20 mg/m³
	5 ppm
OEL STEL	40 mg/m³
	10 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	8 mg/m³
CK (OEL STEL)	20 mg/m³
OEL chemical category	Sensitizer, Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	8 mg/m³
	2 ppm
OEL STEL	20 mg/m³
	5 ppm
OEL chemical category	Potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	8 mg/m³
	2 ppm
TPRV (OEL STEL)	20 mg/m ³
	5 ppm
OEL chemical category	Carcinogen, skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m ³
NDSCh (OEL STEL)	25 mg/m ³
Portugal - Occupational Exposure Limits	1
OEL TWA	2 ppm
I	1

Safety Data Sheet

DEL chemical category Romania - Occupational Exposure Limits DEL TWA	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, skin - potential for cutaneous exposure
DEL TWA	
	10 mg/m³
	2.5 ppm
DEL STEL	15 mg/m³
	4 ppm
DEL chemical category	C2
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	7.9 mg/m³
	2 ppm
DEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
/LA-ED (OEL TWA)	8 mg/m³
	2 ppm
DEL chemical category	skin - potential for cutaneous absorption
Spain - Biological limit values	
BLV	200 mg/l Parameter: Furoic acid - Medium: urine - Sampling time: end of shift (with hydrolysis)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	8 mg/m³
	2 ppm
(GV (OEL STEL)	20 mg/m ³
	5 ppm
DEL chemical category	skin notation
Jnited Kingdom - Occupational Exposure Limits	\$
WEL TWA (OEL TWA)	8 mg/m³
	2 ppm
WEL STEL (OEL STEL)	20 mg/m ³
	5 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	8 mg/m³
	2 ppm
Korttidsverdi (OEL STEL)	16 mg/m ³ (value calculated)
	4 ppm (value calculated)
DEL chemical category	skin notation
Switzerland - Occupational Exposure Limits	1
MAK (OEL TWA)	8 mg/m ³
	2 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-furaldehyde (98-01-1)		
OEL chemical category	skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.2 ppm	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans, Skin - potential significant contribution to overall exposure by the cutaneous route	
USA - ACGIH - Biological Exposure Indices		
BEI (BLV)	200 mg/l Parameter: Furoic acid with hydrolysis - Medium: urine - Sampling time: end of shift (nonspecific)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: Conforms to standard.		
Odor	: characteristic.		
Odor threshold	: Not available		
Melting point	: Not available		
Freezing point	: Not available		
Boiling point	: Not available		
Flammability	: Non flammable.		
Lower explosion limit	: Not available		
Upper explosion limit	: Not available		
Flash point	: > 93 °C		
Auto-ignition temperature	: Not available		
Decomposition temperature	: Not available		
рН	: Not available		
Viscosity, kinematic	: Not available		
Solubility	: Not available		
Partition coefficient n-octanol/water (Log Kow)	: Not available		
Vapor pressure	: Not available		
Vapor pressure at 50°C	: Not available		
Density	: Not available		
Relative density	: Not available		
Relative vapor density at 20°C	: Not available		
Particle characteristics	: Not applicable		

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	
LD50 oral	4600 mg/kg	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg body weight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
CINNAMAL (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
Alcohol C-12 (112-53-8)		
LD50 oral rat	> 10000 mg/kg (Source: ECHA)	
LD50 dermal rabbit	11300 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	71 mg/l (Exposure time: 1 h Source: ECHA_API)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Acetyl Propionyl (600-14-6)		
LD50 oral rat	3 g/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)	
1,2-Propanediol (57-55-6)		
LD50 oral rat	20 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

LD50 oral rat	125 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	500 – 1000 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	756 mg/m³ (Exposure time: 1 h Source: WHO)
LC50 Inhalation - Rat (Vapours)	1 mg/l
Skin corrosion/irritation	: Not classified
dditional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
dditional information	: Based on available data, the classification criteria are not met
espiratory or skin sensitization	: May cause an allergic skin reaction.
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
additional information	: Based on available data, the classification criteria are not met
2-furaldehyde (98-01-1)	
IARC group	3 - Not classifiable
eproductive toxicity	: Not classified
dditional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
dditional information	: Based on available data, the classification criteria are not met
2-furaldehyde (98-01-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
dditional information	: Based on available data, the classification criteria are not met
Acetyl Propionyl (600-14-6)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not classified
dditional information	: Based on available data, the classification criteria are not met
1.2. Information on other hazards	
1.2.1. Endocrine disrupting properties	
lo additional information available	
1.2.2. Other information	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met
symptoms	

12.1. Toxicity	
(acute)	Not classified Harmful to aquatic life with long lasting effects.
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)

Safety Data Sheet

Alcohol C-12 (112-53-8)		
LC50 - Fish [1]	1.01 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	0.1855 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
EC50 - Crustacea [1]	320 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 96h - Algae [1]	0.62 mg/l (Species: Desmodesmus subspicatus)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
1,2-Propanediol (57-55-6)		
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)	
2-furaldehyde (98-01-1)		
LC50 - Fish [1]	13.4 – 19.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	16.79 – 26.35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
MAPLE HONEYCRISP MARGARITA CC-16203 10% in DPG		
Persistence and degradability	Not established.	
Verdox (88-41-5)		
Persistence and degradability	Rapidly degradable	

	Rapidiy degladable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
CINNAMAL (104-55-2)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
Alcohol C-12 (112-53-8)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
Acetyl Propionyl (600-14-6)	
Persistence and degradability	Rapidly degradable
1,2-Propanediol (57-55-6)	
Persistence and degradability	Rapidly degradable
2-furaldehyde (98-01-1)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
MAPLE HONEYCRISP MARGARITA CC-16203	3 10% in DPG
Bioaccumulative potential	Not established.
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
CINNAMAL (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Alcohol C-12 (112-53-8)	
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 23 °C (at pH 7.1)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
1,2-Propanediol (57-55-6)	
BCF - Fish [1]	(1 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)
2-furaldehyde (98-01-1)	
Partition coefficient n-octanol/water (Log Pow)	0.67
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.
SECTION 13: Disposal considerations	

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological information	: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HP code

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

n accordance with ADR / IME	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary informatic	on available			

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII) Reference code Applicable on Entry title or description		
		3(a)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	MAPLE HONEYCRISP MARGARITA CC-16203 10% in DPG ; Hexyl cinnamic aldehyde ; Orange oil ; Vertenex ; CINNAMAL ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Alcohol C-12 ; citral ; Acetyl Propionyl ; 2- furaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	MAPLE HONEYCRISP MARGARITA CC-16203 10% in DPG ; Verdox ; Hexyl cinnamic aldehyde ; Orange oil ; CINNAMAL ; 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Alcohol C-12 ; 2- furaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; Acetyl Propionyl ; 2-furaldehyde	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

France

Professional diseases	
Code	Description
RG 74	Occupational disorders caused by furfural and furfuryl alcohol
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Orange oil is listed
SZW-lijst van mutagene stoffen	: Orange oil is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
45.0. Oberniegt gefets gegegement	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Data sources Other information	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None. 	
Full text of H- and EUH	I-phrases:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3	
Asp. Tox. 1	Aspiration hazard Category 1	
Carc. 2	Carcinogenicity Category 2	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
H225	Highly flammable liquid and vapor.	
H226	Flammable liquid and vapor.	
H301	Toxic if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, Category 1A	
Skin Sens. 1B	Skin sensitization, Category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.