Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Product name	
Product code	
Type of product	

- Mixture
 Diffusol Classic CC-16213 5%
 CC-16213_5%
- : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture Function or use category Industrial
For professional use only
Perfumes, fragrances
Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤5	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify at	uthorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Section 8. Exposure controls and personal prot	tection.
SECTION 7: Handling and storage	

7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dipropylene glycol monomethyl ether (34590-94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	308 mg/m ³
IOEL TWA [ppm]	50 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	307 mg/m ³ (mixed isomers)
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
OEL TWA	308 mg/m ³
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	
OEL TWA	308 mg/m ³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m ³	
GVI (OEL TWA) [2]	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m ³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m ³	
OEL TWA [2]	50 ppm	
OEL STEL	618 mg/m ³	
OEL STEL [ppm]	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m ³	
HTP (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m ³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	310 mg/m ³ (isomer mixture)	
AGW (OEL TWA) [2]	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m ³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-	94-8)	
OEL TWA [ppm]	100 ppm	
OEL STEL	900 mg/m³	
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m ³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	308 mg/m ³ ((2-Methoxymethylethoxy)propanol)	
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m ³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m ³ (2-(2-Methoxypropoxy)-propanol)	
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)	450 mg/m ³ (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m ³	
TGG-8u (OEL TWA) [ppm]	48.7 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Poland - Occupational Exposure Limits 240 mg/m² (nuture of isomers: 1/2-Methoxy-1-methylethoxy)propan-2-0, 1/2-Methoxy-2-methylethoxy)propan-2-0, 1/2-Methoxy-2-Methoxy-2-Methylethoxy Propan-2-0, 1/2-Methoxy-2-Methylethoxy Propan-2-D, 2/2-Methoxy-2-Methylethoxy Propan-2-D, 2/2-Methoxy-2-Met	Dipropylene glycol monomethyl ether (34590-94-8)		
12-methylethoxyloropan-2-ol and 2-(2-Methoxy-1-methylethoxylpropan-1-ol)NDSCh (OEL STEL)signamp (mixture of isomers: 1-(2-Methoxy-1-methylethoxylpropan-2-ol, 1-(2-Methox)-1-methylethoxylpropan-2-ol, 1-(2-Methoxy-1-methylethoxylpropan-2-ol, 1-(2-Methoxy)CBL TMA160 pap000<	Poland - Occupational Exposure Limits		
InterformationInterformationPortugational Exposure LimitsQEL TWA308 mg/m(indicative limit value)OEL TWA [pm]50 ppm (indicative limit value)OEL TWA [pm]50 ppm (indicative limit value)OEL STEL [pm]is n- potential for cutaneous exposure indicative limit valueRemainal cocupational Exposure Limits308 mg/mCel TWA308 mg/mOEL TWA [pm]50 ppmOEL TWA [pm]50 ppmOEL TWA [pm]50 ppmOEL TWA [pm]308 mg/mOEL TWA [pm]308 mg/mOEL TWA [pm]30 mg/mOEL TWA [1]308 mg/mOEL TWA [1]30 ppmOEL TWA [1]30 ppmOEL TWA [1]30 mg/mOEL TWA [2]30 ppmOEL TWA [2]30 ppm<	NDS (OEL TWA)		
OEL TWA308 mg/m² (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)OEL STEL [ppm]150 ppmOEL tothenical categoryish optential for cutaneous exposure indicative limit valueRomania - Occupational Exposure Limits308 mg/m³OEL TWA [ppm]308 mg/m³OEL tothenical categoryish in otationStovakia - Occupational Exposure Limits308 mg/m³OEL tothenical categorybin motationStovakia - Occupational Exposure Limits309 mg/m³NPHV (OEL TWA) [1]309 mg/m³OEL chemical categorypotential for cutaneous absorptionStovakia - Occupational Exposure Limits309 mg/m³OEL chemical categorypotential for cutaneous absorptionStovania - Occupational Exposure Limits309 mg/m³OEL tothenical categorypotential for cutaneous absorptionOEL tothenical categorypotential for cutaneous absorptionOEL tothenical categorypotential for cutaneous absorptionOEL tothenical categorypotential for cutaneous absorptionStarte L [ppm]308 mg/m³ (indicative limit value)OEL tothenical categorypotential for cutaneous absorptionStarte L [ppm]309 mg/m³ (indicative limit value)VL-ED (OEL TWA) [1]309 mg/m³ (indicative limit value)VL-ED (OEL TWA) [2]300 mg/m³NGV (OEL TWA) [2]300 mg/m³<	NDSCh (OEL STEL)		
OEL TWA [ppm]50 ppm (indicative limit value)OEL STEL [ppm]150 ppmCBL Chemical categoryskin - potential for cutaneous exposure indicative limit valueRomania - Occupational Exposure Limits308 mgm²OEL TWA [ppm]50 ppmOEL TWA [ppm]50 ppmOEL Chemical categorySkin notationStorakla - Occupational Exposure LimitsNPH v(OEL TWA) [1]NPH v(OEL TWA) [1]308 mg/m²OEL Chemical categoryPotential for cutaneous absorptionStorakla - Occupational Exposure LimitsSo ppmOEL TWA [ppm]00 ppmOEL TWA [ppm]00 mg/m²OEL TWA [ppm]00 ppmOEL TWA [ppm]00 mg/m²OEL STEL [ppm]00 ppm (indicative limit value)OEL STEL [ppm]00 mg/m² (indicative limit value)OEL STEL [ppm]00 mg/m²VLAED (OEL TWA) [2]00 mg/m² (indicative limit value)VLAED (OEL TWA) [2]00 mg/m²VLAED (OEL TWA) [2]00 mg/m²Sweden - Occupational Exposure LimitsVLAED (OEL TWA) [pm]00 mg/m²Sweden - Occupational Exposure LimitsVLAED (OEL TWA) [pm]00 mg/m²Sweden - Occupational Exposure LimitsVLAED (OEL TWA) [pm]00 mg/m²Sweden - Occupational Exposure LimitsVLAED (VAI) [pm]00 mg/m²Sweden - Occupational Exposure Limits	Portugal - Occupational Exposure Limits		
OEL STEL [ppm]150 ppmOEL Chemical categoryskin - potential for cutaneous exposure indicative limit valueRomania - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]60 ppmOEL chemical categoryskin notationStowakia - Occupational Exposure Limits50 ppmNPHV (OEL TWA) [1]308 mg/m³NPHV (OEL TWA) [2]50 ppmOEL chemical categoryPotential for cutaneous absorptionStowakia - Occupational Exposure Limits50 ppmOEL TWA308 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppmOEL STEL [ppm]60 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppm (indicative limit value)OEL Chemical category8 in - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppm (indicative limit value)VLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)NgV (OEL TWA) [ppm]50 ppmNgV (OEL TWA) [1]308 mg/m³NgV (OEL TWA) [1]308 mg/m³NgV (OEL TWA) [2]50 ppm	OEL TWA	308 mg/m³ (indicative limit value)	
OEL chemical categoryskin - potential for cutaneous exposure indicative limit valueRomania - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA (ppm)Si pomOEL twa (ppm)Si no tationSlovakia - Occupational Exposure LimitsSi no mainNPHV (OEL TWA) [1)308 mg/m³NPHV (OEL TWA) [2)Si pomOEL chemical categoryPotential for cutaneous absorptionSlovenia - Occupational Exposure LimitsSi pomOEL TWA08 mg/m³OEL TWASi pomOEL TWASi pomOEL TWASi pomOEL TWASi pomOEL TWASi pomOEL TWASi pomOEL STELSi pomOEL STEL[ppm]Si pomOEL TWA (1)Si mg/m³ (indicative limit value)OEL STEL[pp]Si pom (indicative limit value)OEL STEL[pp]Si pom (indicative limit value)VLAED (OEL TWA) [1]Si pom (indicative limit value)VLAED (OEL TWA) [2]Si pom (indicative limit value)VLAED (OEL TWA) [2]Si pomNGV (OEL TWA) [2]Si pomNGV (OEL TWA) [2]Si pomNGV (OEL TWA) [2]Si notationVI (OEL STEL) [ppm]Si notationNGV (OEL TWA) [2]Si notationVI-TWA (OEL TWA) [2]Si pomVI (OEL STEL) [ppm]Si pomVI (OEL TWA) [2]Si pom <td>OEL TWA [ppm]</td> <td>50 ppm (indicative limit value)</td>	OEL TWA [ppm]	50 ppm (indicative limit value)	
Romania - Occupational Exposure LimitsOEL TWA308 mg/m3OEL TWA [ppm]50 ppmOEL chemical categorySkin notationSlovakia - Occupational Exposure Limits308 mg/m3NPHV (OEL TWA) [1]308 mg/m3OEL chemical categoryPotential for cutaneous absorptionOEL chemical categoryPotential for cutaneous absorptionSlovatia - Occupational Exposure Limits308 mg/m3OEL themical categoryPotential for cutaneous absorptionOEL TWA308 mg/m3OEL TWA308 mg/m3OEL TWA308 mg/m3OEL TWA308 mg/m3OEL STEL308 mg/m3OEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL Chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure Limits308 mg/m3 (indicative limit value)VLA-ED (CEL TWA) [1]308 mg/m3 (indicative limit value)OEL chemical categoryabin indicative limit value)OEL chemical categoryabin indicative limit value)OEL CHTWA) [2]50 ppm (indicative limit value)OEL CHTWA) [2]50 ppmNGV (OEL TWA)300 mg/m3NGV (OEL TWA)50 ppmNGV (OEL STEL) [ppm]50 ppmRTV (OEL STEL) [ppm]50 ppmCH Chemical category50 ppmNGV (OEL TWA) [2]50 ppmNGV (OEL STEL) [ppm]50 ppmRTV (OEL STEL) [ppm]50 ppmRTV (OEL STEL) [ppm]50 ppmWEL TWA (OEL TWA) [2]50 ppm <trr>WEL TWA (OEL TW</trr>	OEL STEL [ppm]	150 ppm	
OEL TWA908 mg/m³OEL TWA [ppm]50 ppmOEL chemical categorySkin notationSlovakia - Occupational Exposure LimitsNPHV (OEL TWA) [1]308 mg/m³NPHV (GEL TWA) [2]60 ppmOEL chemical categoryPotential for cutaneous absorptionSlovenia - Occupational Exposure LimitsSlovenia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA50 ppmOEL TWA90 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA/ [2]50 ppmOEL TWA/ [2]50 ppmOEL Chemical categorypotential for cutaneous absorptionSpain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)OEL chemical categoryspipm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweder - Occupational Exposure LimitsSio ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)NGV (OEL TWA) [2]50 ppmNGV (OEL TWA) [ppm]50 ppmCH Cutagoryskin - potential for cutaneous absorptionSweder - Occupational Exposure LimitsVLA-ED (CeL TWA) [ppm]50 ppmNGV (OEL TWA) [ppm]50 ppmOEL chemical categoryskin notationUnited Kingdom - Occupational Exposure LimitsWL TWA (OEL TWA) [2]50 ppmWL TWA (OEL	OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
OCE TWA [ppm]So pmOEL twa [ppm]Skin notationSlovakia - Occupational Exposure LimitsNPHV (OEL TWA) [1]308 mg/m³NPHV (OEL TWA) [2]S0 ppmOEL chemical categoryPotential for cutaneous absorptionSlovenia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWAS0 ppmOEL TWAS0 ppmOEL TWAS0 ppmOEL TWAS0 ppmOEL TWAS0 ppmOEL TWA [ppm]S0 ppmOEL STEL308 mg/m³OEL STEL (ppm]S0 ppmOEL Chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure LimitsS0 ppmVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)OEL chemical categorySo ppm (indicative limit value)VLA-ED (OEL TWA) [2]S0 ppm (indicative limit value)NSV (OEL TWA) [2]S0 ppm (indicative limit value)NSV (OEL TWA) [2]S0 ppm (indicative limit value)NSV (OEL TWA) [2]S0 ppmOEL cherical categorySi ppmNSV (OEL TWA) [2]S0 ppmNSV (OEL TWA) [2]S0 ppmNSV (OEL TWA) [2]S0 ppmOEL cherical categorySi ppmNSV (OEL TWA) [2]S0 ppmUEL twi [2] (2] (2] (2] (2] (2] (2] (2] (2	Romania - Occupational Exposure Limits	·	
OEL chemical category Skin notation Slovakia - Occupational Exposure Limits 308 mg/m³ NPHV (OEL TWA) [1] 308 mg/m³ OEL chemical category Potential for cutaneous absorption Slovenia - Occupational Exposure Limits 308 mg/m³ OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm OEL STEL 308 mg/m³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 308 mg/m³ (indicative limit value) OEL chemical category \$0 ppm (indicative limit value) VLA-ED (OEL TWA) [2] \$0 ppm (indicative limit value) VLA-ED (OEL TWA) [2] \$0 ppm (indicative limit value) Sweden - Occupational Exposure Limits Sol mg/m³ NGV (OEL TWA) [2] \$0 ppm NGV (OEL TWA) [2] \$0 ppm NGV (OEL TWA) [2] \$0 ppm NGV (OEL TWA) [2] \$0 pg/m³	OEL TWA	308 mg/m ³	
Slovakia - Occupational Exposure LimitsNPHV (OEL TWA) [1]308 mg/m³NPHV (OEL TWA) [2]50 ppmOEL chemical categoryPotential for cutaneous absorptionSlovenia - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmOEL STEL308 mg/m³OEL STEL [ppm]50 ppmOEL ordenical categoryPotential for cutaneous absorptionSpain - Occupational Exposure Limits50 ppmOEL STEL [ppm]50 ppmOEL CHWA) [1]308 mg/m³ (indicative limit value)Spain - Occupational Exposure Limits50 ppm (indicative limit value)VLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)OEL chemical categoryspin indicative limit value)VLA-ED (OEL TWA) [1]300 mg/m³Sweden - Occupational Exposure LimitsNGV (OEL TWA)NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorykin intationUnited Kingdom - Occupational Exposure LimitsNGV (OEL TWA) [1]WEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [1]808 mg/m³WEL TWA (OEL TWA) [1]808 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA [ppm]	50 ppm	
NPHV (OEL TWA) [1]308 mg/m³NPHV (OEL TWA) [2]50 ppmOEL chemical categoryPotential for cutaneous absorptionSiovenia - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA (ppm)50 ppmOEL STEL308 mg/m³OEL STEL (ppm)50 ppmOEL chemical categoryPotential for cutaneous absorptionSigni - Occupational Exposure Limits50 ppmVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppmNGV (OEL TWA) [ppm]50 ppmNGV (OEL TWA) [ppm]50 ppmVT (OEL STEL) [ppm]75 ppmOEL chemical categorykin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppm <td>OEL chemical category</td> <td>Skin notation</td>	OEL chemical category	Skin notation	
NPHV (OEL TWA) [2]50 pmOEL chemical categoryPotential for cutaneous absorptionSiovenia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA (ppm]50 ppmOEL STEL308 mg/m³OEL STEL [ppm]50 ppmOEL chemical categoryPotential for cutaneous absorptionSigni - Occupational Exposure Limits50 ppmVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppm (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits50 ppmNGV (OEL TWA) [ppm]50 ppmNGV (OEL TWA) [ppm]50 ppmNGV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL TW	Slovakia - Occupational Exposure Limits		
OEL chemical categoryPotential for cutaneous absorptionSlovenia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA [ppm]50 ppmOEL STEL308 mg/m³OEL STEL [pp]50 ppmOEL chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categorysin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsVLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categorysin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsNGV (OEL TWA) [2]300 mg/m³NGV (OEL TWA) [ppm]50 ppm (indicative limit value)NGV (OEL TWA) [ppm]50 ppmNGV (OEL STEL) [ppm]308 mg/m³NGU (OEL TWA) [ppm]50 ppmNGU (OEL TWA) [ppm]50 ppmNGU (OEL TWA) [p]50 ppmNGU (OEL TWA) [pm]50 ppmNGU (OEL TWA) [pm]50 ppmNGU (OEL TWA) [pl]50 ppmNGU (OEL TWA) [pl]50 ppmNGU (OEL TWA) [pl]50 ppm <td>NPHV (OEL TWA) [1]</td> <td>308 mg/m³</td>	NPHV (OEL TWA) [1]	308 mg/m ³	
Slovenia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA [ppm]50 ppmOEL STEL308 mg/m³OEL STEL [ppm]50 ppmOEL chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsVLA-ED (OEL TWA) [2]300 mg/m³ (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsNGV (OEL TWA)300 mg/m³NGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL) [ppm]50 ppmVLO (OEL STEL) [ppm]75 ppmOEL chemical categorySkin - notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL) [ppm]50 ppm (calculated)WEL STEL (OEL STEL) [ppm]50 ppm (calculated)	NPHV (OEL TWA) [2]	50 ppm	
OEL TWA908 mg/m³OEL TWA [ppm]50 ppmOEL STEL308 mg/m³OEL STEL [ppm]50 ppmOEL chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsNGV (OEL TWA) [2]300 mg/m³NGV (OEL TWA) [2]50 ppm (indicative limit value)Sweden - Occupational Exposure LimitsNGV (OEL TWA) [2]50 ppm (indicative limit value)Sweden - Occupational Exposure LimitsNGV (OEL TWA) [2]50 ppmNGV (OEL TWA) [2]50 ppmOEL chemical category\$100 mg/m³NGV (OEL TWA) [2]50 ppmNGV (OEL TWA) [2]50 ppmOEL chemical category\$kin notationTUTHE KINGDOM - Occupational Exposure Limits*WET MA (OEL TWA) [1]308 mg/m³WET TWA (OEL TWA) [1]308 mg/m³WET TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL) [ppm]50 ppm (calculated)WEL STEL (OEL STEL) [ppm]50 ppm (calculated)	OEL chemical category	Potential for cutaneous absorption	
O O OEL TWA [ppm] 50 ppm OEL STEL 308 mg/m³ OEL STEL [ppm] 50 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 308 mg/m³ (indicative limit value) VLA-ED (OEL TWA) [1] 308 mg/m³ (indicative limit value) OEL chemical category skin - potential for cutaneous absorption OEL chemical category skin - potential for cutaneous absorption Sweden - Occupational Exposure Limits skin - potential for cutaneous absorption NGV (OEL TWA) [2] 300 mg/m³ NGV (OEL TWA) [ppm] 300 mg/m³ NGV (OEL TWA) [ppm] 50 ppm KTV (OEL STEL) [ppm] 75 ppm OEL chemical category kin notation Utiet Kingdom - Occupational Exposure Limits Sin notation WEI TWA (OEL TWA) [1] 308 mg/m³ WEI TWA (OEL TWA) [2] 50 ppm WEL TWA (OEL TWA) [2] 50 ppm WEL STEL (OEL STEL) </td <td>Slovenia - Occupational Exposure Limits</td> <td></td>	Slovenia - Occupational Exposure Limits		
OEL STEL 308 mg/m³ OEL STEL [ppm] 50 ppm OEL Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits S08 mg/m³ (indicative limit value) VLA-ED (OEL TWA) [1] 308 mg/m³ (indicative limit value) VLA-ED (OEL TWA) [2] 50 ppm (indicative limit value) OEL chemical category skin - potential for cutaneous absorption Sweden - Occupational Exposure Limits skin - potential for cutaneous absorption NGV (OEL TWA) [2] 300 mg/m³ NGV (OEL TWA) [spm] 50 ppm NGV (OEL TWA) [spm] 50 ppm NGV (OEL TWA) [spm] 50 ppm KTV (OEL STEL) [spm] 50 ppm VLY (OEL STEL) [spm] 57 ppm OEL chemical category Skin notation Utietd Kingdom - Occupational Exposure Limits skin notation VEL TWA (OEL TWA) [1] 308 mg/m³ WEL TWA (OEL TWA) [2] 50 ppm WEL TWA (OEL TWA) [2] 50 ppm (calculated) <td>OEL TWA</td> <td>308 mg/m³</td>	OEL TWA	308 mg/m ³	
OEL OEL OEL STEL [ppm] 50 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits S0 mg/m³ (indicative limit value) VLA-ED (OEL TWA) [1] 308 mg/m³ (indicative limit value) OEL chemical category sin - potential for cutaneous absorption OEL chemical category skin - potential for cutaneous absorption OEL chemical category skin - potential for cutaneous absorption Sweden - Occupational Exposure Limits S00 mg/m³ NGV (OEL TWA) [2] 300 mg/m³ NGV (OEL TWA) [2] 50 ppm VT (OEL STEL) [2ppm] 75 ppm OEL chemical category kin notation Utted Kingdom - Occupational Exposure Limits S0 ppm WEL TWA (OEL TWA) [1] 308 mg/m³ WEL TWA (OEL TWA) [2] 50 ppm WEL TWA (OEL TWA) [2] 50 ppm WEL TWA (OEL STEL) [2	OEL TWA [ppm]	50 ppm	
OEL chemical categoryPotential for cutaneous absorptionSpain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits300 mg/m³NGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)50 pgmKTV (OEL STEL) [ppm]50 pgmOEL chemical categoryKin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppm (calculated)WEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppm (calculated)WEL TWA (OEL TWA) [2]50 ppm (calculated)WEL TWA (OEL TWA) [2]50 ppm (calculated) <td>OEL STEL</td> <td>308 mg/m³</td>	OEL STEL	308 mg/m ³	
Spain - Occupational Exposure LimitsVLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits300 mg/m³NGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmVEL TWA (OEL TWA) [2]50 ppmSkin notationUNITED (SETEL) [ppm]50 ppmSkin notationUNITED (SETEL) [ppm]50 ppmWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmSkin notationUNITED (SETEL) [ppm]50 ppmSter UNITED (SETEL) [ppm]50 ppmSter UNITED (SETEL) [ppm]50 ppmSter UNITED (SETEL) [ppm]50 ppmSter UNITED (SETEL) [ppm]50 ppm (calculated)Ster UNITED (SETEL) [ppm]50 ppm (calculated)	OEL STEL [ppm]	50 ppm	
VLA-ED (OEL TWA) [1]308 mg/m³ (indicative limit value)VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure Limits300 mg/m³NGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmVEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL) [ppm]10 ppm (calculated)WEL STEL (OEL STEL) [ppm]50 ppm (calculated)	OEL chemical category	Potential for cutaneous absorption	
VLA-ED (OEL TWA) [2]50 ppm (indicative limit value)OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsNGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	Spain - Occupational Exposure Limits		
OEL chemical categoryskin - potential for cutaneous absorptionSweden - Occupational Exposure LimitsNGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	VLA-ED (OEL TWA) [1]	308 mg/m ³ (indicative limit value)	
Sweden - Occupational Exposure LimitsNGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
NGV (OEL TWA)300 mg/m³NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	OEL chemical category	skin - potential for cutaneous absorption	
NGV (OEL TWA) [ppm]50 ppmKTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical category5kin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	Sweden - Occupational Exposure Limits		
KTV (OEL STEL)450 mg/m³KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	NGV (OEL TWA)	300 mg/m ³	
KTV (OEL STEL) [ppm]75 ppmOEL chemical categorySkin notationUnited Kingdom - Occupational Exposure LimitsWEL TWA (OEL TWA) [1]308 mg/m³WEL TWA (OEL TWA) [2]50 ppmWEL STEL (OEL STEL)924 mg/m³ (calculated)WEL STEL (OEL STEL) [ppm]150 ppm (calculated)	NGV (OEL TWA) [ppm]	50 ppm	
OEL chemical category Skin notation United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] WEL TWA (OEL TWA) [2] 308 mg/m³ WEL STEL (OEL STEL) 924 mg/m³ (calculated) WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	KTV (OEL STEL)	450 mg/m ³	
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 308 mg/m³ WEL TWA (OEL TWA) [2] 50 ppm WEL STEL (OEL STEL) 924 mg/m³ (calculated) WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	KTV (OEL STEL) [ppm]	75 ppm	
WEL TWA (OEL TWA) [1] 308 mg/m³ WEL TWA (OEL TWA) [2] 50 ppm WEL STEL (OEL STEL) 924 mg/m³ (calculated) WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	OEL chemical category	Skin notation	
WEL TWA (OEL TWA) [2] 50 ppm WEL STEL (OEL STEL) 924 mg/m³ (calculated) WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	United Kingdom - Occupational Exposure Limits		
WEL STEL (OEL STEL) 924 mg/m³ (calculated) WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	WEL TWA (OEL TWA) [1]	308 mg/m ³	
WEL STEL (OEL STEL) [ppm] 150 ppm (calculated)	WEL TWA (OEL TWA) [2]	50 ppm	
	WEL STEL (OEL STEL)	924 mg/m ³ (calculated)	
WEL chemical category Potential for cutaneous absorption	WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)	
	WEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)	
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	300 mg/m ³
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m ³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	300 mg/m ³ (aerosol, vapour)
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)
KZGW (OEL STEL)	300 mg/m ³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	50 ppm (Dipropylene glycol methyl ether)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard
Odour	: characteristic.
Odour threshold	: No data available
	: No data available
pH Delative evenemetica rate (hutula estate 1)	
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information					
11.1 Information on toxicological effects					
Acute toxicity (oral) : Not classified					
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified				
Dipropylene glycol monomethyl ether (34					
LD50 oral rat	5.35 g/kg				
LD50 dermal rabbit	9500 mg/kg				
Skin corrosion/irritation	Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Serious eye damage/irritation	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Respiratory or skin sensitisation	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Germ cell mutagenicity	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Carcinogenicity : Not classified					
Additional information : Based on available data, the classification criteria are not met					
Reproductive toxicity	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
STOT-single exposure	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
STOT-repeated exposure	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Aspiration hazard	: Not classified				
Additional information	: Based on available data, the classification criteria are not met				
Potential adverse human health effects and	: Based on available data, the classification criteria are not met				
symptoms					

SECTION 12: Ecological information

12.1 Toxicity

12.1. Toxicity				
Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic)				
Dipropylene glycol monomethyl ether (34590-94-8)				
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
12.2. Persistence and degradability				
Diffusol Classic CC-16213 5%				
Persistence and degradability	Not established.			
12.3. Bioaccumulative potential				
Diffusol Classic CC-16213 5%				
Bioaccumulative potential Not established.				
Dipropylene glycol monomethyl ether (34590-94-8)				
Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	:	Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	:	Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510)		lightly hazardous Non-combustible	•	ification accord	ing to AwSV, Annex 1)
Joint storage table	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for	: LGK 1, LG	K 6.2, LGK 7.			
Joint storage with restrictions permitted for	: LGK 4.1A,	LGK 4.3, LGK 5	.1C.		
Joint storage permitted for	LGK 6.1B, 10-13.	LGK 6.1C, LGK	6.1D, LGK 8A,	LGK 8B, LGK 1	LGK 5.1B, LGK 5.2, LG 0, LGK 11, LGK 12, LG
Hazardous Incident Ordinance (12. BImSchV)	: Is not sub	ject of the Hazar	dous Incident O	rdinance (12. B	ImSchV)
Netherlands					
ABM category	: B(4) - low	hazard for aquat	c organisms		
SZW-lijst van kankerverwekkende stoffen	: None of th	e components ar	e listed		
SZW-lijst van mutagene stoffen	: None of the components are listed				
SZW-lijst van reprotoxische stoffen – Borstvoeding		e components ar			
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of th	e components ar	e listed		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of th	e components ar	e listed		
Denmark					
Classification remarks	: Emergenc	y management g	uidelines for the	storage of flan	nmable liquids must be
- · · · ·					
Switzerland					

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other i	nformation			
Data sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. 			
Other information	: None.			
Full text of H- and EUH-statements:				
EUH210	Safety data sheet available on request.			
The classification complies with : ATP 12				

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.