

LONG WINTER'S NAP CC-16219 10% in DPG



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 12/2/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : LONG WINTER'S NAP CC-16219 10% in DPG
Product code : CC-16219_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

Hexyl cinnamic aldehyde; Vertenex; Cinnamic aldehyde; Orange oil ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; benzyl alcohol; CUPRESSUS FUNEBRIS WOOD OIL

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases

: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50 | 0.37 – 0.73134 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Vertenex | CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286-24 | 0.26 – 0.51194 | Skin Sens. 1B, H317 |
| Cinnamic aldehyde | CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-45 | 0.16 – 0.3291 | Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412 |
| Orange oil | CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353-35 | 0.15 – 0.3012 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04 | 0.11 – 0.2194 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 |
| benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH) | CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38 | 0.11 – 0.2194 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| CUPRESSUS FUNEBRIS WOOD OIL | CAS-No.: 85085-29-6 EC-No.: 285-360-9 | 0.05 – 0.1097 | Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT) | CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829-23 | 0.04 – 0.07451 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| (R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH) | CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-35 | 0.03 – 0.05902 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| 2-phenoxyethanol substance with national workplace exposure limit(s) (AT, DE, FI, PL, SI, CH) | CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943-21 | 0.02 – 0.03657 | Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Eye Dam. 1, H318 |
| dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO) | CAS-No.: 138-86-3 EC-No.: 205-341-0 | 0 – 0.00625 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| .alpha.-Pinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO) | CAS-No.: 80-56-8 EC-No.: 201-291-9 | 0 – 0.0023 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL) | CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-44 | 0 – 0.002193 | Acute Tox. 4 (Oral), H302 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|--------------------------------------------------------------------------------------------|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--------------------------------------------------------------------------------------------|

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage table

| | | | | |
|----------|---------|----------|----------|-----------|
| LGK 1 | LGK 2A | LGK 2B | LGK 3 | LGK 4.1A |
| LGK 4.1B | LGK 4.2 | LGK 4.3 | LGK 5.1A | LGK 5.1B |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C |
| LGK 6.1D | LGK 6.2 | LGK 7 | LGK 8A | LGK 8B |
| LGK 10 | LGK 11 | LGK 12 | LGK 13 | LGK 10-13 |

Joint storage not permitted for

: LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

Switzerland

Storage class (LK)

: LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| benzyl alcohol (100-51-6) | |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Czech Republic - Occupational Exposure Limits | |
| PEL (OEL TWA) | 40 mg/m ³ |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 45 mg/m ³ |
| | 10 ppm |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Chemical category | Skin notation |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |
| OEL chemical category | Skin notation |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 240 mg/m ³ |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 22 mg/m ³ |
| | 5 ppm |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| benzyl alcohol (100-51-6) | |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| OEL STEL | 44 mg/m ³ |
| | 10 ppm |
| OEL chemical category | Potential for cutaneous absorption |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 22 mg/m ³ (aerosol, vapour) |
| | 5 ppm (aerosol, vapour) |
| OEL chemical category | Skin notation |
| citral (5392-40-5) | |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 32 mg/m ³ (vapor and aerosol) |
| | 5 ppm (vapor and aerosol) |
| OEL chemical category | Skin |
| Ireland - Occupational Exposure Limits | |
| OEL TWA | 5 ppm |
| OEL STEL | 15 ppm (calculated) |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 27 mg/m ³ |
| NDSch (OEL STEL) | 54 mg/m ³ |
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 5 ppm (inhalable fraction; vapor) |
| OEL chemical category | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 5 ppm (inhalable fraction and vapor) |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 5 ppm (inhalable fraction and vapor) |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 140 mg/m ³ |
| | 25 ppm |
| HTP (OEL STEL) | 280 mg/m ³ |
| | 50 ppm |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
|-------------------------------------------------------|-------------------------------------------------------|
| Chemical category | Skin notation, Skin sensitization |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 28 mg/m ³ |
| | 5 ppm |
| OEL STEL | 112 mg/m ³ |
| | 20 ppm |
| OEL chemical category | Potential for cutaneous absorption |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 168 mg/m ³ |
| | 30 ppm |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) | 140 mg/m ³ |
| | 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) |
| | 37.5 ppm (value calculated) |
| OEL chemical category | Allergenic substance |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 40 mg/m ³ |
| | 7 ppm |
| KZGW (OEL STEL) | 80 mg/m ³ |
| | 14 ppm |
| OEL chemical category | Sensitizer |
| 2-phenoxyethanol (122-99-6) | |
| Austria - Occupational Exposure Limits | |
| MAK (OEL TWA) | 110 mg/m ³ |
| | 20 ppm |
| MAK (OEL STEL) | 110 mg/m ³ |
| | 20 ppm |
| OEL C | 110 mg/m ³ |
| | 20 ppm |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 110 mg/m ³ |
| | 20 ppm |
| HTP (OEL STEL) | 290 mg/m ³ |
| | 50 ppm |
| OEL chemical category | Potential for cutaneous absorption |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| 2-phenoxyethanol (122-99-6) | |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) | 5.7 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 230 mg/m ³ |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 5.7 mg/m ³ 1 ppm |
| OEL STEL | 5.7 mg/m ³ 1 ppm |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 110 mg/m ³ (aerosol, vapour) 20 ppm (aerosol, vapour) |
| KZGW (OEL STEL) | 110 mg/m ³ (aerosol, vapour) 20 ppm (aerosol, vapour) |
| benzaldehyde (100-52-7) | |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) | 4.4 mg/m ³ 1 ppm |
| HTP (OEL C) | 17.4 mg/m ³ 4 ppm |
| Hungary - Occupational Exposure Limits | |
| AK (OEL TWA) | 5 mg/m ³ |
| CK (OEL STEL) | 10 mg/m ³ |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 10 mg/m ³ |
| NDSch (OEL STEL) | 40 mg/m ³ |
| dipentene; limonene (138-86-3) | |
| Estonia - Occupational Exposure Limits | |
| OEL TWA | 150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| dipentene; limonene (138-86-3) | |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| OEL STEL | 300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| | 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 150 mg/m ³ |
| | 25 ppm |
| TPRV (OEL STEL) | 300 mg/m ³ |
| | 50 ppm |
| OEL chemical category | Sensitizer coniferous resin sensitizes the skin |
| Sweden - Occupational Exposure Limits | |
| NGV (OEL TWA) | 150 mg/m ³ |
| | 25 ppm |
| KGV (OEL STEL) | 300 mg/m ³ |
| | 50 ppm |
| OEL chemical category | Sensitizer |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) | 140 mg/m ³ |
| | 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) |
| | 37.5 ppm (value calculated) |
| OEL chemical category | Allergenic substance |
| .alpha.-Pinene (80-56-8) | |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 20 ppm |
| Estonia - Occupational Exposure Limits | |
| OEL TWA | 150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| | 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| OEL STEL | 300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| | 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 150 mg/m ³ |
| | 25 ppm |
| TPRV (OEL STEL) | 300 mg/m ³ |
| | 50 ppm |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| .alpha.-Pinene (80-56-8) | |
|---------------------------------------------------|-------------------------------------------------------------------------|
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 20 ppm (Turpentine and selected Monoterpenes) |
| OEL chemical category | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) | 113 mg/m ³ 20 ppm |
| OEL chemical category | Sensitizer |
| Sweden - Occupational Exposure Limits | |
| NGV (OEL TWA) | 150 mg/m ³ 25 ppm |
| KGV (OEL STEL) | 300 mg/m ³ 50 ppm |
| OEL chemical category | Sensitizer |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) | 140 mg/m ³ 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) 37.5 ppm (value calculated) |
| OEL chemical category | Skin notation |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA | 20 ppm (Turpentine and selected Monoterpenes) |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, dermal sensitizer |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------------------|-------------------------|
| Physical state | : Liquid |
| Colour | : Conforms to standard. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hexyl cinnamic aldehyde (101-86-0)

| | |
|-----------------------|---------------------------------|
| LD50 oral rat | 3100 mg/kg (Source: NLM_CIP) |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg (Source: EPA_HPVS) |
| LC50 Inhalation - Rat | > 5 mg/l/4h |

Vertenex (32210-23-4)

| | |
|--------------------|---------------------------------|
| LD50 oral rat | 5 g/kg (Source: NLM_CIP) |
| LD50 oral | 3370 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) |

Cinnamic aldehyde (104-55-2)

| | |
|--------------------|-------------------------------|
| LD50 oral rat | 2220 mg/kg (Source: NLM_CIP) |
| LD50 oral | 2220 mg/kg |
| LD50 dermal rabbit | 1260 mg/kg (Source: EPA_HPVS) |

Orange oil (8008-57-9)

| | |
|--------------------|---------------------------------|
| LD50 oral rat | 4400 mg/kg (Source: NZ_CCID) |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) |

benzyl alcohol (100-51-6)

| | |
|---------------|------------------------------|
| LD50 oral rat | 1230 mg/kg (Source: NLM_CIP) |
| LD50 oral | 1570 mg/kg |

citral (5392-40-5)

| | |
|--------------------|------------------------------|
| LD50 oral rat | 4960 mg/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | 2250 mg/kg (Source: NLM_CIP) |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
|-------------------------------------------------------|--------------------------------------------------------------------|
| LD50 oral rat | 4400 mg/kg (Source: CHEMVIEW) |
| LD50 dermal rabbit | > 5 g/kg (Source: CHEMVIEW) |
| 2-phenoxyethanol (122-99-6) | |
| LD50 oral rat | 1850 mg/kg (Source: EU_CLH) |
| LD50 oral | 1394 mg/kg bodyweight |
| LD50 dermal rabbit | 5 ml/kg (Source: NLM_CIP) |
| LC50 Inhalation - Rat | > 0.057 mg/l (Exposure time: 8 h Source: EU_CLH) |
| benzaldehyde (100-52-7) | |
| LD50 oral rat | 1292 mg/kg (Source: JAPAN_GHS) |
| LD50 dermal rabbit | > 1250 mg/kg (Source: JAPAN_GHS) |
| LC50 Inhalation - Rat | < 5 mg/l/4h |
| dipentene; limonene (138-86-3) | |
| LD50 oral rat | 5300 mg/kg (Source: NLM_CIP) |
| .alpha.-Pinene (80-56-8) | |
| LD50 oral rat | 3700 mg/kg (Source: NLM_CIP) |
| LD50 dermal rat | > 5000 mg/kg (Source: CHEMVIEW) |
| Skin corrosion/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| 2-phenoxyethanol (122-99-6) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Hydrocarbon | Yes |
| dipentene; limonene (138-86-3) | |
| Hydrocarbon | Yes |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alpha.-Pinene (80-56-8)

| | |
|-------------|-----|
| Hydrocarbon | Yes |
|-------------|-----|

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Vertenex (32210-23-4)

| | |
|-----------------|--------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA) |
|-----------------|--------------------------------------------------------------------------------------|

benzyl alcohol (100-51-6)

| | |
|-----------------|------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) |
|-----------------|------------------------------------------------------------------------------------|

| | |
|-----------------|-----------------------------------------------------------------------------------|
| LC50 - Fish [2] | 10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
|-----------------|-----------------------------------------------------------------------------------|

| | |
|----------------------|-----------------------------------------------------|
| EC50 - Crustacea [1] | 23 mg/l (Exposure time: 48 h - Species: water flea) |
|----------------------|-----------------------------------------------------|

citral (5392-40-5)

| | |
|----------------------|-------------------------------------------------------|
| EC50 - Crustacea [1] | 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
|----------------------|-------------------------------------------------------|

| | |
|----------------------|--------------------------------------------|
| EC50 72h - Algae [1] | 16 mg/l (Species: Desmodesmus subspicatus) |
|----------------------|--------------------------------------------|

| | |
|----------------------|--------------------------------------------|
| EC50 96h - Algae [1] | 19 mg/l (Species: Desmodesmus subspicatus) |
|----------------------|--------------------------------------------|

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

| | |
|-----------------|----------------------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
|-----------------|----------------------------------------------------------------------------------------------------|

| | |
|-----------------|--------------------------------------------------------------------------|
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) |
|-----------------|--------------------------------------------------------------------------|

2-phenoxyethanol (122-99-6)

| | |
|-----------------|------------------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 337 – 352 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
|-----------------|------------------------------------------------------------------------------------------------|

| | |
|-----------------|---------------------------------------------------------------------------------------|
| LC50 - Fish [2] | 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) |
|-----------------|---------------------------------------------------------------------------------------|

| | |
|----------------------|-----------------------------------------------------------|
| EC50 - Crustacea [1] | > 500 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
|----------------------|-----------------------------------------------------------|

| | |
|----------------------|-----------------------------------------------|
| EC50 72h - Algae [1] | > 500 mg/l (Species: Desmodesmus subspicatus) |
|----------------------|-----------------------------------------------|

benzaldehyde (100-52-7)

| | |
|-----------------|--------------------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA) |
|-----------------|--------------------------------------------------------------------------------------------------|

| | |
|-----------------|-----------------------------------------------------------------------------------------|
| LC50 - Fish [2] | 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID) |
|-----------------|-----------------------------------------------------------------------------------------|

.alpha.-Pinene (80-56-8)

| | |
|-----------------|----------------------------------------------------------------------------------------|
| LC50 - Fish [1] | 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) |
|-----------------|----------------------------------------------------------------------------------------|

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| .alpha.-Pinene (80-56-8) | |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------|
| EC50 - Crustacea [1] | 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| 12.2. Persistence and degradability | |
| LONG WINTER'S NAP CC-16219 10% in DPG | |
| Persistence and degradability | Not established. |
| Hexyl cinnamic aldehyde (101-86-0) | |
| Persistence and degradability | Rapidly degradable |
| Vertenex (32210-23-4) | |
| Persistence and degradability | Rapidly degradable |
| Cinnamic aldehyde (104-55-2) | |
| Persistence and degradability | Rapidly degradable |
| Orange oil (8008-57-9) | |
| Persistence and degradability | Rapidly degradable |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) | |
| Persistence and degradability | Rapidly degradable |
| benzyl alcohol (100-51-6) | |
| Persistence and degradability | Rapidly degradable |
| CUPRESSUS FUNEBRIS WOOD OIL (85085-29-6) | |
| Persistence and degradability | Rapidly degradable |
| citral (5392-40-5) | |
| Persistence and degradability | Rapidly degradable |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Persistence and degradability | Rapidly degradable |
| 2-phenoxyethanol (122-99-6) | |
| Persistence and degradability | Rapidly degradable |
| benzaldehyde (100-52-7) | |
| Persistence and degradability | Rapidly degradable |
| dipentene; limonene (138-86-3) | |
| Persistence and degradability | Rapidly degradable |
| .alpha.-Pinene (80-56-8) | |
| Persistence and degradability | Rapidly degradable |
| 12.3. Bioaccumulative potential | |
| LONG WINTER'S NAP CC-16219 10% in DPG | |
| Bioaccumulative potential | Not established. |
| Vertenex (32210-23-4) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.8 (at 25 °C) |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Cinnamic aldehyde (104-55-2) | |
|-------------------------------------------------------|----------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.1065 (at 25 °C) |
| benzyl alcohol (100-51-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.05 |
| citral (5392-40-5) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.76 (at 25 °C) |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (at 37 °C (at pH 7.2)) |
| 2-phenoxyethanol (122-99-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.107 |
| benzaldehyde (100-52-7) | |
| BCF - Fish [1] | (no significant bioaccumulation) |
| Partition coefficient n-octanol/water (Log Pow) | 1.4 (at 25 °C) |
| .alpha.-Pinene (80-56-8) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.1 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------------|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|----------------------------------------|----------------|----------------|----------------|----------------|
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|----------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Orange oil ; (R)-p-mentha-1,8-diene; d-limonene ; dipentene; limonene ; .alpha.-Pinene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| EU restriction list (REACH Annex XVII) | | |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference code | Applicable on | Entry title or description |
| 3(b) | LONG WINTER'S NAP CC-16219 10% in DPG ; Hexyl cinnamic aldehyde ; Vertenex ; Cinnamic aldehyde ; Orange oil ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; benzyl alcohol ; CUPRESSUS FUNEBRIS WOOD OIL ; citral ; (R)-p- mentha-1,8-diene; d- limonene ; 2- phenoxyethanol ; benzaldehyde ; dipentene; limonene ; .alpha.-Pinene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | Hexyl cinnamic aldehyde ; Cinnamic aldehyde ; Orange oil ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; CUPRESSUS FUNEBRIS WOOD OIL ; (R)-p- mentha-1,8-diene; d- limonene ; dipentene; limonene ; .alpha.-Pinene | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |
| 40. | Orange oil ; (R)-p- mentha-1,8-diene; d- limonene ; dipentene; limonene ; .alpha.-Pinene | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

| Occupational diseases | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Code | Description |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen : Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL are listed
SZW-lijst van mutagene stoffen : Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|-------------------------------------------------------------------|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |

LONG WINTER'S NAP CC-16219 10% in DPG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--------------------------------------------------------------------------------------------|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1 | Skin corrosion/irritation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.