Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 10/24/2023



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product : Mixture : Cedarwood & Jasmine CC-16257 25%

: CC-16257_25%

: Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Industrial
 For professional use only
 Perfumes, Fragrances
 Odour agents

Use of the substance/mixture Function or use category

1.2.2. Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin sensitization, Category 1 Hazardous to the aquatic environment – Chronic Hazard Category 2 Full text of H- and EUH-statements: see section 16	H317 H411
Adverse physicochemical, human health and environmental effects	

No additional information available

2.2. Label elements

Labeling according to	Regulation	(EC) No.	1272/2008	[CLP]
-----------------------	------------	----------	-----------	-------

Hazard pictograms (CLP)

Signal word (CLP) Contains Hazard statements (CLP)

Precautionary statements (CLP)



- : Warning
- : d-Limonene; Linalool; Nerol; Eugenol; Hexyl cinnamic aldehyde; Benzyl salicylate; Geraniol
- : H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.
- : P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P273 Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	4.36875 – 8.7375	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	2.0125 – 4.025	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	1.2875 – 2.575	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1.26875 – 2.5375	Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.875 – 1.75	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.65 – 1.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.525 – 1.05	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.39375 – 0.7875	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
musk ketone, 3,5-dinitro-2,6-dimethyl-4-tert- butylacetophenone, 4'-tert-butyl-2',6'-dimethyl-3',5'- dinitroacetophenone	CAS-No.: 81-14-1 EC-No.: 201-328-9 EC Index-No.: 609-069-00-7	0.2625 – 0.525	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1125 – 0.225	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.09375 – 0.1875	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.075 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.075 – 0.15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.01875 – 0.0375	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures	s	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. 	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		

No additional information available

SECTION 5: Firefighting measur	res
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the substance or mixture	

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		

See Heading 8. Exposure controls and personal protection.

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
ing any incompatibilities
 Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA 5 mg/m ³		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA) 40 mg/m ³		

Safety Data Sheet

benzyl alcohol (100-51-6)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	45 mg/m ³	
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA) [1]	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m ³	
OEL TWA	5 ppm	
OEL STEL	44 mg/m ³	
OEL STEL	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m ³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	skin notation	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m ³	

Safety Data Sheet

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)			
OEL TWA	5 ppm		
OEL STEL	112 mg/m ³		
OEL STEL	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	168 mg/m ³		
VLA-ED (OEL TWA) [2]	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m ³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	40 mg/m ³		
MAK (OEL TWA) [2]	7 ppm		
KZGW (OEL STEL)	80 mg/m ³		
KZGW (OEL STEL) [ppm]	14 ppm		
OEL chemical category	Sensitizer		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m ³		
OEL STEL	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m ³		
Lithuania - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m ³		
Portugal - Occupational Exposure Limits	·		
OEL TWA	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)			
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm] 10 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
musk ketone, 3,5-dinitro-2,6-dimethyl-4-tert-butylacetophenone, 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81- 14-1)			
Austria - Occupational Exposure Limits			
OEL chemical category Group B Carcinogen			
8.1.2. Recommended monitoring procedures No additional information available			
8.1.3. Air contaminants formed			

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Color Odor Odor theshold pH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties	 Liquid Standard. characteristic. No data available
Explosive properties Oxidizing properties Explosion limits	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity (dermal) :	Not classified Not classified Not classified		
benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
LD50 oral	1620 mg/kg body weight		
LD50 dermal	2500 mg/kg body weight		
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg body weight		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg body weight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Nerol (106-25-2)			
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)		
LD50 oral	4500 mg/kg body weight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)		
Eugenol (97-53-0)			
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)		
LD50 oral	2500 mg/kg body weight		
Sandela (66068-84-6)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 5.27 mg/l/4h		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg body weight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg body weight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)		

Safety Data Sheet

ACETYL HEXAMETHYL TETRALIN (21145-77-7)			
LD50 oral	1000 mg/kg body weight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg body weight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
musk ketone, 3,5-dinitro-2,6-dimethy 14-1)	I-4-tert-butylacetophenone, 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81-		
LD50 oral rat	10 g/kg		
LD50 dermal rabbit	> 10 g/kg (Source: NLM_HSDB)		
LC50 Inhalation - Rat	> 2.99 mg/l/4h		
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
LD50 oral	3600 mg/kg body weight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)		
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitization Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information (R)-p-mentha-1,8-diene, d-limonene (IARC group Benzyl acetate (140-11-4)	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Source classified Based on available data, the classification criteria are not met Source classified Based on available data, the classification criteria are not met Source classified Based on available data, the classification criteria are not met 		
IARC group	3 - Not classifiable		
Eugenol (97-53-0)			
IARC group	3 - Not classifiable		
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 		
benzyl benzoate (120-51-4)			
Viscosity, kinematic	7.456 mm²/s		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met		

Safety Data Sheet

SECTION 12: Ecological information				
12.1. Toxicity				
Hazardous to the aquatic environment, short–term : Not classified (acute)				
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.			
benzyl alcohol (100-51-6)				
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)			
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)			
Linalool (78-70-6)				
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)			
Nerol (106-25-2)				
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
Eugenol (97-53-0)				
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			
Benzyl salicylate (118-58-1)				
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
Geraniol (106-24-1)				
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)			
12.2. Persistence and degradability				
Cedarwood & Jasmine CC-16257 25%				
Persistence and degradability	Not established.			
Cedarwood oil, Texas (68990-83-0)				
Persistence and degradability	Not established.			
benzyl benzoate (120-51-4)				
Persistence and degradability	May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative potential				
Cedarwood & Jasmine CC-16257 25%				
Bioaccumulative potential	Not established.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow) 1.05			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
Nerol (106-25-2)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Cedarwood oil, Texas (68990-83-0)			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
ACETYL HEXAMETHYL TETRALIN (21145-77-	-7)		
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		
Benzyl salicylate (118-58-1)			
Partition coefficient n-octanol/water (Log Pow)	4		
musk ketone, 3,5-dinitro-2,6-dimethyl-4-tert-butylacetophenone, 4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (81- 14-1)			
Partition coefficient n-octanol/water (Log Pow)	4.24 (at 25 °C)		
Geraniol (106-24-1)			
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HP code

```
: HP3 - "Flammable:"
```

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 $^\circ\text{C}$ and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		1	1	
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin)	Environmentally hazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethy Tetralin)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group				
111	111	111	111	111
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1	1	1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	 M6 274, 335, 375, 601 5I E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage Transport category (ADR)	: AT : 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	¹ 90
	90 3082
	3082
Tunnel restriction code (ADR)	: -
EAC	: •3Z
Termonet busine	
Transport by sea Special provision (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG) Tank special provisions (IMDG)	: T4 : TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA) ERG code (IATA)	: A97, A158, A197, A215 : 9L
	. 52
Inland waterway transport	
Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN) Carriage permitted (ADN)	: E1 : T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	. MC
Classification code (RID)	: M6
10/24/2023 (Issue date)	EN (English LIS)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Special provision (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	: : : :	274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29
 (RID) Tank codes for RID tanks (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID) Colis express (express parcels) (RID) Hazard identification number (RID) 		LGBV 3 W12 CW13, CW31 CE8 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

1					
	EU restriction	Lint /		Annow	
1	EU restriction	IISU	REACH	Annex	

EU restriction list (REACH Annex XVII)				
Reference code Applicable on		Entry title or description		
3(a)	(R)-p-mentha-1,8-diene, d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	Cedarwood & Jasmine CC-16257 25% ; benzyl alcohol ; (R)-p-mentha- 1,8-diene, d-limonene ; Linalool ; Nerol ; Eugenol ; Cedarwood oil, Texas ; Sandela ; Hexyl cinnamic aldehyde ; benzyl benzoate ; Benzyl salicylate ; musk ketone, 3,5-dinitro-2,6-dimethyl-4- tert-butylacetophenone, 4'-tert-butyl-2',6'-dimethyl- 3',5'-dinitroacetophenone ; Geraniol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(c)	Cedarwood & Jasmine CC-16257 25% ; (R)-p- mentha-1,8-diene, d- limonene ; Benzyl acetate ; Cedarwood oil, Texas ; Sandela ; Hexyl cinnamic aldehyde ; benzyl benzoate ; Benzyl salicylate ; musk ketone, 3,5-dinitro-2,6-dimethyl-4- tert-butylacetophenone, 4'-tert-butyl-2',6'-dimethyl- 3',5'-dinitroacetophenone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	(R)-p-mentha-1,8-diene, d-limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Water hazard class (WGK)	:	WGK 2, signific	ant hazardous	to water (Class	sification accord	ling to AwSV, Ar	nnex 1).
Storage class (LGK, TRGS 510)	:	LGK 12 - Non-o	combustible liqu	uids.			
Joint storage table	:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for Joint storage with restrictions permitted for : LGK 1, LGK 6.2, LGK 7.

: LGK 4.1A, LGK 4.3, LGK 5.1C.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage permitted for	:	LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
ABM category	:	A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	:	Cedarwood oil, Texas,Sandela are listed
SZW-lijst van mutagene stoffen	:	Sandela is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Classification remarks Danish National Regulations		Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland		
Storage class (LK)	:	LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other informati	on
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of H- and EUH-phrases	:

Full text of H- and EUH-phrases:				
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1			
Aquatic Chronic 1	lazardous to the aquatic environment – Chronic Hazard Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3			
Asp. Tox. 1	Aspiration hazard Category 1			
Carc. 2	Carcinogenicity Category 2			
Eye Dam. 1	Serious eye damage/eye irritation Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids Category 3			
H226	Flammable liquid and vapor.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:			
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H351	Suspected of causing cancer.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
Skin Sens. 1	Skin sensitization, Category 1		
Skin Sens. 1B	Skin sensitization, Category 1B		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.