

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|--------------------------------------|
| Product form | : Mixture |
| Product name | : Morning Dew CC-16268 at 10% in DPG |
| Product code | : CC-16268-10% |
| Type of product | : Perfumes, fragrances |
| Product group | : Trade product |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|---|
| Main use category | : Industrial use, Professional use |
| Industrial/Professional use spec | : Industrial For professional use only |
| Use of the substance/mixture | : Perfumes, fragrances |
| Function or use category | : Odour agents |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherrwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

| | |
|------------------|--|
| Emergency number | : 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086 |
|------------------|--|

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Skin sensitisation, Category 1 | H317 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 3 | H412 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: Hexyl cinnamic aldehyde; Hydroxy; Iso E Super; Grapefruit oil; Citronellol Pure; Linalyl acetate; Linalool

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|--|
| Precautionary statements (CLP) | : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label). |
| Extra phrases | : For professional users only. |

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|------------|---|
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50 | 0.6 – 1.2 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Sandela | CAS-No.: 66068-84-6 EC-No.: 266-100-3 | 0.25 – 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29 | 0.2 – 0.4 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Iso E Super | CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04 | 0.2 – 0.4 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 |
| Grapefruit oil | CAS-No.: 8016-20-4 EC-No.: 600-007-4 | 0.15 – 0.3 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Citronellol Pure | CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995-23 | 0.15 – 0.3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-19 | 0.15 – 0.3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------------|--|
| Hydroxy | CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482-31 | 0.13 – 0.25 | Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42 | 0.1 – 0.2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH) | CAS-No.: 112-30-1 EC-No.: 203-956-9 | 0 – 0.00084 | Aquatic Chronic 3, H412 |
| Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL) | CAS-No.: 66-25-1 EC-No.: 200-624-5 | 0 – 0.00021 | Flam. Liq. 3, H226 |
| Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV) | CAS-No.: 142-62-1 EC-No.: 205-550-7 | 0 – 0.00001 | Eye Dam. 1, H318 Skin Corr. 1C, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation | : May cause an allergic skin reaction. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Sand. Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Alcohol C-10 (112-30-1) | |
|--|---|
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| AGW (OEL TWA) [1] | 66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| AGW (OEL TWA) [2] | 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 10 mg/m ³ |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 100 mg/m ³ |
| OEL TWA | 15 ppm |
| OEL STEL | 200 mg/m ³ |
| OEL STEL | 30 ppm |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) [1] | 66 mg/m ³ (aerosol, vapour) |
| MAK (OEL TWA) [2] | 10 ppm (aerosol, vapour) |
| KZGW (OEL STEL) | 66 mg/m ³ (aerosol, vapour) |
| KZGW (OEL STEL) [ppm] | 10 ppm (aerosol, vapour) |
| Caproic acid (142-62-1) | |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (OEL TWA) | 5 mg/m ³ |
| Aldehyde C-6 (66-25-1) | |
| Finland - Occupational Exposure Limits | |
| HTP (OEL STEL) | 42 mg/m ³ |
| HTP (OEL STEL) [ppm] | 10 ppm |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)

Poland - Occupational Exposure Limits

| | |
|------------------|----------------------|
| NDS (OEL TWA) | 40 mg/m ³ |
| NDSch (OEL STEL) | 80 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | : Liquid |
| Colour | : Standard. light yellow. amber. Conforms to standard. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hexyl cinnamic aldehyde (101-86-0)

| | |
|-----------------------|---------------------------------|
| LD50 oral rat | 3100 mg/kg (Source: NLM_CIP) |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg (Source: EPA_HPVS) |
| LC50 Inhalation - Rat | > 5 mg/l/4h |

Sandela (66068-84-6)

| | |
|-----------------------|---------------------------------|
| LD50 dermal rat | > 2000 mg/kg (Source: ECHA_API) |
| LC50 Inhalation - Rat | > 5.27 mg/l/4h |

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

| | |
|--------------------|---------------------------------|
| LD50 oral rat | > 3250 mg/kg (Source: CHEMVIEW) |
| LD50 dermal rabbit | > 3250 mg/kg (Source: CHEMVIEW) |

Hydroxy (107-75-5)

| | |
|--------------------|---------------------------------|
| LD50 oral rat | > 5 g/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | > 2000 mg/kg (Source: ECHA_API) |

Grapefruit oil (8016-20-4)

| | |
|---------------|----------------------------|
| LD50 oral rat | > 5 g/kg (Source: NLM_CIP) |
|---------------|----------------------------|

Citronellol Pure (106-22-9)

| | |
|--------------------|-------------------------------|
| LD50 oral rat | 3450 mg/kg (Source: NLM_CIP) |
| LD50 oral | 3450 mg/kg bodyweight |
| LD50 dermal rabbit | 2650 mg/kg (Source: EPA_HPVS) |
| LD50 dermal | 2650 mg/kg bodyweight |

Linalyl acetate (115-95-7)

| | |
|--------------------|---------------------------------|
| LD50 oral rat | 14550 mg/kg (Source: EPA_HPVS) |
| LD50 dermal rabbit | > 5000 mg/kg (Source: EPA_HPVS) |

Linalool (78-70-6)

| | |
|-----------|-----------------------|
| LD50 oral | 2790 mg/kg bodyweight |
|-----------|-----------------------|

Alcohol C-10 (112-30-1)

| | |
|--------------------|------------------------------|
| LD50 oral rat | 4720 mg/kg (Source: NZ_CCID) |
| LD50 dermal rabbit | 3560 mg/kg (Source: NLM_CIP) |

Caproic acid (142-62-1)

| | |
|--------------------|------------------------------|
| LD50 oral rat | 3 g/kg (Source: NLM_HSDB) |
| LD50 oral | 4000 mg/kg bodyweight |
| LD50 dermal rabbit | 630 mg/kg (Source: NLM_HSDB) |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Aldehyde C-6 (66-25-1) | |
|-----------------------------------|--|
| LD50 oral rat | 4890 mg/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | > 8100 mg/kg (Source: ECHA_API) |
| Skin corrosion/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Ecology - water : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | |
|--|--|
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas |
| EC50 - Crustacea [2] | 260 µg/l REACH Dossier |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier |
| Linalyl acetate (115-95-7) | |
| LC50 - Fish [1] | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) |
| Linalool (78-70-6) | |
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodosmus subspicatus) |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Alcohol C-10 (112-30-1) | |
|-------------------------|--|
| LC50 - Fish [1] | 2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
| LC50 - Fish [2] | 4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
| EC50 - Crustacea [1] | 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

| Caproic acid (142-62-1) | |
|-------------------------|--|
| LC50 - Fish [1] | 306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
| LC50 - Fish [2] | 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) |

| Aldehyde C-6 (66-25-1) | |
|------------------------|--|
| LC50 - Fish [1] | 12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |

12.2. Persistence and degradability

| Morning Dew CC-16268 at 10% in DPG | |
|------------------------------------|--|
| Persistence and degradability | May cause long-term adverse effects in the environment. Not established. |

12.3. Bioaccumulative potential

| Morning Dew CC-16268 at 10% in DPG | |
|------------------------------------|------------------|
| Bioaccumulative potential | Not established. |

| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | |
|--|--|
| BCF - Fish [1] | (1618 dimensionless (whole body w.w.)) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7)) |

| Hydroxy (107-75-5) | |
|---|-----------------|
| Partition coefficient n-octanol/water (Log Pow) | 1.68 (at 25 °C) |

| Citronellol Pure (106-22-9) | |
|---|-----------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.41 (at 25 °C) |

| Linalyl acetate (115-95-7) | |
|---|----------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (at 25 °C) |

| Alcohol C-10 (112-30-1) | |
|---|--------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 4.5 (at 25 °C (at pH 6)) |

| Caproic acid (142-62-1) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 1.88 |

| Aldehyde C-6 (66-25-1) | |
|---|--------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.3 (at 25 °C (at pH 5)) |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.
Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.
HP Code : HP3 - "Flammable:"
– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|---|--|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Grapefruit oil ; Aldehyde C-6 | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | Morning Dew CC-16268 at 10% in DPG ; Hexyl cinnamic aldehyde ; Sandela ; Hydroxy ; Iso E Super ; Grapefruit oil ; Citronellol Pure ; Linalyl acetate ; Linalool ; Caproic acid | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | Morning Dew CC-16268 at 10% in DPG ; Hexyl cinnamic aldehyde ; Sandela ; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCb) ; Iso E Super ; Grapefruit oil ; Alcohol C-10 | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |
| 40. | Grapefruit oil ; Aldehyde C-6 | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

- ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
- SZW-lijst van kankerverwekkende stoffen : Sandela is listed
- SZW-lijst van mutagene stoffen : Sandela is listed
- SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

- Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
- Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

- Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

- Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Other information : None.

Full text of H- and EUH-statements:

| | |
|-------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |

Morning Dew CC-16268 at 10% in DPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.