## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/19/2023



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

7
)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

1. Classification of the substance or mixt	ure
assification according to Regulation (EC) No. 1	272/2008 [CLP]
in corrosion/irritation, Category 2	H315
erious eye damage/eye irritation, Category 2	H319
in sensitisation, Category 1	H317
azardous to the aquatic environment – Chronic Ha	zard, Category 1 H410

Full text of H- and EUH-statements: see section 16


#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

Labelling	according	to Re	gulation (	(EC)	No.	1272/2008	[CLP]	

Hazard pictograms (CLP)



Signal word (CLP) Contains

: Warning

: Iso E Super; Hexyl cinnamic aldehyde; CUPRESSUS FUNEBRIS WOOD OIL; COUMARIN; Nerol; Helional; Cyclamal; Geranium oil Egyptian ; Patchouli oil; Linalool

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	11 – 22	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	7 – 14	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	2.5 – 5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	2.5 – 4.9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1 – 2.001	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.6 – 1.2	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.5 – 0.9	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.4 - 0.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.4 - 0.8	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.3 – 0.5	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	0.2 - 0.4	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.2 – 0.3	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.0485 – 0.12145	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.0485 – 0.12125	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Fats and Glyceridic oils, vegetable substance with national workplace exposure limit(s) (BE)	CAS-No.: 68956-68-3 EC-No.: 273-313-5	0.0001 – 0.002	Not classified
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.00002	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>May cause an allergic skin reaction.</li> <li>Causes skin irritation. Irritation. May cause an allergic skin reaction.</li> <li>Causes serious eye irritation. Eye irritation.</li> </ul>
4.3. Indication of any immediate medical a	ttention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2 Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li> </ul>	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
8.1.1 National occupational exposure and biological limit values			
Fats and Glyceridic oils, vegetable (68956-68-	Fats and Glyceridic oils, vegetable (68956-68-3)		
Belgium - Occupational Exposure Limits			
OEL TWA	10 mg/m³ (mist)		
Citral (5392-40-5)			
Belgium - Occupational Exposure Limits			
OEL TWA 32 mg/m <sup>3</sup> (vapor and aerosol)			
OEL TWA [ppm] 5 ppm (vapor and aerosol)			
OEL chemical category	Skin		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	5 ppm		
OEL STEL [ppm]	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (5392-40-5)		
NDSCh (OEL STEL) 54 mg/m <sup>3</sup>		
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Colour Odour	: Liquid : light yellow. amber. Conforms to standard. : characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93 °C (closed cup) ASTM D7094
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (oral) :	Not classified			
	Not classified			
,	Not classified			
Sandela (66068-84-6)				
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)			
LC50 Inhalation - Rat	> 5.27 mg/l/4h			
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)			
LD50 oral	3100 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)			
LC50 Inhalation - Rat	> 5 mg/l/4h			
Hexamethylindanopyran (1222-05-5)				
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)			
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)			
Phenylethyl alcohol (60-12-8)				
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)			
LD50 oral	1610 mg/kg bodyweight			
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)			
LD50 dermal	2500 mg/kg bodyweight			
LC50 Inhalation - Rat	> 4.63 mg/l/4h			
Dihydromyrcenol (18479-58-8)				
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)			
LD50 oral	3600 mg/kg bodyweight			
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
COUMARIN (91-64-5)				
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)			
LD50 oral	290 mg/kg bodyweight			
LD50 dermal rat	293 mg/kg (Source: ECHA_API)			
Nerol (106-25-2)				
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)			
LD50 oral	4500 mg/kg bodyweight			
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)			
Helional (1205-17-0)				
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)			

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Geranium oil Egyptian (8000-46-2)	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
LD50 oral rat	570 mg/kg (Source: NLM_CIP)
LD50 oral	1000 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
	Causes skin irritation.
	Causes skin irritation.
	Causes serious eye irritation.
	May cause an allergic skin reaction.
5 ,	Not classified
<b>3</b> ,	Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
, ,	Not classified
5 1	Not classified
	Not classified
Aspiration hazard : Benzyl benzoate (120-51-4)	Not classified
	7.456 mm2/o
Viscosity, kinematic	7.456 mm²/s
11.2. Information on other hazards	

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general: Very toxic to aquatic life with long lasting effects.Hazardous to the aquatic environment, short-term (acute): Not classifiedHazardous to the aquatic environment, long-term (chronic): Very toxic to aquatic life with long lasting effects.			
Hexamethylindanopyran (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/I REACH Dossier		
Phenylethyl alcohol (60-12-8)			
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)		
Nerol (106-25-2)			
LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
IOEC (chronic) 0.168 mg/l			
Citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		

## 12.2. Persistence and degradability

Geranium oil Egyptian (8000-46-2)			
Persistence and degradability May cause long-term adverse effects in the environment.			
Benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
Hexamethylindanopyran (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Phenylethyl alcohol (60-12-8)			
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)
Nerol (106-25-2)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
Geranium oil Egyptian (8000-46-2)	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	

### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code : HP3 - "Flammable:" – flammable liquid waste: liquid waste having a flash

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq$  75 °C;

 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

 ${\sf HP4}$  - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			<u>.</u>
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)
Fransport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9 III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group				
111	III	III	III	III
4.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.6. Special precautions for user

Overland	transport
Ovenana	uanoport

and inatoling (ADV)       : 90         Orange plates       : 90         Tunnel restriction code (ADR)       : -         EAC code       : 3Z         Transport by sea       :         Special provisions (IMDG)       : 274, 335, 969         Limited quantities (IMDG)       : 5 L         Excepted quantities (IMDG)       : E1         Packing instructions (IMDG)       : IPP1         IBC packing instructions (IMDG)       : IBC03         Tank instructions (IMDG)       : T4         Tank special provisions (IMDG)       : TP1, TP29         EmS-No. (Spillage)       : S -F         Stowage category (IMDG)       : A         Air transport       : Y964         PCA Excepted quantities (IATA)       : Y964         PCA packing instructions (IATA)       : 964         PCA packing instructions (IATA)       : 964         PCA apacking instructions (IATA)       : 964         PCA apacking instructions (IATA)       : 964         PCA max net quantity (IATA)       : 450L         CAO max net quantity (IATA)       : 450L         CAO packing instructions (IATA)       : 964         PCA max net quantity (IATA)       : 450L         Special provisions (IATA)       : 964	Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR)	: TP1, TP29 : LGBV : AT : 3 : V12
Orange plates:90 3082Tunnel restriction code (ADR):EAC code:Special provisions (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):ElPacking instructions (IMDG)Special provisions (IMDG):End quantities (IMDG):End quantities (IMDG):End quantities (IMDG):Packing instructions (IMDG):Pocking instructions (IMDG):Pocking instructions (IMDG):Tank instructions (IMDG):Tank instructions (IMDG):Tank special provisions (IMDG):Tank special quantities (IATA):Stowage category (IMDG):Air transport:PCA Excepted quantities (IATA):PCA Aimited quantity max net quantity (IATA):Special provisions (IATA)<		: 90
EAC code: -3ZTransport by sea		
Transport by seaSpecial provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4, T29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): Y964PCA limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 7Equipment required (ADN): 0Rait transport: 0		: -
Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4, T299EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAAir transportPCA Excepted quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA apacking instructions (IATA): 964PCA apacking instructions (IATA): 964PCA max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91Inland waterway transport:Classification code (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7TEquipment required (ADN): 7TEquipment required (ADN): 0Rail transport:Rail transport:	EAC code	:•32
Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): Y964PCA limited quantities (IATA): Y964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Cade (IATA): 9LInland waterway transport:Classification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 7Equipment required (ADN): 0Rail transport: 0	Special provisions (IMDG) Limited quantities (IMDG)	: 5 L
IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Cade (IATA): 964Cade (IATA): 450LSpecial provisions (IATA): 964Cade (IATA): 91LInland waterway transport: 450LClassification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 7Equipment required (ADN): 0Rail transport: 0		: LP01, P001
Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transportClassification code (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Rail transport		: PP1
Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport		
EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transportPCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964Classification code (ADN)::Linand waterway transport:274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):0Rail transport:0		
EmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 9450LSpecial provisions (IATA): 91Inland waterway transportClassification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 0Rail transport: 0		
Stowage category (IMDG): AAir transport: E1PCA Excepted quantities (IATA): Y964PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Rail transport		
PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport		
PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport		
PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport	-	<b>F</b> 4
PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0		
PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): F1Carriage permitted (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0		
CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): 0Rail transport: 0		•
CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): 0Rail transport		: 450L
Special provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0		
ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LCarriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0		
Inland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport		
Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0	,	
Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0	Inland waterway transport	
Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport	Classification code (ADN)	
Excepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport		
Carriage permitted (ADN)       : T         Equipment required (ADN)       : PP         Number of blue cones/lights (ADN)       : 0         Rail transport		
Equipment required (ADN)       : PP         Number of blue cones/lights (ADN)       : 0         Rail transport		
Number of blue cones/lights (ADN) : 0 Rail transport		
Rail transport		
	- · ·	
Classification code (RID) : M6		
	Classification code (RID)	: M6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	SWEET DREAMS CC-16307 ; Iso E Super ; Sandela ; Hexyl cinnamic aldehyde ; Phenylethyl alcohol ; CUPRESSUS FUNEBRIS WOOD OIL ; Dihydromyrcenol ; Nerol ; Helional ; Cyclamal ; Geranium oil Egyptian ; Patchouli oil ; Linalool ; Benzyl benzoate ; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	SWEET DREAMS CC-16307 ; Iso E Super ; Sandela ; Hexyl cinnamic aldehyde ; Hexamethylindanopyran ; CUPRESSUS FUNEBRIS WOOD OIL ; Helional ; Cyclamal ; Geranium oil Egyptian ; Patchouli oil ; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding	<ul> <li>Sandela, CUPRESSUS FUNEBRIS WOOD OIL, Fats and Glyceridic oils, vegetable are listed</li> <li>Sandela, CUPRESSUS FUNEBRIS WOOD OIL, Fats and Glyceridic oils, vegetable are listed</li> <li>None of the components are listed</li> </ul>
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	<ul><li>None of the components are listed</li><li>None of the components are listed</li></ul>
Denmark	
Classification remarks Danish National Regulations	<ul> <li>Emergency management guidelines for the storage of flammable liquids must be followed</li> <li>Young people below the age of 18 years are not allowed to use the product</li> <li>Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.