Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/19/2023



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name UFI	: Mixture : UNDER THE STARS CC-16310 : XRCQ-MAF6-C00E-P5DR
Product code	: CC-16310
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

: Vertenex; Hexyl cinnamic aldehyde; Patchouli oil; Linalool; Linalyl acetate; COUMARIN;

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Serious eye damage/eye irritation, Category 2	H319	
Skin sensitisation, Category 1	H317	
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412	
Full text of H- and EUH-statements: see section 16		
Adverse physicochemical, human health and environmental effects		
Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.		
2.2. Label elements		
Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms (CLP) : GHS07		

Signal word (CLP) Contains

: Warning

9/19/2023 (Issue date)

Lavandin abrialis oil; Helional; d-Limonene

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	4.9 – 9.88	Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4.3 – 8.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	4 – 7.91	Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.75 – 2.98	Eye Irrit. 2, H319
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1.3 – 2.55	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	1.2 – 2.37	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.9 – 1.7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.7485 – 1.5878	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.7 – 1.48	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.5 – 1.0491	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.59	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	0.2 – 0.49	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.2 – 0.49	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	0.2 – 0.3	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.1 – 0.227	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.0485 – 0.1517	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Dipentene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3	0 – 0.0245	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.009	Flam. Liq. 3, H226

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.0032	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
CAS-No.: 68956-68-3 EC-No.: 273-313-5	0.0001 – 0.00176	Not classified
	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23 CAS-No.: 68956-68-3	CAS-No.: 5392-40-5 0 - 0.0032 EC-No.: 226-394-6 0 - 0.0032 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23 0.0001 -

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Eye irritation. 	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

Other information

6.4. Reference to other sections

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equip	6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel					
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.				
6.1.2. For emergency responders					
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".				
Emergency procedures	: Ventilate area.				
6.2. Environmental precautions					
Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.					
6.3. Methods and material for containment and cleaning up					
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.				

: Dispose of materials or solid residues at an authorized site.

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, includin	Always wash hands after handling the product.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away
	from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m ³	
Finland - Occupational Exposure Limits	·	
HTP (OEL TWA) [1]	45 mg/m³	
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m ³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m ³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

d-Limonene (5989-27-5)				
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Chemical category	Skin notation, Skin sensitization			
Slovenia - Occupational Exposure Limits				
OEL TWA	28 mg/m ³			
OEL TWA [ppm]	5 ppm			
OEL STEL	112 mg/m ³			
OEL STEL [ppm]	20 ppm			
OEL chemical category	Potential for cutaneous absorption			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	168 mg/m ³			
VLA-ED (OEL TWA) [2]	30 ppm			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
Norway - Occupational Exposure Limits	•			
Grenseverdi (OEL TWA) [1]	140 mg/m ³			
Grenseverdi (OEL TWA) [2]	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)			
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)			
OEL chemical category	Allergenic substance			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA) [1]	40 mg/m ³			
MAK (OEL TWA) [2]	7 ppm			
KZGW (OEL STEL)	80 mg/m ³			
KZGW (OEL STEL) [ppm]	14 ppm			
OEL chemical category	Sensitizer			
Fats and Glyceridic oils, vegetable (68956-68-3)				
Belgium - Occupational Exposure Limits				
OEL TWA	10 mg/m ³ (mist)			
Dipentene (138-86-3)				
Estonia - Occupational Exposure Limits				
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	150 mg/m³			

Safety Data Sheet

Dipentene (138-86-3)			
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m ³		
TPRV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer coniferous resin sensitizes the skin		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m ³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m ³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits	·		
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
.alphaPinene (80-56-8)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m ³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits	Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m ³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)				
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	150 mg/m³			
NGV (OEL TWA) [ppm]	25 ppm			
KTV (OEL STEL)	300 mg/m ³			
KTV (OEL STEL) [ppm]	50 ppm			
OEL chemical category	Sensitizer			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA) [1]	140 mg/m ³			
Grenseverdi (OEL TWA) [2]	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m ³ (value calculated)			
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)			
OEL chemical category	Skin notation			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer			
Citral (5392-40-5)				
Belgium - Occupational Exposure Limits				
OEL TWA	32 mg/m ³ (vapor and aerosol)			
OEL TWA [ppm]	5 ppm (vapor and aerosol)			
OEL chemical category	Skin			
Ireland - Occupational Exposure Limits				
OEL TWA [2]	5 ppm			
OEL STEL [ppm]	15 ppm (calculated)			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	27 mg/m³			
NDSCh (OEL STEL)	54 mg/m³			
Portugal - Occupational Exposure Limits	Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)			
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer			

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density	 Not available Not available > 93.3 °C Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	Not classified Not classified Not classified
LD50 oral rat	5 g/kg (Source: NLM_CIP)
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)

Safety Data Sheet

LD60 oral rat3100 mg/kg (Source: NLM, CIP)LD60 oral rat3100 mg/kg (Source: EPA, HPV)LD60 demal rabbit> 3000 mg/kg (Source: EPA, HPV)LD60 oral rat> 5000 mg/kg (Source: ECHA)Ethylene brassylate (105-95-3)>LD60 oral rat> 5000 mg/kg (Source: ECHA)LD60 oral rat> 5000 mg/kg (Source: ECHA)21sobutyl-4-methylterahydro-2H-pyran-40 (5500-71-0)LD60 demal rabbit> 2000 mg/kg (Source: ECHA, API)Phonylethyl Jachool (60-12-8)LD50 oral rat1609 mg/kg (Source: EPA, HPV)LD50 oral rat1609 mg/kg (Source: EPA, HPV)LD50 oral rat1609 mg/kg (Source: EPA, HPV)LD50 oral rat2535 mg/kg (Source: EPA, HPV)LD50 oral rat2500 mg/kg bodywejntLD50 oral rat2500 mg/kg bodywejntLD50 oral rat> 5 g/kg (Source: NLM, CIP)Barzy ratchol (100-51-6)IS00 mg/kg bodyweightLD50 oral rat2500 mg/kg bodyweightLD50 oral rat> 2000 mg/kg (Source: NLM, CIP)ED50 oral rat> 2000 mg/kg (Source: NLM, CIP)LD50 oral rat> 2000 mg/kg (Source: NLM, CIP)LD50 oral rat> 2000 mg/kg (Source: NLM, CIP)LD50 oral rat> 2000 mg/kg (Source: EPA, HPV)LD50 oral rat> 2000 mg/kg (Source: EPA, HPV)LD50 oral rat> 5000 mg/kg (Source: EPA, HPV)LD50 oral rat> 5000	Hexyl cinnamic aldehyde (101-86-0)			
LD60 dermal rabbit > 3000 mg/kg (Source: EPA_HPV) LC60 Inhalation - Rat > 5 mg/HA Ethylene brassylate (105-95-3) LD50 odral rat > 5000 mg/kg (Source: ECHA) LD50 odral rat > 5000 mg/kg (Source: ECHA) LD50 odral rabbit > 2000 mg/kg (Source: ECHA, API) Phenylethyl alcohol (60-12-8) LD50 odral rat 1000 mg/kg (Source: EPA_HPV) LD50 odral rat 2600 mg/kg (Source: EPA_HPV) LD50 odral rat 2500 mg/kg (Source: EPA_HPV) LD50 odral rat > 5 g/kg (Source: NLM_CIP) Beracloul oil (601-61-6) LD50 oral rat 1220 mg/kg (Source: NLM_CIP) LD50 oral rat 1220 mg/kg (Source: NLM_CIP) LD50 oral rat 2600 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat >	LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LCG0 Inhalation - Rat > 5 mg/l4h Ethylene brassylate (105-95-3) LDG0 oral rat > 5000 mg/kg (Sourca: ECHA) LDG0 dermal rabbit > 5000 mg/kg (Sourca: ECHA) 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-0 (6250-071-0) LDG0 dermal rabbit > 2000 mg/kg (Sourca: ECHA, API) Phenylethyl alcohol (60-12-3) LDG0 dermal rabbit 2600 mg/kg (Sourca: ECHA, API) LDG0 dermal rabbit 2500 mg/kg (Sourca: ECHA, API) LDG0 dermal rabbit 2600 mg/kg (Sourca: ECHA, API) LDG0 dermal rabbit > 5 g/kg (Sourca: NLM_CIP) Barzyl alcohol (100-51-6) LDS0 oral rat 1200 mg/kg (Sourca: ECHA_API) LDS0 oral rat 2600 mg/kg (Sourca: ECHA_API) LDS0 dermal rat 2600 mg/kg (Sourca: ECHA_API) LDS0 dermal rat > 5000 mg/kg (Sourca: ECHA_API) LDS0 dermal rat > 5000 mg/kg (Sourca: ECHA_API)	LD50 oral	3100 mg/kg bodyweight		
Ethylene brassylate (105-95-3) LD50 oral rat > 5000 mg/kg (Source: ECHA) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA) 24sobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA, API) Phenylethyl alcohol (60-12-8) LD50 oral rat 1609 mg/kg (Source: EPA_HPV) LD50 oral rat 2535 mg/kg (Source: EPA_HPV) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Barzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 2200 mg/kg (Source: NLM_CIP) LD50 oral rat 2300 mg/kg (Source: NLM_CIP) LD50 oral rat 5 27 mg/kl LD50 oral rat 5 27 mg/kl	LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
L050 oral rat > 5000 mg/kg (Source: ECHA) L050 dermal rabbit > 5000 mg/kg (Source: ECHA) 24sobuty1-4-methyltetrahydro-2H-pyran-4-ol (5500-71-0) L050 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Phenylethyl alcohol (60-12-3) L050 oral rat 1609 mg/kg (Source: EPA_HPV) L050 oral rat 1609 mg/kg (Source: EPA_HPV) L050 oral rat 2630 mg/kg bodyweight L050 dermal rabbit 2535 mg/kg (Source: EPA_HPV) L050 dermal rabbit 2630 mg/kg bodyweight L050 oral rat > 5 g/kg (Source: NLM_CIP) Borazyl alcohol (100-51-6) L050 oral rat 1230 mg/kg (Source: NLM_CIP) L050 oral rat 1230 mg/kg (Source: EPA_HPV) L050 oral rat 2500 mg/kg (Source: ECHA_API) L050 oral rat 2500 mg/kg (Source: ECHA_API) L050 oral rat 5 Source mg/kg (Source: EPA_HPV) L050 oral	LC50 Inhalation - Rat	> 5 mg/l/4h		
L050 dermal rabbit > 5000 mg/kg (Source: ECHA) 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-01 (63500-71-0) L050 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Phenylethyl alcohol (60-12-8) L050 oral rat 1609 mg/kg (Source: EPA_HPV) L050 dermal rabbit 2535 mg/kg (Source: NLM_CIP) Patchouli oil (8014-09-3) L050 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) L050 oral rat 1230 mg/kg (Source: NLM_CIP) Boft rat 1230 mg/kg (Source: NLM_CIP) L050 oral rat 1230 mg/kg (Source: NLM_CIP) L050 oral rat 1230 mg/kg (Source: NLM_CIP) L050 oral rat 5 g/kg (Source: EPA_HPV) L050 oral rat > 5 uoon mg/kg (Source: EPA_HPV) L050 oral rat > 5 uoon mg/kg (Source: EPA_HPV) L050 oral rat > 5 uoon mg/kg (Source: EPA_HPV) L050 oral rat > 5	Ethylene brassylate (105-95-3)			
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-0l (63500-71-0) LD50 dernal rabbit > 2000 mg/kg (Source: ECHA_API) Phenylethyl alcohol (60-12-8) I609 mg/kg (Source: EPA_HPV) LD50 oral rat 1610 mg/kg bodyweight LD50 dernal rabbit 2535 mg/kg (Source: EPA_HPV) LD50 dernal rabbit 2500 mg/kg bodyweight LD50 dernal rabbit 2500 mg/kg bodyweight LD50 dernal rabbit > 4.63 mg/kdh Patchouli oli (8014-09-3) > 4.63 mg/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 5 g/g (Source: ECHA_API) LC50 dermal rat > 2000 mg/kg (Source: EPA_HPV) LD50 dermal rat > 2000 mg/kg (Source: EPA_HPV) LD50 dermal rat > 5 g/m g/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV)	LD50 oral rat	> 5000 mg/kg (Source: ECHA)		
LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Phenylethyl alcohol (60-12-8) 1609 mg/kg (Source: EPA_HPV) LD80 oral rat 1610 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 2500 mg/kg bodyweight LD50 dermal rabbit 2500 mg/kg bodyweight LD50 dermal rabbit 2500 mg/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) 1200 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LC50 halation - Rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source:	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)		
Phenylethyl alcohol (60-12-8) LD50 oral rat 1609 mg/kg (Source: EPA_HPV) LD50 oral 1610 mg/kg bodyweight LD50 dermal rabbit 2536 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 2500 mg/kg bodyweight LC50 Inhalation - Rat > 4.63 mg/k/4h Patchouli oil (8014-09-3) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) Boto oral 1620 mg/kg bodyweight LD50 oral rat 1230 mg/kg (Source: NLM_CIP) Boto oral 2500 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 5.27 mg/k/4h LInalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: ICHA_API) LD50 oral rat > 5000 mg/kg (Source: ICHA_API)	2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (6	63500-71-0)		
LD50 oral rat 1609 mg/kg (Source: EPA_HPV) LD50 oral 1610 mg/kg bodyweight LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 2500 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LC50 Inhalation - Rat > 4.63 mg/k4h Patchouli oil (8014-09-3) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) Boto oral 1230 mg/kg (Source: NLM_CIP) LD60 oral rat 1230 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD60 oral 2500 mg/kg bodyweight LD60 oral 2790 mg/kg bodyweight LD60 oral 2790 mg/kg (Source: ECHA_API) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: ICHA_API)	LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
LD50 oral1610 mg/kg bodyweightLD50 dermal rabbit2535 mg/kg (Source: EPA_HPV)LD50 dermal2500 mg/kg bodyweightLC50 Inhalation - Rat> 4.63 mg/l4hPatchouli oli (8014-09-3)LD50 oral rat> 5 g/kg (Source: NLM_CIP)Benzyl alcohol (100-51-6)LD50 oral rat1230 mg/kg (Source: NLM_CIP)LD50 oral2500 mg/kg bodyweightLInalooi (78-70-6)LD50 oral2790 mg/kg bodyweightSandela (66068-84-6)LD50 oral rat> 2000 mg/kg (Source: ECHA_API)LC50 Inhalation - Rat> 2000 mg/kg (Source: ECHA_API)LD50 oral rat> 2000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)LD50 oral rat\$ 5000 mg/kg (Source: IAPAN_GHS)LD50 oral rat> 2000 mg/kg (Source: JAPAN_GHS)LD50 oral rat> 2000 mg/kg (Source: IAPAN_GHS)LD50 oral rat> 2000 mg/kg (Source: IAPAN_GHS)LD50 oral rat> 2000 mg/kg (Source: IAPAN_GHS)LD50 oral rat> 233 mg/kg (Source: ICHA_API) <td>Phenylethyl alcohol (60-12-8)</td> <td></td>	Phenylethyl alcohol (60-12-8)			
LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LD50 dermal 2500 mg/kg bodyweight LD50 dermal 2600 mg/kg bodyweight LD50 dermal > 4.83 mg/l4h Patchouli oil (8014-09-3) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 2500 mg/kg bodyweight LD50 oral 2790 mg/kg (Source: NLM_CIP) LD50 oral 2790 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 2000 mg/kg (Source: ECHA_API) LC50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 25000 mg/kg (Source: APA_API) LD50 oral rat 24500 mg/kg (Source: APA_API) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 oral rat 290 mg/kg (Source: CHA_API)	LD50 oral rat	1609 mg/kg (Source: EPA_HPV)		
L050 dermal 2600 mg/kg bodyweight LC50 Inhalation - Rat > 4.63 mg/l/4h Patchouli oil (8014-09-3) L050 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) L050 oral rat 1230 mg/kg (Source: NLM_CIP) L050 oral rat 1620 mg/kg bodyweight L050 oral rat 1620 mg/kg bodyweight L050 oral rat 1620 mg/kg bodyweight L050 oral rat 2790 mg/kg bodyweight L050 oral 2790 mg/kg bodyweight L050 oral 2790 mg/kg (Source: ECHA_API) L050 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 2000 mg/kg (Source: ECHA_API) L050 oral rat 14550 mg/kg (Source: EPA_HPV) L050 oral rat 14550 mg/kg (Source: EPA_HPV) L050 oral rat 2900 mg/kg (Source: JAPAN_GHS) L050 oral rat 2900 mg/kg bodyweight L050 oral rat 2900 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) 2900 mg/kg (Source: JAPAN_GHS) L050 oral rat 2900 mg/kg bodyweight L050 oral rat 2900 mg/kg (Source: ECHA_API)	LD50 oral	1610 mg/kg bodyweight		
LC50 Inhalation - Rat > 4.63 mg//4h Patchouli oil (8014-09-3) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1620 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 2000 mg/kg (Source: EPA_HPI) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) 290 mg/kg (Source: JAPAN_GHS) LD50 oral rat 290 mg/kg (Source: JAPAN_GHS) LD50 oral rat 290 mg/kg (Source: EPA_API) LD50 oral rat 290 mg/kg (Source: CHA_API) LD50 oral rat 290 mg/kg (Source: JAPAN_GHS) LD50 oral rat 293 mg/kg (Source: EPA_API) LD50 oral rat 293 mg/kg (Source: NLM_CIP)	LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)		
Patchouli oil (8014-09-3) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight Sandela (66068-84-6) 2790 mg/kg (Source: ECHA_API) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 5.27 mg/k4h LInalyl acetate (115-95-7) 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 290 mg/kg (Source: ECHA_API) LD50 oral rat 290 mg/kg (Source: ECHA_API) LD50 oral rat 293 mg/kg (Source: ECHA_API) LD50 oral rat	LD50 dermal	2500 mg/kg bodyweight		
LD50 oral rat > 5 g/kg (Source: NLM_CIP) Benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg bodyweight LD50 oral rat 1620 mg/kg bodyweight LD50 oral 2500 mg/kg bodyweight LD50 oral 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight Sandela (66068-84-6) 2000 mg/kg (Source: ECHA_API) LC50 lnhalation - Rat > 2000 mg/kg (Source: ECHA_API) LC50 oral rat > 5.27 mg/l/4h LInalyl acetate (115-95-7) 2000 mg/kg (Source: EPA_HPV) LD50 dermal rat > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: CHA_API) LD50 oral rat > 5000 mg/kg (Source: APAN_GHS) LD50 oral rat > 5000 mg/kg (Source: EPA_HPV) LD50 oral rat > 5000 mg/kg (Source: CHA_API) LD50 oral rat > 5000 mg/kg (Source: EPA_API) LD50 oral	LC50 Inhalation - Rat	> 4.63 mg/l/4h		
Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 dral 1620 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LInalool (78-70-6) 2790 mg/kg bodyweight Sandela (66068-84-6) 2790 mg/kg (Source: ECHA_API) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 5.27 mg/l/4h Linalyl acetate (115-95-7) LD50 dermal rat LD50 dermal rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rat 2 5000 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) > 5000 mg/kg (Source: APAN_GHS) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 oral rat > 5000 mg/kg (Source: APAN_GHS) LD50 oral rat > 5000 mg/kg (Source: NLM_CIP) Helional (1205-17-0) > 5 g/kg (Source: NLM_CIP)	Patchouli oil (8014-09-3)			
LD50 oral rat1230 mg/kg (Source: NLM_CIP)LD50 oral1620 mg/kg bodyweightLD50 dermal2500 mg/kg bodyweightLinalool (78-70-6)2790 mg/kg bodyweightSandela (66068-84-6)2790 mg/kg (Source: ECHA_API)LD50 dermal rat> 2000 mg/kg (Source: ECHA_API)LC50 Inhalation - Rat> 2000 mg/kg (Source: ECHA_API)LC50 Inhalation - Rat> 5.27 mg/l/4hLinalyl acetate (115-95-7)Id50 mg/kg (Source: EPA_HPV)LD50 dermal rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rat> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)Id50 oral ratLD50 oral rat> 5000 mg/kg (Source: JAPAN_GHS)LD50 oral rat290 mg/kg (Source: ECHA_API)LD50 oral rat> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)Id100 mg/kg (Source: CHA_API)LD50 oral rat> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat> 5000 mg/kg (Source: ECHA_API)LD50 oral rat> 5 g/kg (Source: ECHA_API)LD50 oral rat> 5 g/kg (Source: ECHA_API)LD50 oral rat> 5 g/kg (Source: NLM_CIP)Helional (1205-17-0)Id1205-17-0)	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 oral 1620 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight Linalool (78-70-6) 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight Sandela (66068-84-6) 2000 mg/kg (Source: ECHA_API) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 5.27 mg/l/4h Linalyl acetate (115-95-7) 14550 mg/kg (Source: EPA_HPV) LD50 dermal rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rat 2 5000 mg/kg (Source: EPA_HPV) LD50 dermal rat 2 5000 mg/kg (Source: EPA_HPV) LD50 dermal rat 2 900 mg/kg (Source: EPA_HPV) LD50 dermal rat 2 900 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2 900 mg/kg (Source: CHA_API) LD50 oral rat 2 900 mg/kg (Source: CHA_API) LD50 oral rat 2 900 mg/kg (Source: SAPAN_GHS) LD50 oral rat 2 900 mg/kg (Source: CHA_API) LD50 oral rat 2 900 mg/kg (Source: CHA_API) LD50 oral rat 2 90 mg/kg (Source: NLM_CIP) Heional (1205-17-0) 2 91 kg (Source: NLM_CIP)	Benzyl alcohol (100-51-6)			
LD50 dermal2500 mg/kg bodyweightLinalool (78-70-6)2790 mg/kg bodyweightLD50 oral2790 mg/kg (source: ECHA_API)Sandela (66068-84-6)2000 mg/kg (source: ECHA_API)LD50 dermal rat> 2000 mg/kg (source: ECHA_API)LC50 Inhalation - Rat> 2000 mg/kg (source: ECHA_API)LD50 oral rat14550 mg/kg (source: EPA_HPV)LD50 oral rat14550 mg/kg (source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (source: EPA_HPV)LD50 oral rat2 5000 mg/kg (source: APAN_GHS)LD50 oral rat2 900 mg/kg (source: ECHA_API)LD50 oral rat2 900 mg/kg (source: ECHA_API)LD50 oral rat2 930 mg/kg (source: ECHA_API)LD50 oral rat2 930 mg/kg (source: ECHA_API)LD50 oral rat2 93 mg/kg (source: ECHA_API)LD50 oral rat2 93 mg/kg (source: ECHA_API)LD50 oral rat2 93 mg/kg (source: ECHA_API)LD50 oral rat> 5 g/kg (source: NLM_CIP)Helional (1205-17-0)	LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
Linalool (78-70-6)LD50 oral2790 mg/kg bodyweightSandela (66068-84-6)LD50 dermal rat> 2000 mg/kg (Source: ECHA_API)LC50 Inhalation - Rat> 5.27 mg/l/4hLinalyl acetate (115-95-7)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)LD50 oral rat290 mg/kg (Source: JAPAN_GHS)LD50 oral rat290 mg/kg (Source: ECHA_API)LD50 oral rat290 mg/kg (Source: ECHA_API)LD50 oral rat> 5000 mg/kg (Source: IAPAN_GHS)LD50 oral rat> 5000 mg/kg (Source: NLM_CIP)Helional (1205-17-0)> 5 g/kg (Source: NLM_CIP)	LD50 oral	1620 mg/kg bodyweight		
LD50 oral2790 mg/kg bodyweightSandela (66068-84-6)LD50 dermal rat> 2000 mg/kg (Source: ECHA_API)LC50 Inhalation - Rat> 5.27 mg/l/4hLinalyl acetate (115-95-7)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)> 5000 mg/kg (Source: JAPAN_GHS)LD50 oral rat290 mg/kg bodyweightLD50 oral rat290 mg/kg (Source: ECHA_API)LD50 oral rat> 5000 mg/kg (Source: JAPAN_GHS)LD50 oral rat> 5000 mg/kg (Source: ECHA_API)LD50 oral rat> 5 g/kg (Source: NLM_CIP)Helional (1205-17-0)- 5 g/kg (Source: NLM_CIP)	LD50 dermal	2500 mg/kg bodyweight		
Sandela (66068-84-6) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 5.27 mg/l/4h Linalyl acetate (115-95-7) Id50 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) Image: Source: JAPAN_GHS) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) LD50 dermal rat 290 mg/kg bodyweight LD50 dermal rat 293 mg/kg (Source: ECHA_API) Lavandin oil (8022-15-9) Image: ECHA_API) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0) Image: Source: State Stat	Linalool (78-70-6)			
LD50 dermal rat> 2000 mg/kg (Source: ECHA_API)LD50 lnhalation - Rat> 5.27 mg/l/4hLinalyl acetate (115-95-7)Iteration (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)Iteration (Source: JAPAN_GHS)LD50 oral rat> 5000 mg/kg (Source: ECHA_API)LD50 oral rat> 5000 mg/kg (Source: ECHA_API)LD50 oral rat290 mg/kg (Source: ECHA_API)LD50 dermal rat293 mg/kg (Source: ECHA_API)LD50 oral rat> 5 g/kg (Source: NLM_CIP)Helional (1205-17-0)Item (Source: NLM_CIP)	LD50 oral	2790 mg/kg bodyweight		
LC50 Inhalation - Rat > 5.27 mg/l/4h Linalyl acetate (115-95-7) 14550 mg/kg (Source: EPA_HPV) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) 200 mg/kg (Source: JAPAN_GHS) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) LD50 dermal rat 293 mg/kg (Source: ECHA_API) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0) -	Sandela (66068-84-6)			
Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg (Source: EPA_HPV) LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 oral 290 mg/kg bodyweight LD50 dermal rat 293 mg/kg (Source: ECHA_API) Lavandin oil (8022-15-9) > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0) -	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)COUMARIN (91-64-5)LD50 oral rat> 5000 mg/kg (Source: JAPAN_GHS)LD50 oral290 mg/kg bodyweightLD50 dermal rat293 mg/kg (Source: ECHA_API)Lavandin oil (8022-15-9)LD50 oral rat> 5 g/kg (Source: NLM_CIP)Helional (1205-17-0)	LC50 Inhalation - Rat	> 5.27 mg/l/4h		
LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) COUMARIN (91-64-5)	Linalyl acetate (115-95-7)			
COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 oral 290 mg/kg bodyweight LD50 dermal rat 293 mg/kg (Source: ECHA_API) Lavandin oil (8022-15-9) LD50 oral rat > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0)	LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 oral rat> 5000 mg/kg (Source: JAPAN_GHS)LD50 oral290 mg/kg bodyweightLD50 dermal rat293 mg/kg (Source: ECHA_API)Lavandin oil (8022-15-9)> 5 g/kg (Source: NLM_CIP)Helional (1205-17-0)> 5 g/kg (Source: NLM_CIP)	LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)		
LD50 oral 290 mg/kg bodyweight LD50 dermal rat 293 mg/kg (Source: ECHA_API) Lavandin oil (8022-15-9) LD50 oral rat LD50 oral rat > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0)	COUMARIN (91-64-5)			
LD50 dermal rat 293 mg/kg (Source: ECHA_API) Lavandin oil (8022-15-9) 200 cm m m m m m m m m m m m m m m m m m	LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
Lavandin oil (8022-15-9) > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0)	LD50 oral	290 mg/kg bodyweight		
LD50 oral rat > 5 g/kg (Source: NLM_CIP) Helional (1205-17-0)	LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
Helional (1205-17-0)	Lavandin oil (8022-15-9)			
	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API)	Helional (1205-17-0)			
	LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cedarwood oil, Virginia (8000-27-9)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Benzyl benzoate (120-51-4)	<u>.</u>	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Dipentene (138-86-3)		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
	Not classified	
	Causes serious eye irritation.	
	May cause an allergic skin reaction.	
o ,	Not classified	
5 ,	Not classified	
COUMARIN (91-64-5) IARC group	3 - Not classifiable	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
, ,	Not classified	
5 1	Not classified	
	Not classified	
•	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
11.2. Information on other hazards		

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
	Harmful to aquatic life with long lasting effects. Not classified		
Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects.		
Vertenex (32210-23-4)			
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)		
Phenylethyl alcohol (60-12-8)			
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)		
Benzyl alcohol (100-51-6)			
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
d-Limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
Benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
NOEC (chronic)	0.168 mg/l		
.alphaPinene (80-56-8)			
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		

12.2. Persistence and degradability

UNDER THE STARS CC-16310			
Persistence and degradability Not established.			
Benzyl benzoate (120-51-4)			
Persistence and degradability May cause long-term adverse effects in the environment.			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential				
UNDER THE STARS CC-16310				
Bioaccumulative potential	Not established.			
Vertenex (32210-23-4)	Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)			
Ethylene brassylate (105-95-3)				
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)			
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (6	33500-71-0)			
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)			
Phenylethyl alcohol (60-12-8)				
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)			
Benzyl alcohol (100-51-6)				
Partition coefficient n-octanol/water (Log Pow)	1.05			
Linalyl acetate (115-95-7)				
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)			
Helional (1205-17-0)				
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)			
d-Limonene (5989-27-5)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
Benzyl benzoate (120-51-4)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
Bioaccumulative potential	Not established.			
.alphaPinene (80-56-8)				
Partition coefficient n-octanol/water (Log Pow)	4.1			
Citral (5392-40-5)				
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

 – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 $^\circ C$ and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	d-Limonene ; Dipentene ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	UNDER THE STARS CC-16310 ; Vertenex ; Hexyl cinnamic aldehyde ; 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol ; Phenylethyl alcohol ; Patchouli oil ; Benzyl alcohol ; Linalool ; Sandela ; Linalyl acetate ; Lavandin oil ; Helional ; Cedarwood oil, Virginia ; d-Limonene ; Benzyl benzoate ; Dipentene ; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	UNDER THE STARS CC-16310 ; Hexyl cinnamic aldehyde ; Ethylene brassylate ; Patchouli oil ; Sandela ; Lavandin oil ; Helional ; Cedarwood oil, Virginia ; d-Limonene ; Benzyl benzoate ; Dipentene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	d-Limonene ; Dipentene ; .alphaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). : LGK 12 - Non-combustible liquids.				
Joint storage table	: LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	 : LGK 1, LGK 6.2, LGK 7. : LGK 4.1A, LGK 4.3, LGK 5.1C. : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13. 				
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)				
Netherlands					
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment				
SZW-lijst van kankerverwekkende stoffen	: Sandela,Cedarwood oil, Virginia,Fats and Glyceridic oils, vegetable are listed				
SZW-lijst van mutagene stoffen	: Sandela,Cedarwood oil, Virginia,Fats and Glyceridic oils, vegetable are listed				
SZW-lijst van reprotoxische stoffen – Borstvoeding					
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the c	components are	listed		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed				
Denmark					
Classification remarks Danish National Regulations	: Young people	below the age	of 18 years are	e not allowed to	mable liquids must be followed use the product nust not be in direct contact with
Switzerland					
Storage class (LK)	: LK 10/12 - Liq	luids			
15.2. Chemical safety assessment					
No chemical safety assessment has been carried ou	ıt				

No chemical safety assessment has been carried out

SECTION 16: Other information		
Other information	: None.	
Full text of H- and EUH	I-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H311	Toxic in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H332	Harmful if inhaled.			
H361	Suspected of damaging fertility or the unborn child.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1B	Skin sensitisation, category 1B			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.