

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 5/25/2023 Version: 1.0



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : TRANQUIL BLUE LOTUS CC-16312  
UFI : 65QT-T9SS-V001-24J9  
Product code : CC-16312  
Type of product : Perfumes, fragrances  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use  
Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Perfumes, fragrances  
Function or use category : Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;  
Brazil: +0-800-591-6042; India: +000-800-100-4086

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Hexyl cinnamic aldehyde; Iso E Super; Hexyl salicylate; Eucalyptus oil; Benzyl salicylate; Orange oil ; Lemon oil ; Allyl cyclohexylpropionate; CUPRESSUS FUNEBRIS WOOD OIL; Spearmint oil; Citral; Helional; Cypress oil; Adoxal; Cyclamal; Geranium oil Egyptian ; Citronellol Pure; delta-Damascone
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314-33	3 – 6	Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50	3 – 6	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989-04	2.7 – 5.3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.85 – 3.3	Eye Irrit. 2, H319
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2;286-249-8;616-775-9 REACH-no: 01-2119978250-37	1.4 – 2.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-31	1 – 2.0005	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353-35	1 – 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.617 – 1.6195	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	0.5 – 0.95	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.4 – 0.7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.4 – 0.7	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Spearmint oil	CAS-No.: 8008-79-5 EC-No.: 616-927-4	0.4 – 0.7	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829-23	0.3 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33	0.2 – 0.4509	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119-58	0.2 – 0.4	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.2 – 0.4	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Cypress oil	CAS-No.: 8013-86-3 EC-No.: 283-626-9;616-942-6	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Adoxal	CAS-No.: 141-13-9 EC-No.: 205-460-8 REACH-no: 01-2120139915-49	0.2 – 0.35	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995-23	0.2 – 0.30175	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582-32	0.2 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423-50	0.2 – 0.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.2 – 0.3	Not classified
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.1 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809-23	0.1 – 0.1213	Not classified
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	0.1 – 0.1213	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272-42	0.1 – 0.1	Aquatic Chronic 3, H412
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
.beta.-Pinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	≤ 0.00525	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤ 0.00434	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0005	Aquatic Chronic 3, H412
.alpha.-Pinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	≤ 0.00035	Flam. Liq. 3, H226
Isoamyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408-32	0 – 0.0001	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Suspected of damaging fertility or the unborn child. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	32 mg/m <sup>3</sup> (vapor and aerosol)
OEL TWA [ppm]	5 ppm (vapor and aerosol)
OEL chemical category	Skin
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [2]	5 ppm
OEL STEL [ppm]	15 ppm (calculated)
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	27 mg/m <sup>3</sup>
NDSch (OEL STEL)	54 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	5 ppm
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Camphor (76-22-2)</b>	
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	13 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	2 ppm
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	12 mg/m <sup>3</sup>
OEL TWA [ppm]	2 ppm
OEL STEL	19 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	12 mg/m <sup>3</sup>
OEL STEL	18 mg/m <sup>3</sup>
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	13 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	2 ppm
KGVI (OEL STEL)	19 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	3 ppm
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	12 mg/m <sup>3</sup>
OEL TWA [2]	2 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	1.9 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	0.3 ppm
HTP (OEL STEL)	5.7 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	0.9 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	12 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	2 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	12 mg/m <sup>3</sup> (inhalable fraction)
OEL STEL	18 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	12 mg/m <sup>3</sup>
OEL TWA [2]	2 ppm
OEL STEL	18 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	3 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	12 mg/m <sup>3</sup>



# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Camphor (76-22-2)</b>	
NDSCh (OEL STEL)	18 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	3 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	1 mg/m <sup>3</sup>
OEL TWA [ppm]	6 ppm
OEL STEL	3 mg/m <sup>3</sup>
OEL STEL [ppm]	18 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	13 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	2 ppm
NPHV (OEL C)	26 mg/m <sup>3</sup>
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	13 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	2 ppm
VLA-EC (OEL STEL)	19 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	3 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	13 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	2 ppm
WEL STEL (OEL STEL)	19 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	3 ppm
<b>Norway - Occupational Exposure Limits</b>	
Grænseverdi (OEL TWA) [1]	12 mg/m <sup>3</sup>
Grænseverdi (OEL TWA) [2]	2 ppm
Korttidsverdi (OEL STEL)	18 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	13 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	2 ppm (aerosol, vapour)
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	2 ppm (synthetic)
ACGIH OEL STEL [ppm]	3 ppm (synthetic)
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic
<b>Ethyl acetoacetate (141-97-9)</b>	
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	100 mg/m <sup>3</sup>

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Ethyl acetoacetate (141-97-9)</b>	
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m <sup>3</sup>
OEL STEL [ppm]	38 ppm
<b>1,2-Propanediol (57-55-6)</b>	
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	474 mg/m <sup>3</sup> (total vapor and particles) 10 mg/m <sup>3</sup> (particles)
GVI (OEL TWA) [2]	150 ppm
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	10 mg/m <sup>3</sup> (particulates) 470 mg/m <sup>3</sup> (total vapour and particulates)
OEL TWA [2]	150 ppm (total vapour and particulates)
OEL STEL	1410 mg/m <sup>3</sup> (calculated-particulates) 30 mg/m <sup>3</sup> (calculated)
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	7 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	100 mg/m <sup>3</sup> (vapor and inhalable fraction)
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	474 mg/m <sup>3</sup> (total vapour and particulates) 10 mg/m <sup>3</sup> (particulates)
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)
WEL STEL (OEL STEL)	1422 mg/m <sup>3</sup> (calculated-total vapour and particulates) 30 mg/m <sup>3</sup> (calculated-particulate)
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	79 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	118.5 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
<b>Benzyl alcohol (100-51-6)</b>	
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	40 mg/m <sup>3</sup>
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	45 mg/m <sup>3</sup>

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Benzyl alcohol (100-51-6)</b>	
HTP (OEL TWA) [2]	10 ppm
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
OEL chemical category	Skin notation
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	240 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	22 mg/m <sup>3</sup>
OEL TWA [ppm]	5 ppm
OEL STEL	44 mg/m <sup>3</sup>
OEL STEL [ppm]	10 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	22 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)
OEL chemical category	Skin notation
<b>Benzyl acetate (140-11-4)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	62 mg/m <sup>3</sup>
OEL TWA [ppm]	10 ppm
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	61 mg/m <sup>3</sup>
OEL TWA [2]	10 ppm
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [2]	10 ppm
OEL STEL [ppm]	30 ppm (calculated)
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Benzyl acetate (140-11-4)</b>	
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	50 mg/m <sup>3</sup>
OEL TWA [ppm]	8 ppm
OEL STEL	80 mg/m <sup>3</sup>
OEL STEL [ppm]	13 ppm
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	62 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	10 ppm
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	308 mg/m <sup>3</sup>
IOEL TWA [ppm]	50 ppm
Remark	Possibility of significant uptake through the skin
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	307 mg/m <sup>3</sup> (mixed isomers)
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)
MAK (OEL STEL)	614 mg/m <sup>3</sup> (isomers mixtures)
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)
OEL chemical category	Skin notation
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin, Skin notation
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	308 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	50 ppm
OEL chemical category	Skin notation
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
OEL chemical category	Skin-potential for cutaneous absorption
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	270 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	309 mg/m <sup>3</sup>
OEL TWA [2]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin notation
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	310 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	308 mg/m <sup>3</sup> (restrictive limit)
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)
OEL chemical category	Risk of cutaneous absorption
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	310 mg/m <sup>3</sup> (isomer mixture)
AGW (OEL TWA) [2]	50 ppm (isomer mixture)
<b>Gibraltar - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin notation
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	600 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
OEL STEL	900 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm
OEL chemical category	skin - potential for cutaneous absorption
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	308 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	308 mg/m <sup>3</sup> ((2-Methoxymethylethoxy)propanol)
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)
OEL STEL	924 mg/m <sup>3</sup> (calculated (2-(2-Methoxypropoxy)-1-propanol)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)
OEL chemical category	Potential for cutaneous absorption
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	skin - potential for cutaneous exposure
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	300 mg/m <sup>3</sup> (2-(2-Methoxypropoxy)-propanol)
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL)	450 mg/m <sup>3</sup> (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)
OEL chemical category	Skin notation
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Possibility of significant uptake through the skin
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-8u (OEL TWA)	300 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	240 mg/m <sup>3</sup> (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
NDSch (OEL STEL)	480 mg/m <sup>3</sup> (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup> (indicative limit value)
OEL TWA [ppm]	50 ppm (indicative limit value)
OEL STEL [ppm]	150 ppm
OEL chemical category	skin - potential for cutaneous exposure indicative limit value
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL chemical category	Skin notation

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	308 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	308 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	308 mg/m <sup>3</sup>
OEL STEL [ppm]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	308 mg/m <sup>3</sup> (indicative limit value)
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)
OEL chemical category	skin - potential for cutaneous absorption
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	300 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	50 ppm
KTV (OEL STEL)	450 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	75 ppm
OEL chemical category	Skin notation
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	308 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	50 ppm
WEL STEL (OEL STEL)	924 mg/m <sup>3</sup> (calculated)
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
<b>Norway - Occupational Exposure Limits</b>	
Grønseverdi (OEL TWA) [1]	300 mg/m <sup>3</sup>
Grønseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
OEL chemical category	Skin notation
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	300 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)
KZGW (OEL STEL)	300 mg/m <sup>3</sup> (aerosol, vapour)
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	100 ppm

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
ACGIH OEL STEL [ppm]	150 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
<b>.alpha.-Pinene (80-56-8)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA [ppm]	20 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	150 mg/m <sup>3</sup>
OEL TWA [ppm]	25 ppm
OEL STEL	300 mg/m <sup>3</sup>
OEL STEL [ppm]	50 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	150 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	50 ppm
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	113 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	150 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
<b>Norway - Occupational Exposure Limits</b>	
Grønseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>
Grønseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Skin notation
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer



# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>.beta.-Pinene (127-91-3)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA [ppm]	20 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	150 mg/m <sup>3</sup>
OEL TWA [ppm]	25 ppm
OEL STEL	300 mg/m <sup>3</sup>
OEL STEL [ppm]	50 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	150 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	50 ppm
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	113 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	150 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
<b>decyl alcohol (112-30-1)</b>	
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	10 mg/m <sup>3</sup>
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	66 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	10 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	10 mg/m <sup>3</sup>
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	100 mg/m <sup>3</sup>
OEL TWA [ppm]	15 ppm
OEL STEL	200 mg/m <sup>3</sup>
OEL STEL [ppm]	30 ppm
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	66 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m <sup>3</sup> (aerosol, vapour)
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)
<b>Isoamyl acetate (123-92-2)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	270 mg/m <sup>3</sup>
IOEL TWA [ppm]	50 ppm
IOEL STEL	540 mg/m <sup>3</sup>
IOEL STEL [ppm]	100 ppm
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetate (all isomers))
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m <sup>3</sup> (Pentylacetate)
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	270 mg/m <sup>3</sup>

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Isoamyl acetate (123-92-2)</b>	
GVI (OEL TWA) [2]	50 ppm
KGVI (OEL STEL)	540 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	100 ppm
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	271 mg/m <sup>3</sup> (Amyl acetate, all isomers)
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	270 mg/m <sup>3</sup> (Pentyl acetate)
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)
HTP (OEL STEL)	540 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	100 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	270 mg/m <sup>3</sup> (restrictive limit)
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)
VLE (OEL C/STEL)	540 mg/m <sup>3</sup> (restrictive limit)
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	270 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	50 ppm
<b>Gibraltar - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	530 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
OEL STEL	800 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Isoamyl acetate (123-92-2)</b>	
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	270 mg/m <sup>3</sup>
CK (OEL STEL)	540 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	260 mg/m <sup>3</sup>
OEL TWA [2]	50 ppm
OEL STEL	520 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	270 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	50 ppm
TPRV (OEL STEL)	540 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	100 ppm
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-15min (OEL STEL)	530 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	250 mg/m <sup>3</sup>
NDSch (OEL STEL)	500 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup> (indicative limit value)
OEL TWA [ppm]	50 ppm (indicative limit value)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Isoamyl acetate (123-92-2)</b>	
OEL STEL	540 mg/m <sup>3</sup> (indicative limit value)
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	270 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	50 ppm
NPHV (OEL C)	540 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	270 mg/m <sup>3</sup>
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
OEL STEL [ppm]	100 ppm
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	270 mg/m <sup>3</sup> (indicative limit value)
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	100 ppm
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetates)
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)
KTV (OEL STEL)	540 mg/m <sup>3</sup> (Pentyl acetates)
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	260 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable, Combustible liquid
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 90 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)</b>	
LD50 dermal rabbit	> 2000 mg/kg
<b>Hexyl salicylate (6259-76-3)</b>	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Eucalyptus oil (8000-48-4)</b>	
LD50 oral rat	2480 mg/kg
<b>Benzyl salicylate (118-58-1)</b>	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
<b>Orange oil (8008-57-9)</b>	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Lemon oil (8008-56-8)</b>	
LD50 oral rat	2840 mg/kg
<b>Allyl cyclohexylpropionate (2705-87-5)</b>	
LD50 oral rat	585 mg/kg
LD50 oral	380 mg/kg bodyweight
LD50 dermal rabbit	1600 mg/kg
LD50 dermal	1600 mg/kg bodyweight
<b>Spearmint oil (8008-79-5)</b>	
LD50 oral rat	5 g/kg
LD50 oral	4900 mg/kg bodyweight
<b>Citral (5392-40-5)</b>	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
<b>Benzyl benzoate (120-51-4)</b>	
LD50 oral rat	500 mg/kg
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
<b>Helional (1205-17-0)</b>	
LD50 dermal rabbit	> 2000 mg/kg
<b>Camphor (76-22-2)</b>	
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h



# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Cyclamal (103-95-7)</b>	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
<b>Geranium oil Egyptian (8000-46-2)</b>	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
<b>Citronellol Pure (106-22-9)</b>	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
<b>Ethyl acetoacetate (141-97-9)</b>	
LD50 oral rat	3980 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>1,2-Propanediol (57-55-6)</b>	
LD50 oral rat	20 g/kg
LD50 dermal rabbit	20800 mg/kg
<b>Benzyl alcohol (100-51-6)</b>	
LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
<b>Benzyl acetate (140-11-4)</b>	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
<b>delta-Damascone (57378-68-4)</b>	
LD50 oral	1400 mg/kg bodyweight
<b>Sandela (66068-84-6)</b>	
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5.27 mg/l/4h
<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
LD50 oral rat	5.35 g/kg
LD50 dermal rabbit	9500 mg/kg
<b>.alpha.-Pinene (80-56-8)</b>	
LD50 oral rat	3700 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>.beta.-Pinene (127-91-3)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>decyl alcohol (112-30-1)</b>	
LD50 oral rat	4720 mg/kg
LD50 dermal rabbit	3560 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Benzyl acetate (140-11-4)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
<b>Camphor (76-22-2)</b>	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
<b>Orange oil (8008-57-9)</b>	
Hydrocarbon	Yes
<b>Benzyl benzoate (120-51-4)</b>	
Viscosity, kinematic	7.456 mm <sup>2</sup> /s
<b>11.2. Information on other hazards</b>	
<b>11.2.1. Endocrine disrupting properties</b>	
No additional information available	
<b>11.2.2. Other information</b>	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
<b>SECTION 12: Ecological information</b>	
<b>12.1. Toxicity</b>	
Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
<b>Benzyl salicylate (118-58-1)</b>	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
<b>Allyl cyclohexylpropionate (2705-87-5)</b>	
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
<b>Citral (5392-40-5)</b>	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Citral (5392-40-5)</b>	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
<b>Benzyl benzoate (120-51-4)</b>	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
<b>Ethyl acetoacetate (141-97-9)</b>	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
<b>1,2-Propanediol (57-55-6)</b>	
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)
<b>Benzyl alcohol (100-51-6)</b>	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>.alpha.-Pinene (80-56-8)</b>	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
<b>decyl alcohol (112-30-1)</b>	
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

## 12.2. Persistence and degradability

<b>TRANQUIL BLUE LOTUS CC-16312</b>	
Persistence and degradability	Not established.
<b>Eucalyptus oil (8000-48-4)</b>	
Persistence and degradability	Not established.
<b>Benzyl benzoate (120-51-4)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Geranium oil Egyptian (8000-46-2)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>12.3. Bioaccumulative potential</b>	
<b>TRANQUIL BLUE LOTUS CC-16312</b>	
Bioaccumulative potential	Not established.
<b>Ethylene brassylate (105-95-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7))
<b>2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74))
<b>Hexyl salicylate (6259-76-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7))
<b>Eucalyptus oil (8000-48-4)</b>	
Bioaccumulative potential	Not established.
<b>Benzyl salicylate (118-58-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	4
<b>Allyl cyclohexylpropionate (2705-87-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3))
<b>Citral (5392-40-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
<b>Benzyl benzoate (120-51-4)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
<b>Helional (1205-17-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
<b>Camphor (76-22-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)
<b>Adoxal (141-13-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	6.2 (at 35 °C (at pH 7))
<b>Cyclamal (103-95-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
<b>Geranium oil Egyptian (8000-46-2)</b>	
Bioaccumulative potential	Not established.
<b>Citronellol Pure (106-22-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
<b>Ethyl acetoacetate (141-97-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Undecavertol (81782-77-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 30 °C (at pH 7)
<b>1,2-Propanediol (57-55-6)</b>	
BCF - Fish [1]	(1 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)
<b>Benzyl alcohol (100-51-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.05
<b>Benzyl acetate (140-11-4)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
<b>Dipropylene glycol monomethyl ether (34590-94-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)
<b>.alpha.-Pinene (80-56-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.1
<b>decyl alcohol (112-30-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
<b>Isoamyl acetate (123-92-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.  
Ecology - waste materials : Avoid release to the environment.

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

: HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)

: M6

Special provisions (ADR)


: 274, 335, 375, 601

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) : 5l  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC code : •3Z

### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptus oil ; Orange oil ; Lemon oil ; Spearmint oil ; Cypress oil ; .alpha.-Pinene ; .beta.-Pinene ; Isoamyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	TRANQUIL BLUE LOTUS CC-16312 ; Hexyl cinnamic aldehyde ; Iso E Super ; 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol ; Hexyl salicylate ; Eucalyptus oil ; Benzyl salicylate ; Orange oil ; Lemon oil ; Allyl cyclohexylpropionate ; CUPRESSUS FUNEBRIS WOOD OIL ; Spearmint oil ; Citral ; Benzyl benzoate ; Helional ; Cypress oil ; Adoxal ; Cyclamal ; Geranium oil Egyptian ; Citronellol Pure ; Benzyl alcohol ; delta-Damascone ; Sandela	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10



# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	TRANQUIL BLUE LOTUS CC-16312 ; Ethylene brassylate ; Hexyl cinnamic aldehyde ; Iso E Super ; Hexyl salicylate ; Eucalyptus oil ; Benzyl salicylate ; Orange oil ; Lemon oil ; Allyl cyclohexylpropionate ; CUPRESSUS FUNEBRIS WOOD OIL ; Spearmint oil ; Benzyl benzoate ; Helional ; Cypress oil ; Adoxal ; Cyclamal ; Geranium oil Egyptian ; Undecavertol ; Benzyl acetate ; delta-Damascone ; Sandela ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Eucalyptus oil ; Orange oil ; Lemon oil ; Spearmint oil ; Camphor ; Cypress oil ; .alpha.-Pinene ; .beta.-Pinene ; Isoamyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK)

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510)

: LGK 10 - Combustible liquids.

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

Joint storage permitted for

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

ABM category

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen

: Eucalyptus oil, Orange oil, Lemon oil, CUPRESSUS FUNEBRIS WOOD OIL, Cypress oil, Sandela are listed

SZW-lijst van mutagene stoffen

: Eucalyptus oil, Orange oil, Lemon oil, CUPRESSUS FUNEBRIS WOOD OIL, Cypress oil, Sandela are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

#### Denmark

Class for fire hazard

: Class III-1

Store unit

: 50 liter

Classification remarks

: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### Switzerland

Storage class (LK)

: LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Other information

: None.

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

# TRANQUIL BLUE LOTUS CC-16312

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.