Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ACAI BERRY BOOST CC-16315 10%

Product code : CC-16315_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl salicylate, Iso E Super, Hexyl cinnamic aldehyde, Linalool,

CUPRESSUS FUNEBRIS WOOD OIL, Linalyl acetate, d-Limonene, Citral, Orange oil,

Helional. May produce an allergic reaction.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

EN (English) 1/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.38 – 0.75	Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.33 – 0.65	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.25 – 0.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.2 – 0.39	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.18 – 0.36	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.13 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.12 – 0.24	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.11 – 0.22	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.0438 – 0.15435	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

EN (English) 2/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.08 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.06 – 0.11	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Ethyl alcohol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	0.01 – 0.02495	Flam. Liq. 2, H225
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.01 – 0.0247	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00448	Aquatic Chronic 3, H412
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	≤ 0.00225	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤ 0.00186	Not classified
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00112	Flam. Liq. 3, H226
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	≤ 0.00015	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.00006	Eye Dam. 1, H318 Skin Corr. 1C, H314
CAFFEINE substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 58-08-2 EC-No.: 200-362-1 EC Index-No.: 613-086-00-5	0 - 0.00003	Acute Tox. 4 (Oral), H302
Butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO) Full text of H- and FUH-statements; see section 16	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0 – 0.00002	Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

EN (English) 3/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

EN (English) 4/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL	122 mg/m³	
OEL STEL [ppm]	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm]	13 ppm	

EN (English) 5/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90		
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	

EN (English) 6/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
OEL chemical category	Sensitizer	
Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Ethyl alcohol (64-17-5)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	1900 mg/m³	
MAK (OEL TWA) [ppm]	1000 ppm	
MAK (OEL STEL)	3800 mg/m³	
MAK (OEL STEL) [ppm]	2000 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	1907 mg/m³	
OEL TWA [ppm]	1000 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	1900 mg/m³	
GVI (OEL TWA) [2]	1000 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	1000 mg/m ³	

EN (English) 7/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl alcohol (64-17-5)		
Denmark - Occupational Exposure Limits		
OEL TWA [1]	1900 mg/m³	
OEL TWA [2]	1000 ppm	
OEL STEL	3800 mg/m³	
OEL STEL [ppm]	2000 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
OEL TWA [ppm]	500 ppm	
OEL STEL	1900 mg/m³	
OEL STEL [ppm]	1000 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	1900 mg/m³	
HTP (OEL TWA) [2]	1000 ppm	
HTP (OEL STEL)	2500 mg/m³	
HTP (OEL STEL) [ppm]	1300 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	1900 mg/m³	
VME (OEL TWA) [ppm]	1000 ppm	
VLE (OEL C/STEL)	9500 mg/m³	
VLE (OEL C/STEL) [ppm]	5000 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	380 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Greece - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
OEL TWA [ppm]	1000 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	1900 mg/m³	
CK (OEL STEL)	3800 mg/m³	
Ireland - Occupational Exposure Limits		
OEL STEL [ppm]	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	1000 mg/m³	
IPRV (OEL TWA) [ppm]	500 ppm	
TPRV (OEL STEL)	1900 mg/m³	
TPRV (OEL STEL) [ppm]	1000 ppm	

EN (English) 8/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl alcohol (64-17-5)		
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	260 mg/m³	
TGG-8u (OEL TWA) [ppm]	137 ppm	
TGG-15min (OEL STEL)	1900 mg/m³	
TGG-15min (OEL STEL) [ppm]	1000 ppm	
MAC chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	1900 mg/m³	
Portugal - Occupational Exposure Limits		
OEL STEL [ppm]	1000 ppm	
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	
Romania - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
OEL TWA [ppm]	1000 ppm	
OEL STEL	9500 mg/m³	
OEL STEL [ppm]	5000 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	960 mg/m³	
NPHV (OEL TWA) [2]	500 ppm	
NPHV (OEL C)	1920 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	960 mg/m³	
OEL TWA [ppm]	500 ppm	
OEL STEL	1920 mg/m³	
OEL STEL [ppm]	1000 ppm	
Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL)	1910 mg/m³	
VLA-EC (OEL STEL) [ppm]	1000 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1000 mg/m³	
NGV (OEL TWA) [ppm]	500 ppm	
KTV (OEL STEL)	1900 mg/m³	
KTV (OEL STEL) [ppm]	1000 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	1920 mg/m³	
WEL TWA (OEL TWA) [2]	1000 ppm	
WEL STEL (OEL STEL)	5760 mg/m³ (calculated)	
WEL STEL (OEL STEL) [ppm]	3000 ppm (calculated)	

EN (English) 9/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl alcohol (64-17-5)		
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	950 mg/m³	
Grenseverdi (OEL TWA) [2]	500 ppm	
Korttidsverdi (OEL STEL)	1187.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	625 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	960 mg/m³	
MAK (OEL TWA) [2]	500 ppm	
KZGW (OEL STEL)	1920 mg/m³	
KZGW (OEL STEL) [ppm]	1000 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL STEL [ppm]	1000 ppm	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
1,2-Propanediol (57-55-6)		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)	
GVI (OEL TWA) [2]	150 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)	
OEL TWA [2]	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³ (vapor and inhalable fraction)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)	
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	79 mg/m³	

EN (English) 10/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)		
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m³	
OEL TWA [2]	50 ppm	
OEL STEL	618 mg/m³	
OEL STEL [ppm]	100 ppm	
OEL chemical category	Potential for cutaneous absorption	

EN (English) 11/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)			
Estonia - Occupational Exposure Limits	Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Skin notation		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	310 mg/m³		
HTP (OEL TWA) [2]	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
France - Occupational Exposure Limits			
VME (OEL TWA)	308 mg/m³ (restrictive limit)		
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)		
OEL chemical category	Risk of cutaneous absorption		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	310 mg/m³ (isomer mixture)		
AGW (OEL TWA) [2]	50 ppm (isomer mixture)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Skin notation		
Greece - Occupational Exposure Limits			
OEL TWA	600 mg/m³		
OEL TWA [ppm]	100 ppm		
OEL STEL	900 mg/m³		
OEL STEL [ppm]	150 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	308 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	308 mg/m³ ((2-Methoxymethylethoxy)propanol)		
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)		
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)		
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)		
OEL chemical category	Potential for cutaneous absorption		
Italy - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Latvia - Occupational Exposure Limits			
OEL TWA	308 mg/m ³		

EN (English) 12/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)			
OEL TWA [ppm]	50 ppm		
OEL chemical category	skin - potential for cutaneous exposure		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)		
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)		
OEL chemical category	Skin notation		
Luxembourg - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Possibility of significant uptake through the skin		
Malta - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Possibility of significant uptake through the skin		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	300 mg/m³		
TGG-8u (OEL TWA) [ppm]	48.7 ppm		
Poland - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-1-ol)		
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)		
Portugal - Occupational Exposure Limits			
OEL TWA	308 mg/m³ (indicative limit value)		
OEL TWA [ppm]	50 ppm (indicative limit value)		
OEL STEL [ppm]	150 ppm		
OEL chemical category	skin - potential for cutaneous exposure indicative limit value		
Romania - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Skin notation		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA) [1]	308 mg/m³		
NPHV (OEL TWA) [2]	50 ppm		
OEL chemical category	Potential for cutaneous absorption		
Slovenia - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		

EN (English) 13/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL STEL	308 mg/m³	
OEL STEL [ppm]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
NGV (OEL TWA) [ppm]	50 ppm	
KTV (OEL STEL)	450 mg/m³	
KTV (OEL STEL) [ppm]	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	300 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	300 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Dipropylene glycol methyl ether)	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	

EN (English) 14/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alphaPinene (80-56-8)			
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits	•		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
.betaPinene (127-91-3)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		

EN (English) 15/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.betaPinene (127-91-3)			
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
decyl alcohol (112-30-1)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	10 mg/m³		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		

EN (English) 16/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Latvia - Occupational Exposure Limits 10 mg/m³ CBL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits 10 mg/m³ Romania - Occupational Exposure Limits 100 mg/m³ OEL TWA 100 mg/m³ OEL TWA (ppm) 15 ppm OEL STEL (ppm) 30 ppm Switzerfand - Occupational Exposure Limits What (CPL TWA) [1] 66 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) 40 ppm (aerosol, vapour) KZGW (OEL STEL) (ppm) 10 ppm (aerosol, vapour) 40 ppm (aerosol, vapour) KZGW (OEL STEL) (ppm) 10 ppm (aerosol, vapour) 40 mg/m² (aerosol, vapour) Aldebyade C-6 (66-25-1) Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits MTP (OEL STEL) (ppm) 10 ppm 10 ppm Poland - Occupational Exposure Limits NB og/m² NDSCh (DEL STEL) 8 mg/m² Bulgaria - Occupational Exposure Limits S mg/m² OEL TWA 5 mg/m² Latvia - Occupational Exposure Limits Finland - Occupational Exposure Limits OEL TWA 0.5 mg/m² CAFFEINE (88-08-2)	decyl alcohol (112-30-1)		
Lithuania - Occupational Exposure Limits PRV (OEL TWA) 10 mg/m² Romania - Occupational Exposure Limits OEL TWA ppm] OEL STEL 200 mg/m² OEL STEL [ppm] 30 ppm Switzerfand - Occupational Exposure Limits WAK (OEL TWA) [1] 66 mg/m² (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL TWA) NDS (OEL TWA) NDS (OEL TWA) NDS (OEL STEL) Caproic acid (142-62-1) Smg/m² Latvia - Occupational Exposure Limits OEL TWA Smg/m² Lithuania - Occupational Exposure Limits OEL TWA Smg/m² CAFFEINE (68-08-2) Bulgaria - Occupational Exposure Limits OEL TWA O.5 mg/m² Latvia - Occupational Exposure Limits OEL TWA O.5 mg/m² Latvia - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latvia - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits PRV (OEL TWA) O.5 mg/m² Latviania - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
PRV (OEL TWA)	OEL TWA	10 mg/m³	
Name	Lithuania - Occupational Exposure Limits		
OEL TWA 100 mg/m² OEL TWA [ppm] 15 ppm OEL STEL 200 mg/m² OEL STEL [ppm] 30 ppm OEL STEL [ppm] 30 ppm Witzerland - Occupational Exposure Limits ************************************	IPRV (OEL TWA)	10 mg/m³	
OEL TWA [ppm] 15 ppm OEL STEL 200 mg/m³ OEL STEL [ppm] 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 66 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) [ppm] 10 ppm HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDS (OEL TWA) 5 mg/m³ Del TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits PRO (SE TRE) (SB-08-2) Bulgaria - Occupational Exposure Limits CAFFEINE (SB-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ (base) <	Romania - Occupational Exposure Limits		
OEL STEL [ppm] 200 mg/m² OEL STEL [ppm] 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 66 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) ************************************	OEL TWA	100 mg/m³	
OEL STEL (ppm) 30 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 66 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m² (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDS (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Capper (Se-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Capper (Se-08-2) Bulgaria - Occupational Exposure Limits	OEL TWA [ppm]	15 ppm	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 66 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldebyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) [ppm] 42 mg/m³ HTP (OEL STEL) [ppm] 40 mg/m³ NDS (OEL STEL) [ppm] 40 mg/m³ NDS (OEL STEL) 30 mg/m³ NDS (OEL STEL) 30 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ <td col<="" td=""><td>OEL STEL</td><td>200 mg/m³</td></td>	<td>OEL STEL</td> <td>200 mg/m³</td>	OEL STEL	200 mg/m³
MAK (OEL TWA) [1] 66 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDSC (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits 5 mg/m³ CAL TWA 5 mg/m³ CAL TWA 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits PRIVA 0.5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OCL TWA 0.5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OCL TWA 0.5 mg/m³ OCL TWA	OEL STEL [ppm]	30 ppm	
MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDSCN (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits 5 mg/m³ Lithuania - Occupational Exposure Limits 6 mg/m³ CAFFEINE (58-08-2) 8 mg/m³ Bulgaria - Occupational Exposure Limits 0.5 mg/m³ CEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits 0.5 mg/m³ Catvia - Occupational Exposure Limits 0.5 mg/m³ Lithuania - Occupational Exposure Limits 0.5 mg/m³ Lithuania - Occupational Exposure Limits 0.5 mg/m³ Lithuania - Occupational Exposure Limits 0.5 mg/m³ (base)	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 66 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) 42 mg/m³ HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDS (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits PRY (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) 80 mg/m³ Bulgaria - Occupational Exposure Limits 0.5 mg/m³ CEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits 1.5 mg/m³ CEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits 1.5 mg/m³ DEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits 1.5 mg/m³ Lithuania - Occupational Exposure Limits	MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm] 10 ppm (aerosol, vapour) Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL) [ppm] 42 mg/m³ HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDS (OEL STEL) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits URITY (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits PRV (OEL TWA) 0.5 mg/m³ (base) Bulgaria - Occupational Exposure Limits	MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1) Finland - Occupational Exposure Limits HTP (OEL STEL)	KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
Finland - Occupational Exposure Limits HTP (OEL STEL)	KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
HTP (OEL STEL) 42 mg/m³ 10 ppm 1	Aldehyde C-6 (66-25-1)		
HTP (OEL STEL) [ppm] 10 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDSCh (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits DEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits	Finland - Occupational Exposure Limits		
Poland - Occupational Exposure Limits NDS (OEL TWA) 40 mg/m³ NDSCh (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ CLITWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	HTP (OEL STEL)	42 mg/m³	
NDS (OEL TWA) 40 mg/m³ NDSCh (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits DEL TWA Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	HTP (OEL STEL) [ppm]	10 ppm	
NDSCh (OEL STEL) 80 mg/m³ Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	Poland - Occupational Exposure Limits		
Caproic acid (142-62-1) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	NDS (OEL TWA)	40 mg/m³	
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Cel TWA 5 mg/m³ Cel TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	NDSCh (OEL STEL)	80 mg/m ³	
OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	Caproic acid (142-62-1)		
Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	Bulgaria - Occupational Exposure Limits		
DEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base)	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³ CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	OEL TWA	5 mg/m³	
CAFFEINE (58-08-2) Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	Lithuania - Occupational Exposure Limits		
Bulgaria - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	IPRV (OEL TWA)	5 mg/m³	
OEL TWA 0.5 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	CAFFEINE (58-08-2)		
Latvia - Occupational Exposure Limits OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	Bulgaria - Occupational Exposure Limits		
OEL TWA 0.5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	OEL TWA	0.5 mg/m³	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 0.5 mg/m³ (base) Butyric acid (107-92-6)	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 0.5 mg/m³ (base)	OEL TWA	0.5 mg/m³	
Butyric acid (107-92-6)	Lithuania - Occupational Exposure Limits		
	IPRV (OEL TWA)	0.5 mg/m³ (base)	
Bulgaria - Occupational Exposure Limits	Butyric acid (107-92-6)		
OEL TWA 10 mg/m³	OEL TWA	10 mg/m³	

EN (English) 17/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Butyric acid (107-92-6)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	15 mg/m³	
OEL TWA [ppm]	4 ppm	
OEL STEL	30 mg/m³	
OEL STEL [ppm]	8 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

EN (English) 18/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Colour characteristic. Odour Odour threshold No data available No data available рΗ Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure : No data available Relative vapour density at 20°C Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

EN (English) 19/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Ethyl alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	133.8 mg/l/4h	
1,2-Propanediol (57-55-6)		
LD50 oral rat	20 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)	

EN (English) 20/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
decyl alcohol (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Caproic acid (142-62-1)		
LD50 oral rat	3 g/kg (Source: NLM_HSDB)	
LD50 oral	4000 mg/kg bodyweight	
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)	
CAFFEINE (58-08-2)		
LD50 oral rat	367.7 mg/kg (Source: OECD_SIDS)	
LD50 oral	370 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	4.94 mg/l/4h	
Butyric acid (107-92-6)		
LD50 oral rat	2 g/kg (Source: NLM_CIP)	
LD50 oral	1630 mg/kg bodyweight	
LD50 dermal rabbit	530 mg/kg (Source: NLM_HSDB)	
Additional information :	Not classified Based on available data, the classification criteria are not met	
,	Not classified Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation :	Not classified	
	Based on available data, the classification criteria are not met Not classified	
Additional information :	Based on available data, the classification criteria are not met	
5 ,	Not classified Based on available data, the classification criteria are not met	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	

EN (English) 21/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
IARC group		3 - Not classifiable
CAFFEINE (58-08-2)		
IARC group		3 - Not classifiable
Reproductive toxicity	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
STOT-single exposure	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
STOT-repeated exposure	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
Aspiration hazard	:	Not classified
Additional information	:	Based on available data, the classification criteria are not met
Orange oil (8008-57-9)		
Hydrocarbon		Yes
Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
Ethyl alcohol (64-17-5)		
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

EN (English) 22/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl alcohol (64-17-5)		
EC50 - Crustacea [2]	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
1,2-Propanediol (57-55-6)		
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID	
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)	
Dipropylene glycol monomethyl ether (34590	-94-8)	
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
decyl alcohol (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Caproic acid (142-62-1)		
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
CAFFEINE (58-08-2)		
LC50 - Fish [1]	151 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Butyric acid (107-92-6)		
EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability		
ACAI BERRY BOOST CC-16315 10%		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ACAI BERRY BOOST CC-16315 10%		
Bioaccumulative potential	Not established.	
Benzyl acetate (140-11-4)		

EN (English) 23/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)	
1,2-Propanediol (57-55-6)		
BCF - Fish [1]	(1 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
decyl alcohol (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Caproic acid (142-62-1)		
Partition coefficient n-octanol/water (Log Pow)	1.88	
CAFFEINE (58-08-2)		
Partition coefficient n-octanol/water (Log Pow)	-0.091 (at 23 °C)	
Butyric acid (107-92-6)		
Partition coefficient n-octanol/water (Log Pow)	1.1 (at 25 °C (at pH 3)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

EN (English) 24/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

EN (English) 25/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Orange oil ; Ethyl alcohol ; .alpha Pinene ; .betaPinene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Hexyl salicylate; Iso E Super; Hexyl cinnamic aldehyde; Linalool; CUPRESSUS FUNEBRIS WOOD OIL; Linalyl acetate; d-Limonene; Citral; Orange oil; Helional; Caproic acid; CAFFEINE; Butyric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	ACAI BERRY BOOST CC-16315 10%; Benzyl acetate; Hexyl salicylate; Iso E Super; Hexyl cinnamic aldehyde; CUPRESSUS FUNEBRIS WOOD OIL; Hexamethylindanopyran; d-Limonene; Orange oil; Helional; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene; Orange oil; Ethyl alcohol; .alpha Pinene; .betaPinene; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

EN (English) 26/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Joint storage table LGK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 5.1C LGK 5.2 **LGK 6.1A** LGK 6.1B LGK 6.1C LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 10 LGK 11 LGK 12 **LGK 13** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : CUPRESSUS FUNEBRIS WOOD OIL,Orange oil ,Ethyl alcohol are listed

SZW-lijst van mutagene stoffen : CUPRESSUS FUNEBRIS WOOD OIL,Orange oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : Ethyl alcohol is listed

SZW-lijst van reprotoxische stoffen – : Ethyl alcohol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : Ethyl alcohol is listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

EN (English) 27/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Acuto Toy 4 (Oral)	Aguta tovicity (oral) Catagory 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Hexyl salicylate, Iso E Super, Hexyl cinnamic aldehyde, Linalool, CUPRESSUS FUNEBRIS WOOD OIL, Linalyl acetate, d-Limonene, Citral, Orange oil, Helional. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

EN (English) 28/29

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 29/29