Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product

: Mixture : BLUSHING PEONY CC-16320 5% : EU55414F_5% : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	:	Industrial
		For professional use only
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification		
2.1. Classification of the substance or m	nixture	
Classification according to Regulation (EC) N	lo. 1272/2008 [CLP]	
Hazardous to the aquatic environment – Chronic Full text of H- and EUH-statements: see section		
Adverse physicochemical, human health and	environmental effects	
No additional information available		
2.2. Label elements		
Labelling according to Regulation (EC) No. 12	272/2008 [CLP]	
Signal word (CLP)	: -	
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.	
Precautionary statements (CLP)	: P273 - Avoid release to the environment.	
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
EUH-statements : EUH208 - Contains d-Limonene, Linalyl acetate, Bergamot oil, Iso E Super. May produce an allergic reaction.		
Extra phrases	: For professional users only.	
2.3. Other hazards		

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.14 – 0.275	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.11 – 0.22	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.09 – 0.175	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	0.075 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.05 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.01 – 0.0225	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.002425 – 0.012124875	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.000425	Aquatic Chronic 3, H412
Glycerine substance with national workplace exposure limit(s) (BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, PL, PT, SI, SK, CH)	CAS-No.: 56-81-5 EC-No.: 200-289-5	0.000025 – 0.000124875	Not classified
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.000105	Flam. Liq. 3, H226

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.000005	Eye Dam. 1, H318 Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. 	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		

•

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.3. Methods	and material for containment and cleaning up	

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

OEL chemical category

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1 National occupational exposure and biological limit values d-Limonene (5989-27-5) **Finland - Occupational Exposure Limits** HTP (OEL TWA) [1] 140 mg/m³ HTP (OEL TWA) [2] 25 ppm HTP (OEL STEL) 280 mg/m³ HTP (OEL STEL) [ppm] 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization **Slovenia - Occupational Exposure Limits** OEL TWA 28 mg/m³ OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm

Potential for cutaneous absorption

Safety Data Sheet

d-Limonene (5989-27-5)	
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	168 mg/m³
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m ³
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m ³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer
Citral (5392-40-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	32 mg/m ³ (vapor and aerosol)
OEL TWA [ppm]	5 ppm (vapor and aerosol)
OEL chemical category	Skin
Ireland - Occupational Exposure Limits	
OEL TWA [2]	5 ppm
OEL STEL [ppm]	15 ppm (calculated)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	27 mg/m³
NDSCh (OEL STEL)	54 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
USA - ACGIH - Occupational Exposure Limits	·
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

Safety Data Sheet

1,2-Propanediol (57-55-6)			
Croatia - Occupational Exposure Limits			
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)		
GVI (OEL TWA) [2]	150 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	10 mg/m ³ (particulates) 470 mg/m ³ (total vapour and particulates)		
OEL TWA [2]	150 ppm (total vapour and particulates)		
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)		
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)		
Latvia - Occupational Exposure Limits			
OEL TWA	7 mg/m ³		
Lithuania - Occupational Exposure Limits	·		
IPRV (OEL TWA)	7 mg/m ³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	100 mg/m³ (vapor and inhalable fraction)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	474 mg/m ³ (total vapour and particulates) 10 mg/m ³ (particulates)		
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)		
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)		
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	79 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
Glycerine (56-81-5)			
Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
OEL TWA	10 mg/m ³ (mist)		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA) [1]	10 mg/m ³		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	10 mg/m ³		
Estonia - Occupational Exposure Limits			
OEL TWA	10 mg/m ³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	20 mg/m ³		

Safety Data Sheet

Glycerine (56-81-5)		
France - Occupational Exposure Limits		
VME (OEL TWA)	10 mg/m ³ (aerosol)	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	200 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)	
Greece - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³ (inhalable fraction)	
Portugal - Occupational Exposure Limits		
OEL TWA	10 mg/m ³ (mist)	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	11 mg/m ³	
Slovenia - Occupational Exposure Limits	•	
OEL TWA	200 mg/m³ (inhalable fraction)	
OEL STEL	400 mg/m³ (inhalable fraction)	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	10 mg/m³ (mist)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ (mist)	
WEL STEL (OEL STEL)	30 mg/m³ (calculated-mist)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	50 mg/m³ (inhalable dust)	
KZGW (OEL STEL)	100 mg/m³ (inhalable dust)	
decyl alcohol (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA) [1]	66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Lithuania - Occupational Exposure Limits	·	
IPRV (OEL TWA)	10 mg/m ³	
Romania - Occupational Exposure Limits	·	
OEL TWA	100 mg/m ³	
OEL TWA [ppm]	15 ppm	
OEL STEL	200 mg/m ³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

decyl alcohol (112-30-1)			
OEL STEL [ppm]	30 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)		
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)		
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)		
Aldehyde C-6 (66-25-1)			
Finland - Occupational Exposure Limits			
HTP (OEL STEL)	42 mg/m ³		
HTP (OEL STEL) [ppm]	10 ppm		
Poland - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m ³		
NDSCh (OEL STEL)	80 mg/m³		
Caproic acid (142-62-1)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m ³		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m ³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity (dermal) :	Not classified Not classified Not classified		
d-Limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)		
Hexamethylindanopyran (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
Bergamot oil (8007-75-8)			
LD50 oral rat	11520 mg/kg (Source: NLM_CIP)		
Citral (5392-40-5)	Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)		
1,2-Propanediol (57-55-6)			
LD50 oral rat	20 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)		
Glycerine (56-81-5)			
LD50 oral rat	12600 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 10 g/kg (Source: NLM_CIP)		
LC50 Inhalation - Rat	> 2.75 mg/l/4h		
decyl alcohol (112-30-1)			
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Caproic acid (142-62-1)	
LD50 oral rat	3 g/kg (Source: NLM_HSDB)
LD50 oral	4000 mg/kg bodyweight
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information d-Limonene (5989-27-5)	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
IARC group	3 - Not classifiable
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information Potential adverse human health effects and symptoms	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity			
Hazardous to the aquatic environment, short-term : (acute)	Not classified		
	Harmful to aquatic life with long lasting effects.		
d-Limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
Hexamethylindanopyran (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		

Safety Data Sheet

Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
1,2-Propanediol (57-55-6)		
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)	
Glycerine (56-81-5)		
LC50 - Fish [1]	54 g/l (Exposure time: 96 h -ECHA db)	
decyl alcohol (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Caproic acid (142-62-1)		
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
12.2. Persistence and degradability		
BLUSHING PEONY CC-16320 5%		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
BLUSHING PEONY CC-16320 5%		
Bioaccumulative potential	Not established.	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
1,2-Propanediol (57-55-6)		
BCF - Fish [1]	(1 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	
Glycerine (56-81-5)		
BCF - Fish [1]	(no bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4)	
decyl alcohol (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Caproic acid (142-62-1)		
Partition coefficient n-octanol/water (Log Pow)	1.88	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		· · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippir	ig name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	zards	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Bergamot oil ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	d-Limonene ; Linalyl acetate ; Bergamot oil ; Iso E Super ; Citral ; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	BLUSHING PEONY CC- 16320 5% ; d-Limonene ; Hexamethylindanopyran ; Bergamot oil ; Iso E Super ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Bergamot oil ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

 Water hazard class (WGK)
 : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

 Storage class (LGK, TRGS 510)
 : LGK 12 - Non-combustible liquids.

 Joint storage table
 : LGK 1
 LGK 2A
 LGK 2B
 LGK 3
 LGK 4.1A

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

: LGK 1, LGK 6.2, LGK 7.

: LGK 4.1A, LGK 4.3, LGK 5.1C.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LG 10-13.		
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)		
Netherlands			
ABM category	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment		
SZW-lijst van kankerverwekkende stoffen	: Bergamot oil is listed		
SZW-lijst van mutagene stoffen	: Bergamot oil is listed		
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed		
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed		
Denmark			
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Pregnant/breastfeeding women working with the product must not be in direct contact with the product 		
Switzerland			
Storage class (LK)	: LK 10/12 - Liquids		
15.2. Chemical safety assessment			

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains d-Limonene, Linalyl acetate, Bergamot oil, Iso E Super. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.