Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product

: Mixture : ROMANTIC ROSE CC-16321 10% : EU55415F_10% : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

SECTION 2: Hazards identification	1
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC Skin sensitisation, Category 1 Hazardous to the aquatic environment – Chron Full text of H- and EUH-statements: see section	H317 nic Hazard, Category 3 H412 on 16
Adverse physicochemical, human health and No additional information available	na environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) No. Hazard pictograms (CLP)	: GHS07
Signal word (CLP) Contains	 Warning Hexyl cinnamic aldehyde; Iso E Super; Hexyl salicylate; Benzyl salicylate; Geraniol; COUMARIN; Patchouli oil
Hazard statements (CLP)	 H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	P302+P352 - IF ON SKIN: Wash with plenty of water.	
	P321 - Specific treatment (see supplemental first aid instruction on this label).	
Extra phrases	: For professional users only.	

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.75 – 1.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.5 – 1	Aquatic Chronic 2, H411
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.35 – 0.7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.11 – 0.22	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.09 – 0.18	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.08 – 0.16	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.08 – 0.15	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.08 – 0.15	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.054 – 0.102	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.00485 – 0.02424975	Not classified
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.01 – 0.01584	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Dipentene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3	0 – 0.00171	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.00063	Flam. Liq. 3, H226
Glycerine substance with national workplace exposure limit(s) (BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, PL, PT, SI, SK, CH)	CAS-No.: 56-81-5 EC-No.: 200-289-5	0.00005 – 0.00024975	Not classified
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.00023	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the su	bstance or mixture	
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. 	
SECTION 6: Accidental release mea	sures	
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters.	
6.3. Methods and material for containme	ent and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Section 8. Exposure controls and personal protection.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.	

 7.2. Conditions for safe storage, including any incompatibilities

 Storage conditions
 : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

 Incompatible products
 : Strong bases. Strong acids.

 Incompatible materials
 : Sources of ignition. Direct sunlight.

 7.3. Specific end use(s)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1,2-Propanediol (57-55-6)		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)	
GVI (OEL TWA) [2]	150 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)	
OEL TWA [2]	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m ³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m ³ (vapor and inhalable fraction)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m ³ (calculated-total vapour and particulates) 30 mg/m ³ (calculated-particulate)	
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	79 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
Glycerine (56-81-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (mist)	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	10 mg/m ³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	10 mg/m³	

Safety Data Sheet

Glycerine (56-81-5)			
Estonia - Occupational Exposure Limits	Estonia - Occupational Exposure Limits		
OEL TWA	10 mg/m ³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	20 mg/m³		
France - Occupational Exposure Limits			
VME (OEL TWA)	10 mg/m³ (aerosol)		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	200 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)		
Greece - Occupational Exposure Limits			
OEL TWA	10 mg/m ³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	10 mg/m³ (inhalable fraction)		
Portugal - Occupational Exposure Limits			
OEL TWA	10 mg/m³ (mist)		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA) [1]	11 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	200 mg/m³ (inhalable fraction)		
OEL STEL	400 mg/m³ (inhalable fraction)		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	10 mg/m³ (mist)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	10 mg/m ³ (mist)		
WEL STEL (OEL STEL)	30 mg/m ³ (calculated-mist)		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	50 mg/m³ (inhalable dust)		
KZGW (OEL STEL)	100 mg/m ³ (inhalable dust)		
d-Limonene (5989-27-5)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	140 mg/m ³		
HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL)	280 mg/m ³		
HTP (OEL STEL) [ppm]	50 ppm		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		

Safety Data Sheet

d-Limonene (5989-27-5)		
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m ³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m ³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m ³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m ³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
Dipentene (138-86-3)		
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m ³	
TPRV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer coniferous resin sensitizes the skin	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m ³	

Safety Data Sheet

Dipentene (138-86-3)			
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m ³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m ³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
.alphaPinene (80-56-8)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		
TPRV (OEL STEL)	300 mg/m ³		
TPRV (OEL STEL) [ppm]	50 ppm		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m ³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m ³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alphaPinene (80-56-8)			
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m ³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
Citral (5392-40-5)			
Belgium - Occupational Exposure Limits			
OEL TWA	32 mg/m ³ (vapor and aerosol)		
OEL TWA [ppm]	5 ppm (vapor and aerosol)		
OEL chemical category	Skin		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	5 ppm		
OEL STEL [ppm]	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		
NDSCh (OEL STEL)	54 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Standard.
Odour	:	characteristic.
Odour threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 93 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Non flammable.
Vapour pressure	:	No data available
Relative vapour density at 20°C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information					
11.1 Information on toxicological effects					
Acute toxicity (dermal)	Not classified Not classified Not classified				
Hexyl cinnamic aldehyde (101-86-0)					
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)				
LD50 oral	3100 mg/kg bodyweight				
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)				
LC50 Inhalation - Rat > 5 mg/l/4h					
Ethylene brassylate (105-95-3)					
LD50 oral rat	> 5000 mg/kg (Source: ECHA)				
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)				
Hexyl salicylate (6259-76-3)					
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)				
LD50 dermal rabbit	bit > 5000 mg/kg (Source: ECHA_API)				
Benzyl salicylate (118-58-1)					
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)				
LD50 oral	2200 mg/kg bodyweight				
LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW)					

Safety Data Sheet

Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
LD50 oral	3600 mg/kg bodyweight		
D50 dermal rabbit > 5 g/kg (Source: NLM_CIP)			
ACETYL HEXAMETHYL TETRALIN (21145-77	-7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)		
LD50 oral	1000 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 oral	290 mg/kg bodyweight		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
Patchouli oil (8014-09-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
1,2-Propanediol (57-55-6)			
LD50 oral rat	20 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)		
Glycerine (56-81-5)			
LD50 oral rat	12600 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 10 g/kg (Source: NLM_CIP)		
LC50 Inhalation - Rat	> 2.75 mg/l/4h		
d-Limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Dipentene (138-86-3)	·		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)		
.alphaPinene (80-56-8)			
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)		
Citral (5392-40-5)			
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)		
Skin corrosion/irritation :			
Additional information : Serious eye damage/irritation :	Based on available data, the classification criteria are not met Not classified		
Additional information :	Based on available data, the classification criteria are not met		
Respiratory or skin sensitisation :	May cause an allergic skin reaction.		
Additional information : Germ cell mutagenicity :	Based on available data, the classification criteria are not met Not classified		
Additional information :	Based on available data, the classification criteria are not met		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carcinogenicity Additional information	: Not classified : Based on available data, the classification criteria are not met
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity				
Hazardous to the aquatic environment, short-term : (acute)	Not classified			
	Harmful to aquatic life with long lasting effects.			
Benzyl salicylate (118-58-1)				
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
Geraniol (106-24-1)				
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)			
1,2-Propanediol (57-55-6)				
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)			
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)			
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)			
Glycerine (56-81-5)				
LC50 - Fish [1]	54 g/l (Exposure time: 96 h -ECHA db)			
d-Limonene (5989-27-5)				
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)			
.alphaPinene (80-56-8)				
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)			
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
Citral (5392-40-5)				
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Citral (5392-40-5)					
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)				
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)				
12.2. Persistence and degradability					
ROMANTIC ROSE CC-16321 10%					
Persistence and degradability	Not established.				
12.3. Bioaccumulative potential					
ROMANTIC ROSE CC-16321 10%					
Bioaccumulative potential	Not established.				
Ethylene brassylate (105-95-3)					
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)				
Hexyl salicylate (6259-76-3)					
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)				
Benzyl salicylate (118-58-1)					
Partition coefficient n-octanol/water (Log Pow)	4				
Geraniol (106-24-1)					
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)				
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)				
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)				
1,2-Propanediol (57-55-6)					
BCF - Fish [1]	(1 dimensionless)				
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)				
Glycerine (56-81-5)					
BCF - Fish [1]	(no bioaccumulation)				
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4)				
d-Limonene (5989-27-5)					
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)				
.alphaPinene (80-56-8)					
Partition coefficient n-octanol/water (Log Pow)	4.1				
Citral (5392-40-5)					
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)				
12.4. Mobility in soil					

No additional information available

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	3
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

ADR	IMDG IATA		ADN	RID
4.1. UN number		· · · · · · · · · · · · · · · · · · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name		· · ·	
Not applicable Not applicable Not applicable Not applicable Not				
14.3. Transport hazard c	lass(es)		· · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		·	· · · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haza	ards	· ·	· · · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea Not applicable

Air transport

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	d-Limonene ; Dipentene ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	ROMANTIC ROSE CC- 16321 10% ; Hexyl cinnamic aldehyde ; Iso E Super ; Hexyl salicylate ; Benzyl salicylate ; Geraniol ; Patchouli oil ; d-Limonene ; Dipentene ; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	ROMANTIC ROSE CC- 16321 10% ; Hexyl cinnamic aldehyde ; Ethylene brassylate ; Iso E Super ; Hexyl salicylate ; Benzyl salicylate ; Patchouli oil ; d-Limonene ; Dipentene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	d-Limonene ; Dipentene ; .alphaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases				
Code	Description			
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510)	:		tly hazardous t -combustible li		ication accordi	ng to AwSV, Annex 1).
Joint storage table	:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
		LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
		LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
		LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
		LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	:	 LGK 1, LGK 6.2, LGK 7. LGK 4.1A, LGK 4.3, LGK 5.1C. LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13. 				
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject	t of the Hazard	ous Incident Ord	dinance (12. Bl	lmSchV)
Netherlands						
ABM category	:	: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment				
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed				
SZW-lijst van mutagene stoffen	:	None of the components are listed				
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed				
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	None of the components are listed				
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed				
Denmark						
Classification remarks Danish National Regulations	:	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 				
Switzerland						
Storage class (LK)	:	: LK 10/12 - Liquids				
15.2. Chemical safety assessment						
No shaminal affative assessment has been sarried as						

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information	
Data sources Other information	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None.
Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.