Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/20/2023



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : LEATHERWOOD HONEY CC-16322

UFI : 40DQ-4AHD-800W-P64X

Product code : CC-16322

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

Signal word (CLP) : Warning

Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Patchouli oil; Hexyl cinnamic aldehyde; CUPRESSUS FUNEBRIS WOOD OIL; Amberwood

F; Isolongifolene ketone; Vetiver oil; Eugenol; 3-Hepten-2-one, 3,4,5,6,6-pentamethyl-, (Z)-;

Black pepper oil

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.
: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	4.5 – 8.9	Not classified
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	2 – 4	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.8 – 3.6	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	1 – 2	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1-2	Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amberwood F	CAS-No.: 58567-11-6 EC-No.: 261-332-1	1 – 2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Isolongifolene ketone	CAS-No.: 23787-90-8 EC-No.: 245-890-3	0.5 – 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Vetiveria zizanoides root oil	CAS-No.: 8016-96-4 EC-No.: 616-993-4 REACH-no: 01-2120119716- 55	0.3 – 0.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.3 – 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Acetyl Diisoamylene	CAS-No.: 81786-73-4 EC-No.: 279-822-9	0.3 – 0.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.3 – 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 1, H410
Black pepper oil	CAS-No.: 8006-82-4 EC-No.: 616-894-6	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.2 – 0.4	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.0485 – 0.2424975	Not classified
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.1 – 0.18	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Glycerine substance with national workplace exposure limit(s) (BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, PL, PT, SI, SK, CH)	CAS-No.: 56-81-5 EC-No.: 200-289-5	0.0005 – 0.0024975	Not classified

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

: If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact

: Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact

: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures

: Ventilate area.

9/20/2023 (Issue date) EN (English) 4/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

Storage temperature

: 25 °C

Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging

: Store in a closed container.

Packaging materials

: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA) 400 mg/m³		
Camphor (76-22-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA) 13 mg/m³		
MAK (OEL TWA) [ppm] 2 ppm		

Safety Data Sheet

Camphor (76-22-2)		
Belgium - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL TWA [ppm]	2 ppm	
OEL STEL	19 mg/m³	
OEL STEL [ppm]	3 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL STEL	18 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	13 mg/m³	
GVI (OEL TWA) [2]	2 ppm	
KGVI (OEL STEL)	19 mg/m³	
KGVI (OEL STEL) [ppm]	3 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	12 mg/m³	
OEL TWA [2]	2 ppm	
OEL STEL	24 mg/m³	
OEL STEL [ppm]	4 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	1.9 mg/m³	
HTP (OEL TWA) [2]	0.3 ppm	
HTP (OEL STEL)	5.7 mg/m³	
HTP (OEL STEL) [ppm]	0.9 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	12 mg/m³	
VME (OEL TWA) [ppm]	2 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	12 mg/m³ (inhalable fraction)	
OEL STEL	18 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	12 mg/m³	
OEL TWA [2]	2 ppm	
OEL STEL	18 mg/m³	
OEL STEL [ppm]	3 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	3 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	12 mg/m³	
NDSCh (OEL STEL)	18 mg/m³	

Safety Data Sheet

Camphor (76-22-2) Portugal - Occupational Exposure Limits 2 ppm OEL STEL [ppm] 3 ppm OEL STEL [ppm] 3 ppm OEL TWA [ppm] 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 1 mg/m² OEL TWA [ppm] 6 ppm OEL STEL 3 mg/m² OEL STEL [ppm] 13 mg/m² OEL STEL [ppm] 13 mg/m² NPHV (OEL TWA) [1] 13 mg/m² NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [2] 19 mg/m² VLA-ED (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) [ppm] 19 mg/m² WEL STEL (OEL STEL) [ppm] 2 ppm WEL STEL (OEL STEL) [ppm] 3 ppm [ny mg/m²			
OEL TWA [ppm] 2 ppm OEL STEL [ppm] 3 ppm OEL OFTICAL [ppm] 3 ppm OEL TWA 1 mg/m² OEL TWA [ppm] 6 ppm OEL STEL [ppm] 1 mg/m² NPHY (OEL TWA) [1] 1 mg/m² NPHY (OEL TWA) [2] 2 ppm NPHY (OEL TWA) [2] 2 mg/m² NPHY (OEL TWA) [2] 2 ppm NPHY (OEL TWA) [2] 2 ppm NPHY (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [1] 1 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL STEL) [ppm] 3 ppm VLA-ED (OEL STEL) [ppm] 3 ppm VLA-ED (OEL STEL) [ppm] 3 ppm WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) [ppm] 3 ppm (m² Well STEL (OEL STEL) [ppm] 4 pm (m²	Camphor (76-22-2)		
OEL STEL [ppm] 3 ppm OEL chemical category A4 - Not Classifiable as a Human Cardinogen Romania - Occupational Exposure Limits I mg/m² OEL TWA [ppm] 6 ppm OEL STEL 3 mg/m² OEL STEL [ppm] 18 ppm Slovakia - Occupational Exposure Limits TWA [ppm] NPHV (OEL TWA) [1] 13 mg/m² NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [3] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VEL TWA (OEL TWA) [2] 2 ppm VEL TWA (OEL TWA) [2] 2 ppm			
OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 1 mg/m² OEL TWA [pm] 6 ppm OEL STEL 3 mg/m² OEL STEL [ppm] 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) [1] NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL STELL) 19 mg/m² VLA-EC (OEL STELL) 3 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m² WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STELL) (ppm] 3 ppm WEL STEL (OEL STELL) (ppm] 3 ppm WEL STEL (OEL STELL) (ppm] 2 ppm Well STEL (OEL STELL) (ppm] 2 ppm Well STEL (OEL STELL) (ppm] 19 mg/m² Gronseverdi (OEL TWA) [1] 12 mg/m² Gronseverdi (OEL STELL) (ppm] <td></td> <td></td>			
Name Occupational Exposure Limits 1 mg/m² 1 mg/m	OEL STEL [ppm]	3 ppm	
OEL TWA [ppm] 1 mg/m² OEL TWA [ppm] 6 ppm OEL STEL [ppm] 18 ppm Slovakia - Occupational Exposure Limits VERMIN [ppm] NPHV (OEL TWA) [1] 13 mg/m² NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL STEL) [ppm] 3 ppm VLA-ED (OEL STEL) [ppm] 3 ppm VLA-ED (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL STEL) [ppm] 13 mg/m² VLA-ED (OEL STEL) [ppm] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits VER (CEL STEL) [ppm] Norway - Occupational Exposure Limits VER (CEL STEL) [ppm] Norway - Occupational Exposure Limits VER (CEL STEL) [ppm] Norway - Occupational Exposure Limits VER (CEL TWA) [2] Norway - Occupational Ex	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm] 6 ppm OEL STEL 3 mg/m² OEL STEL [ppm] 18 ppm Slovakia - Occupational Exposure Limits	Romania - Occupational Exposure Limits		
OEL STEL [ppm] 3 mg/m² OEL STEL [ppm] 18 ppm Slovakia - Occupational Exposure Limits 13 mg/m² NPHV (OEL TWA) [1] 13 mg/m² NPHV (OEL TWA) [2] 2 ppm NPHV (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [1] 13 mg/m² VLA-ED (OEL TWA) [2] 2 ppm VLA-ED (OEL TWA) [2] 3 ppm VLA-ED (OEL TWA) [2] 3 ppm VLA-ED (OEL STEL) [ppm] 3 ppm United Kingdom - Occupational Exposure Limits VLA-ED (OEL TWA) [1] WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) [ppm] 3 ppm WEL STEL (OEL STEL) [ppm] 3 ppm Norvay - Occupational Exposure Limits Orenseverdi (OEL TWA) [1] Grenseverdi (OEL TWA) [1] 12 mg/m² Kortidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Kortidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits Orenseverdi (OEL STEL) [ppm] MAK (OEL TWA) [1] 13 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (serrosol, vapour) MSA - ACGH -	OEL TWA	1 mg/m³	
Stowakia - Occupational Exposure Limits 13 mg/m³	OEL TWA [ppm]	6 ppm	
Slowkia - Occupational Exposure Limits 13 mg/m²	OEL STEL	3 mg/m³	
NPHV (OEL TWA) [1] 13 mg/m³ NPHV (OEL TWA) [2] 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 13 mg/m³ VLA-ED (OEL TWA) [2] 2 ppm VLA-EC (OEL STEL) [ppm] 3 ppm VLA-EC (OEL STEL) [ppm] 3 ppm VLA-EC (OEL STEL) [ppm] 13 mg/m³ WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits 19 mg/m³ Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Kortidoverdi (OEL STEL) [ppm] 3 mg/m³ (value calculated) Kortidoverdi (OEL STEL) [ppm] 4 ppm (value calculated) Kortidoverdi (OEL STEL) [ppm] 13 mg/m³ (value calculated) Mak (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL TWA [ppm] 3 ppm (synthetic) ACGIH Occupational Exposure Limits <td>OEL STEL [ppm]</td> <td>18 ppm</td>	OEL STEL [ppm]	18 ppm	
NPHV (OEL TWA) [2] 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 13 mg/m³ VLA-ED (OEL TWA) [2] 2 ppm VLA-EC (OEL STEL) 19 mg/m³ VLA-EC (OEL STEL) [ppm] J ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Variable Colspan="2">Cernseverdi (OEL TWA) [2] 2 ppm Kortididsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Kortididsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzeriand - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (synthetic) A CGIH OCcupational Exposure Limits ACGIH OCcupational Exposure Limits ACGIH C	Slovakia - Occupational Exposure Limits		
NPHV (OEL C) 26 mg/m³	NPHV (OEL TWA) [1]	13 mg/m³	
Spain - Occupational Exposure Limits	NPHV (OEL TWA) [2]	2 ppm	
VLA-ED (OEL TWA) [1] 13 mg/m³ VLA-ED (OEL TWA) [2] 2 ppm VLA-EC (OEL STEL) 19 mg/m³ VLA-EC (OEL STEL) [ppm] 3 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL TWA [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	NPHV (OEL C)	26 mg/m³	
VLA-ED (OEL TWA) [2] 2 ppm VLA-EC (OEL STEL) 19 mg/m² VLA-EC (OEL STEL) [ppm] 3 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m² WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m² WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m² Grenseverdi (OEL TWA) [2] 2 ppm Kortidosverdi (OEL STEL) [ppm] 4 mg/m² (value calculated) Kortidosverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits 3 mg/m² (aerosol, vapour) MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL TWA [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL) 19 mg/m³ VLA-EC (OEL STEL) [ppm] 3 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (synthetic) ACGIH - Occupational Exposure Limits ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH CEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	VLA-ED (OEL TWA) [1]	13 mg/m³	
VLA-EC (OEL STEL) [ppm] 3 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL TWA [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	VLA-ED (OEL TWA) [2]	2 ppm	
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 13 mg/m³ WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	VLA-EC (OEL STEL)	19 mg/m³	
WEL TWA (OEL TWA) [1] 13 mg/m³ WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	VLA-EC (OEL STEL) [ppm]	3 ppm	
WEL TWA (OEL TWA) [2] 2 ppm WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
WEL STEL (OEL STEL) 19 mg/m³ WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	WEL TWA (OEL TWA) [1]	13 mg/m³	
WEL STEL (OEL STEL) [ppm] 3 ppm Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	WEL TWA (OEL TWA) [2]	2 ppm	
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	WEL STEL (OEL STEL)	19 mg/m³	
Grenseverdi (OEL TWA) [1] 12 mg/m³ Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	WEL STEL (OEL STEL) [ppm]	3 ppm	
Grenseverdi (OEL TWA) [2] 2 ppm Korttidsverdi (OEL STEL) 18 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Grenseverdi (OEL TWA) [1]	12 mg/m³	
Korttidsverdi (OEL STEL) [ppm] 4 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Grenseverdi (OEL TWA) [2]	2 ppm	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)	
MAK (OEL TWA) [1] 13 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)	
MAK (OEL TWA) [2] 2 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	MAK (OEL TWA) [1]	13 mg/m³ (aerosol, vapour)	
ACGIH OEL TWA [ppm] 2 ppm (synthetic) ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	MAK (OEL TWA) [2]	2 ppm (aerosol, vapour)	
ACGIH OEL STEL [ppm] 3 ppm (synthetic) ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category Not Classifiable as a Human Carcinogen synthetic Glycerine (56-81-5) Belgium - Occupational Exposure Limits	ACGIH OEL TWA [ppm]	2 ppm (synthetic)	
Glycerine (56-81-5) Belgium - Occupational Exposure Limits	ACGIH OEL STEL [ppm]	3 ppm (synthetic)	
Belgium - Occupational Exposure Limits	ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic	
	Glycerine (56-81-5)		
OEL TWA 10 mg/m³ (mist)	Belgium - Occupational Exposure Limits		
	OEL TWA	10 mg/m³ (mist)	

Safety Data Sheet

Glycerine (56-81-5)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	10 mg/m³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	10 mg/m³
Estonia - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	20 mg/m³
France - Occupational Exposure Limits	
VME (OEL TWA)	10 mg/m³ (aerosol)
Germany - Occupational Exposure Limits (TRGS 90	00)
AGW (OEL TWA) [1]	200 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Greece - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m³ (inhalable fraction)
Portugal - Occupational Exposure Limits	
OEL TWA	10 mg/m³ (mist)
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	11 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	200 mg/m³ (inhalable fraction)
OEL STEL	400 mg/m³ (inhalable fraction)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	10 mg/m³ (mist)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m³ (mist)
WEL STEL (OEL STEL)	30 mg/m³ (calculated-mist)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	50 mg/m³ (inhalable dust)
KZGW (OEL STEL)	100 mg/m³ (inhalable dust)
1,2-Propanediol (57-55-6)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)
GVI (OEL TWA) [2]	150 ppm
Ireland - Occupational Exposure Limits	
OEL TWA [1]	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)		
OEL TWA [2]	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³ (vapor and inhalable fraction)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)	
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	79 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: Not availableBoiling point: Not available

Flammability : Not applicable, Flammable liquid and vapour.

Explosive limits : Not available Lower explosion limit : Not available : Not available Upper explosion limit : > 93.3 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Not available Vapour pressure at 50°C Density Not available Relative density : Not available Relative vapour density at 20°C : Not available

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

9/20/2023 (Issue date) EN (English) 10/19

: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Amberwood F (58567-11-6)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Vetiveria zizanoides root oil (8016-96-4)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
LD50 oral	2500 mg/kg bodyweight
Allyl amyl glycolate (67634-00-8)	
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	0.43 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h
Camphor (76-22-2)	
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Glycerine (56-81-5)	
LD50 oral rat	12600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 10 g/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 2.75 mg/l/4h
1,2-Propanediol (57-55-6)	
LD50 oral rat	20 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Skin corrosion/irritation :	Causes skin irritation.
	Causes serious eye irritation.
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Bis(2-ethylhexyl) adipate (103-23-1)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphor (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Bis(2-ethylhexyl) adipate (103-23-1) LC50 - Fish [1] LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
	EPA) 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source:
LC50 - Fish [2]	
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Glycerine (56-81-5)	
LC50 - Fish [1]	54 g/l (Exposure time: 96 h -ECHA db)
1,2-Propanediol (57-55-6)	
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l

9/20/2023 (Issue date) EN (English) 13/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

LEATHERWOOD HONEY CC-16322		
Persistence and degradability	Not established.	
Amberwood F (58567-11-6)		
Persistence and degradability May cause long-term adverse effects in the environment.		
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

LEATHERWOOD HONEY CC-16322		
Bioaccumulative potential	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Amberwood F (58567-11-6)		
BCF - Fish [1]	(530 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 25 °C)	
Bioaccumulative potential	Not established.	
Isolongifolene ketone (23787-90-8)		
Partition coefficient n-octanol/water (Log Pow)	5.1 (at 35 °C (at pH 7)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Allyl amyl glycolate (67634-00-8)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)	
Camphor (76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	
Glycerine (56-81-5)		
BCF - Fish [1]	(no bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	-1.75 (at 25 °C (at pH 7.4)	
1,2-Propanediol (57-55-6)		
BCF - Fish [1]	(1 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Black pepper oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	LEATHERWOOD HONEY CC-16322; Patchouli oil ; Hexyl cinnamic aldehyde ; Sandela; CUPRESSUS FUNEBRIS WOOD OIL; Amberwood F; Isolongifolene ketone; Vetiveria zizanoides root oil; Eugenol; Acetyl Diisoamylene; Allyl amyl glycolate; Black pepper oil; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	LEATHERWOOD HONEY CC-16322; Patchouli oil ; Hexyl cinnamic aldehyde ; Sandela; CUPRESSUS FUNEBRIS WOOD OIL; Amberwood F; Isolongifolene ketone; Vetiveria zizanoides root oil; Acetyl Diisoamylene; Allyl amyl glycolate; Black pepper oil; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Black pepper oil ; Camphor	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage table

LGK 2A LGK 3 LGK 4.1A GK 1 LGK 2B LGK 4.2 LGK 5.1A LGK 5.1B LGK 4.1B LGK 4.3 LGK 5.1C LGK 5.2 **LGK 6.1A** LGK 6.1B LGK 6.1C LGK 6.1D **_GK 6.2** LGK 7 LGK 8A LGK 8B **LGK 10** LGK 11 LGK 12 **LGK 13** LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C. : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

: LGK 1, LGK 6.2, LGK 7.

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

: Sandela, CUPRESSUS FUNEBRIS WOOD OIL, Allyl amyl glycolate are listed

: Sandela, CUPRESSUS FUNEBRIS WOOD OIL, Allyl amyl glycolate are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.