## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Mademoiselle CC-16328 10%

Product code : CC-16328 10% Type of product : Perfumes, fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Contains : Linalool; Patchouli oil; Orange oil; Linalyl acetate; Iso E Super; Helional; Citronellol Pure; d-

Limonene; Benzyl salicylate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

EN (English) 1/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.6925 – 1.385	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.26 – 0.52	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.2315 – 0.463	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.23 – 0.46	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.2 – 0.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.185 – 0.37	Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.185 – 0.37	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.1375 – 0.275	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411

EN (English) 2/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.13 – 0.26	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.0925 – 0.185	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.075 – 0.15	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.014 – 0.028	Not classified

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

EN (English) 3/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m³
OEL TWA [ppm]	10 ppm

EN (English) 4/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL	122 mg/m³	
OEL STEL [ppm]	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m <sup>3</sup>	
OEL STEL [ppm]	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	

EN (English) 5/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
1,2-Propanediol (57-55-6)		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)	
GVI (OEL TWA) [2]	150 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)	
OEL TWA [2]	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m³ (vapor and inhalable fraction)	

EN (English) 6/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)	
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	79 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

## Personal protective equipment symbol(s):



# 8.2.2.1. Eye and face protection

## Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

# 8.2.2.3. Respiratory protection

## Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

EN (English) 7/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Colour characteristic. Odour : No data available Odour threshold No data available рΗ Relative evaporation rate (butylacetate=1) No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

: > 93 °C Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available : Non flammable. Flammability (solid, gas) Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available

: No data available

#### 9.2. Other information

**Explosive limits** 

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

EN (English) 8/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects			
	Not classified		
,	Not classified Not classified		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg bodyweight		
Patchouli oil (8014-09-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Hexamethylindanopyran (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
Orange oil (8008-57-9)			
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
Helional (1205-17-0)			
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
Citronellol Pure (106-22-9)			
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)		
LD50 oral	3450 mg/kg bodyweight		
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)		
LD50 dermal	2650 mg/kg bodyweight		
d-Limonene (5989-27-5)	d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
1,2-Propanediol (57-55-6)			
LD50 oral rat	20 g/kg (Source: NLM_CIP)		

EN (English) 9/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)	
LD50 dermal rabbit	20800 mg/kg (Source: NLM_CIP)
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Orange oil (8008-57-9)	
Hydrocarbon	Yes
Potential adverse human health effects and	: Based on available data, the classification criteria are not met
symptoms	

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : No

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

· · ·		
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	

EN (English) 10/15

# Safety Data Sheet

d-Limonene (5989-27-5)

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Source: EPA)  Source: EPA)  35 mg/l (Exposure time: 96 h - Species: Oncomynchus mykiss Source: EPA)  Benzyl salicylate (118-58-1)  LC50 - Fish [1]		
Benzyl salicytate (118-58-1)  LC50 - Fish [1]	LC50 - Fish [1]	
1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA    1.2-Propanediol (57-55-6)	LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
1.2-Propanediol (67-55-6)  1.C50 - Fish [1]   51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID) 1.C50 - Fish [2]   41 – 47 m/l/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA) 1.C50 - Fish [2]   41 – 47 m/l/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA) 1.C50 - Fish [2]   19000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 mg/l (Species: Pseudokirchneriella subcapitata) 1.C50 - Rish Algae [1]   19000 m	Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
A1 - 47 m/l/ (Exposure time: 96 h - Species: Oncorhynchus mykiss (static) Source: EPA)	1,2-Propanediol (57-55-6)	
Section	LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
1900 mg/l (Species: Pseudokirchneriella subcapitata)   12.2. Persistence and degradability	LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
12.2. Persistence and degradability   Not established.	EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Mademoiselle CC-16328 10% Persistence and degradability  12.3. Bioaccumulative potential  Mademoiselle CC-16328 10% Bioaccumulative potential  Not established.  Hexamethylindanopyran (1222-05-5) BCF - Fish [1]	EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)
Persistence and degradability Not established.    12.3. Bloaccumulative potential	12.2. Persistence and degradability	
Not established.   Not established.	Mademoiselle CC-16328 10%	
Bioaccumulative potential Not established.  Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)  Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)  Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Helional (1205-17-0) Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Citronellol Pure (106-22-9) Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)  d-Limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1) Partition coefficient n-octanol/water (Log Pow) 4  1.2-Propanediol (57-55-6) BCF - Fish [1] (1 dimensionless) Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2<=6.4)	Persistence and degradability	Not established.
Bioaccumulative potential Not established.  Hexamethylindanopyran (1222-05-5)  BCF - Fish [1] (1618 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)  Linalyl acetate (115-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow) 4  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	12.3. Bioaccumulative potential	
Hexamethylindanopyran (1222-05-5)  BCF - Fish [1] (1618 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)  Linalyl acetate (115-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow) 4  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Mademoiselle CC-16328 10%	
BCF - Fish [1] (1618 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)  Linalyl acetate (115-95-7)  Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow) 2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow) 3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow) 4  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Bioaccumulative potential	Not established.
Partition coefficient n-octanol/water (Log Pow)  Linalyl acetate (115-95-7)  Partition coefficient n-octanol/water (Log Pow)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow)  Aut (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  Aut (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  Aut (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Hexamethylindanopyran (1222-05-5)	
Partition coefficient n-octanol/water (Log Pow)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow)  1.96 (at 25 °C (at pH 7)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4.3.2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4.1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)  Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4.  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Helional (1205-17-0)  Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4.2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)  2.4 (at 25 °C)  Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  3.41 (at 25 °C)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Citronellol Pure (106-22-9)  Partition coefficient n-octanol/water (Log Pow)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)  d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
d-Limonene (5989-27-5)  Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow) 4  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)  4.38 (at 37 °C (at pH 7.2)  Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  4  1,2-Propanediol (57-55-6)  BCF - Fish [1]  (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow)  -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Benzyl salicylate (118-58-1)  Partition coefficient n-octanol/water (Log Pow)  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)  1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
1,2-Propanediol (57-55-6)  BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Benzyl salicylate (118-58-1)	
BCF - Fish [1] (1 dimensionless)  Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	Partition coefficient n-octanol/water (Log Pow)	4
Partition coefficient n-octanol/water (Log Pow) -1.07 (at 20.5 °C (at pH >=6.2-<=6.4)	1,2-Propanediol (57-55-6)	
	BCF - Fish [1]	(1 dimensionless)
12.4. Mobility in soil	Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)
	12.4. Mobility in soil	

EN (English) 11/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard o	class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group	14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information	No supplementary information available				

# 14.6. Special precautions for user

#### **Overland transport**

Not applicable

## Transport by sea

Not applicable

EN (English) 12/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Orange oil ; d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Mademoiselle CC-16328 10%; Linalool; Patchouli oil; Orange oil; Linalyl acetate; Iso E Super; Helional; Citronellol Pure ; d-Limonene; Benzyl salicylate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Mademoiselle CC-16328 10%; Patchouli oil; Hexamethylindanopyran; Orange oil; Benzyl acetate; Iso E Super; Helional; d-Limonene; Benzyl salicylate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Orange oil ; d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

EN (English) 13/15

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### **France**

Occupational diseases	upational diseases		
Code	Description		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		

#### Germany

Joint storage table

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil is listed

SZW-lijst van mutagene stoffen : Orange oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

EN (English) 14/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:				
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H361	Suspected of damaging fertility or the unborn child.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1B	Skin sensitisation, category 1B			

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 15/15