Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ANDLECRAFT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product form : Mixture Trade name : POMELO LIME CC-16333 UFI : RXTT-3958-A00T-6564 Product code : CC-16333 Type of product : Perfumes, fragrances Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use, Industrial use Industrial/Professional use spec

Use of the substance/mixture Function or use category

- Industrial
 For professional use only
 Perfumes, fragrances
 Odour agents
- 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number


: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 1A	H360
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmental effects	

May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 Vertenex; Hexyl cinnamic aldehyde; Iso E Super; Hexyl salicylate; Benzyl salicylate; Geranyl acetate; Helional; Hydroxy; Cyclamal; Lime oil distilled ; Triplal (Vertocitral); UNDECYLENAL; Allyl cyclohexylpropionate; COUMARIN
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H360 - May damage fertility or the unborn child. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	30.7 – 61.35	Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	6.1 – 12.26	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	3.2 - 6.4	Aquatic Chronic 2, H411
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1.2 – 2.4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1 – 2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.4 – 1.5	Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.608 – 1.35	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1	0.6 – 1.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.5 – 0.9	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.4 – 0.8	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.4 - 0.8	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.4 – 0.75	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.3 – 0.5	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.3 – 0.5	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.3 – 0.5	Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.2 – 0.3832	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.2 – 0.314	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
UNDECYLENAL	CAS-No.: 112-45-8 EC-No.: 203-973-1 REACH-no: 01-2119990746- 20	0.1 – 0.12	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. 	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact	: Not expected to present a significant hazard under anticipated conditions of normal use. : May cause an allergic skin reaction.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	:Sand. Water spray. Dry powder. Foam. Carbon dioxide. :Do not use a heavy water stream.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)				
Belgium - Occupational Exposure Limits				
OEL TWA	62 mg/m³			
OEL TWA [ppm]	10 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA [1]	61 mg/m ³			
OEL TWA [2]	10 ppm			
Ireland - Occupational Exposure Limits				
OEL TWA [2]	10 ppm			
OEL STEL [ppm]	30 ppm (calculated)			
Latvia - Occupational Exposure Limits				
OEL TWA	5 mg/m ³			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	5 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA [ppm]	10 ppm			
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen			
Romania - Occupational Exposure Limits				
OEL TWA	50 mg/m³			
OEL TWA [ppm]	8 ppm			
OEL STEL	80 mg/m³			
OEL STEL [ppm] 13 ppm				
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	62 mg/m³			
VLA-ED (OEL TWA) [2]	10 ppm			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	10 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)				
Bulgaria - Occupational Exposure Limits				
OEL TWA	10 mg/m ³			
Germany - Occupational Exposure Limits (TRGS 90	0)			
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Latvia - Occupational Exposure Limits				
OEL TWA 10 mg/m ³				
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA) 10 mg/m ³				
Romania - Occupational Exposure Limits				
OEL TWA	100 mg/m ³			
OEL TWA [ppm]	15 ppm			
OEL STEL	200 mg/m ³			
OEL STEL [ppm]	30 ppm			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA) [1]	66 mg/m ³ (aerosol, vapour)			
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)			
KZGW (OEL STEL)	66 mg/m ³ (aerosol, vapour)			
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Ph	veical and	chomical	proportios
SECTION 5. FI	ysical allu	Chemica	properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93.3 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified				
Vertenex (32210-23-4)				
LD50 oral rat	5 g/kg			
LD50 oral	3370 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg			
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg			
LD50 oral	3100 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg			
LC50 Inhalation - Rat	> 5 mg/l/4h			
Ethylene brassylate (105-95-3)				
LD50 oral rat	> 5000 mg/kg			
LD50 dermal rabbit	> 5000 mg/kg			
Phenylethyl alcohol (60-12-8)				
LD50 oral rat	1609 mg/kg			
LD50 oral	1610 mg/kg bodyweight			
LD50 dermal rabbit	2535 mg/kg			
LD50 dermal	2500 mg/kg bodyweight			
LC50 Inhalation - Rat	> 4.63 mg/l/4h			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexyl salicylate (6259-76-3)				
LD50 oral rat	> 5 g/kg			
LD50 dermal rabbit	> 5000 mg/kg			
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)				
LD50 dermal rabbit	> 2000 mg/kg			
Terpineol (8000-41-7)				
LD50 oral rat	2900 mg/kg			
LD50 oral	4300 mg/kg bodyweight			
LD50 dermal rabbit	> 3000 mg/kg			
Benzyl salicylate (118-58-1)				
LD50 oral rat	2227 mg/kg			
LD50 oral	2200 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg			
Amyl salicylate (2050-08-0)				
LD50 oral rat	4100 mg/kg			
LD50 oral	2000 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg			
Geranyl acetate (105-87-3)				
LD50 oral rat	6330 mg/kg			
Helional (1205-17-0)				
LD50 dermal rabbit	> 2000 mg/kg			
Hydroxy (107-75-5)				
LD50 oral rat	> 5 g/kg			
LD50 dermal rabbit	> 2000 mg/kg			
Cyclamal (103-95-7)				
LD50 oral rat	3810 mg/kg			
LD50 oral	3810 mg/kg bodyweight			
LD50 dermal rat	> 5000 mg/kg			
Benzyl acetate (140-11-4)				
LD50 oral rat	2490 mg/kg			
LD50 oral	2490 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg			
Lime oil distilled (8008-26-2)				
LD50 oral rat	5600 mg/kg			
LD50 dermal rabbit	> 5000 mg/kg			
Benzyl benzoate (120-51-4)				
LD50 oral rat	500 mg/kg			
LD50 oral	1160 mg/kg bodyweight			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl benzoate (120-51-4)				
LD50 dermal rabbit	4000 mg/kg			
Triplal (Vertocitral) (68039-49-6)				
LD50 oral	3900 mg/kg bodyweight			
UNDECYLENAL (112-45-8)				
LD50 oral rat	> 5 g/kg			
LD50 dermal rabbit	> 5000 mg/kg			
Allyl cyclohexylpropionate (2705-87-5)				
LD50 oral rat	585 mg/kg			
LD50 oral	380 mg/kg bodyweight			
LD50 dermal rabbit	1600 mg/kg			
LD50 dermal	1600 mg/kg bodyweight			
COUMARIN (91-64-5)				
LD50 oral rat	> 5000 mg/kg			
LD50 oral	290 mg/kg bodyweight			
LD50 dermal rat	293 mg/kg			
decyl alcohol (112-30-1)				
LD50 oral rat	4720 mg/kg			
LD50 dermal rabbit	3560 mg/kg			
	Not classified			
, .	Not classified			
	May cause an allergic skin reaction.			
5 ,	Not classified			
	Not classified			
Benzyl acetate (140-11-4)				
IARC group	3 - Not classifiable			
COUMARIN (91-64-5)				
IARC group	3 - Not classifiable			
Reproductive toxicity : I	May damage fertility or the unborn child.			
STOT-single exposure :	Not classified			
STOT-repeated exposure :	Not classified			
Aspiration hazard :	Not classified			
Benzyl benzoate (120-51-4)				
Viscosity, kinematic	7.456 mm²/s			
11.2. Information on other hazards				

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and	: Ba	ased on available data, the classification criteria are not met
symptoms		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information 12.1. Toxicity : Toxic to aquatic life with long lasting effects. Ecology - general Hazardous to the aquatic environment, short-term : Not classified (acute) : Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term (chronic) Vertenex (32210-23-4) LC50 - Fish [1] 8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) Phenylethyl alcohol (60-12-8) EC50 - Crustacea [1] 287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 490 mg/l (Species: Desmodesmus subspicatus) Benzyl salicylate (118-58-1) LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) Benzyl benzoate (120-51-4) LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) NOEC (chronic) 0.168 mg/l Allyl cyclohexylpropionate (2705-87-5) LC50 - Fish [1] 0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) decyl alcohol (112-30-1) LC50 - Fish [1] 2.2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) LC50 - Fish [2] 4.12 - 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) EC50 - Crustacea [1] 3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

POMELO LIME CC-16333				
Persistence and degradability	Not established.			
Benzyl benzoate (120-51-4)				
Persistence and degradability	May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative potential				
POMELO LIME CC-16333				
ioaccumulative potential Not established.				
Vertenex (32210-23-4)				
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)			
Ethylene brassylate (105-95-3)				
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)			
Phenylethyl alcohol (60-12-8)				
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(63500-71-0)
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
UNDECYLENAL (112-45-8)	
Partition coefficient n-octanol/water (Log Pow)	4.672 (at 25 °C)
Allyl cyclohexylpropionate (2705-87-5)	
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)
decyl alcohol (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
	: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - − flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID ΙΑΤΑ RID ADR IMDG ADN 14.1. UN number or ID number UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 14.2. UN proper shipping name **ENVIRONMENTALLY** ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY Environmentally hazardous HAZARDOUS HAZARDOUS substance, liquid, n.o.s. (Iso HAZARDOUS HAZARDOUS SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, E Super) N.O.S. (Iso E Super) N.O.S. (Iso E Super) N.O.S. (Iso E Super) N.O.S. (Iso E Super) Transport document description UN 3082 Environmentally LIN 3082 LIN 3082 LIN 3082 LIN 3082 ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY hazardous substance, HAZARDOUS HAZARDOUS liquid, n.o.s. (Iso E Super), HAZARDOUS HAZARDOUS SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, 9, III N.O.S. (Iso E Super), 9, III N.O.S. (Iso E Super), 9, III N.O.S. (Iso E Super), 9, III, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT (-) 14.3. Transport hazard class(es) 9 9 9 9 9 14.4. Packing group Ш Ш Ш Ш ш

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID			
14.5. Environmental hazards							
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			
lo supplementary informatio	n available						

14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
	. 6015
and handling (ADR) Hazard identification number (Kemler No.)	. 00
· · · · ·	: 90
Orange plates	90 3082
	20
	3082
	5002
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
	-

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Lime oil distilled	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	POMELO LIME CC-16333 ; Vertenex ; Hexyl cinnamic aldehyde ; Phenylethyl alcohol ; Iso E Super ; Hexyl salicylate ; 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol ; Terpineol ; Benzyl salicylate ; Amyl salicylate ; Geranyl acetate ; Helional ; Hydroxy ; Cyclamal ; Lime oil distilled ; Benzyl benzoate ; Triplal (Vertocitral) ; UNDECYLENAL ; Allyl cyclohexylpropionate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	POMELO LIME CC-16333 ; Hexyl cinnamic aldehyde ; Ethylene brassylate ; Iso E Super ; Hexyl salicylate ; Benzyl salicylate ; Amyl salicylate ; Geranyl acetate ; Helional ; Cyclamal ; Benzyl acetate ; Lime oil distilled ; Benzyl benzoate ; Triplal (Vertocitral) ; UNDECYLENAL ; Allyl cyclohexylpropionate ; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Lime oil distilled	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Joint storage table

Water hazard class (WGK): WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).Storage class (LGK, TRGS 510): LGK 6.1D - Non-combustible substances of acute toxicity, category 3 / hazardous
substances that are toxic or produce chronic effects.

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for

- : LGK 1, LGK 2A, LGK 4.1A, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.2, LGK 7.
- : LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1B.

: LGK 2B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Chemicals Prohibition Ordinance (ChemVerbotsV)	: This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Terpineol,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Terpineol,Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 6.1 - Toxic materials
Chemicals Ordinance (SR 813.11)	: Group 1
45.0 Chemical estatu accomment	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and	EUH-statements:
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H360	May damage fertility or the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.