Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/4/2023 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name UFI	: Mixture : TEA TREE & CITRONELLA CC-16335 : E56A-H4AA-300J-WTP3
Product code	: CC-16335
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mix	ture
Classification according to Regulation (EC) No.	1272/2008 [CLP]
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Ha Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and en	vironmental effects
Toxic to aquatic life with long lasting effects. May ca	ause an allergic skin reaction.
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272	2/2008 [CLP]
Hazard pictograms (CLP)	
	GHS07 GHS09
Signal word (CLP)	: Warning
Contains	: Iso E Super; Citronellal; beta-Caryophyllene; Triplal (Vertocitral); Linalool; Cedramber; Citral; Pine Needle Oil ; Heliotropine; Linalyl acetate; Elemi oil; Citronella oil; Guaiac wood

oil; Lemongrass oil ; Adoxal

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cedrol	CAS-No.: 77-53-2 EC-No.: 201-035-6	2.3 – 4.5	Aquatic Chronic 2, H411
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.3 – 4.5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citronellal	CAS-No.: 106-23-0 EC-No.: 203-376-6	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.8 – 1.5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.6 – 1.25	Aquatic Chronic 2, H411
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.5 – 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.5 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.3 – 0.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.3 – 0.65	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.3 – 0.55	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.3 – 0.54	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Pine Needle Oil	CAS-No.: 8002-09-3 EC-No.: 306-895-7	0.3 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0.2 – 0.3	Flam. Liq. 3, H226
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.2 – 0.3	Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.2 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Elemi oil	CAS-No.: 8023-89-0	0.2 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.1 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Citronella oil	CAS-No.: 8000-29-1 EC-No.: 289-753-6;616-771-7	0.1 – 0.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Guaiac wood oil	CAS-No.: 8016-23-7 EC-No.: 616-975-6 REACH-no: 01-2120138621- 63	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Lemongrass oil	CAS-No.: 8007-02-1 EC-No.: 616-903-3	0.1 – 0.15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.1 – 0.15	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Adoxal	CAS-No.: 141-13-9 EC-No.: 205-460-8 REACH-no: 01-2120139915- 49	0.1 – 0.1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact	: Not expected to present a significant hazard under anticipated conditions of normal use. : May cause an allergic skin reaction.
4.3. Indication of any immediate medical a	attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Storage temperature	: 25 °C	
Storage area	: Store in a well-ventilated place. Store away from heat.	
Special rules on packaging	: Store in a closed container.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials

: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

· · · ·		
Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m ³	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m ³	
NDSCh (OEL STEL)	80 mg/m³	
Camphor (76-22-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	13 mg/m ³	
MAK (OEL TWA) [ppm]	2 ppm	

Safety Data Sheet

	Camphor (76-22-2)	
Belgium - Occupational Exposure Limits		
OEL TWA	12 mg/m ³	
OEL TWA [ppm]	2 ppm	
OEL STEL	19 mg/m³	
OEL STEL [ppm]	3 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL STEL	18 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	13 mg/m³	
GVI (OEL TWA) [2]	2 ppm	
KGVI (OEL STEL)	19 mg/m³	
KGVI (OEL STEL) [ppm]	3 ррт	
Denmark - Occupational Exposure Limits	·	
OEL TWA [1]	12 mg/m³	
OEL TWA [2]	2 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	1.9 mg/m ³	
HTP (OEL TWA) [2]	0.3 ppm	
HTP (OEL STEL)	5.7 mg/m ³	
HTP (OEL STEL) [ppm]	0.9 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	12 mg/m³	
VME (OEL TWA) [ppm]	2 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	12 mg/m³ (inhalable fraction)	
OEL STEL	18 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	12 mg/m ³	
OEL TWA [2]	2 ppm	
OEL STEL	18 mg/m³	
OEL STEL [ppm]	3 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	3 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	12 mg/m ³	
NDSCh (OEL STEL)	18 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	2 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EL chemical category A omania - Occupational Exposure Limits A EL TWA 1 EL TWA [ppm] 6	3 ppm A4 - Not Classifiable as a Human Carcinogen 1 mg/m ³ 6 ppm 3 mg/m ³ 18 ppm
Domania - Occupational Exposure Limits EL TWA 1 EL TWA [ppm] 6	1 mg/m ³ 5 ppm 3 mg/m ³
EL TWA 1 EL TWA [ppm] 6	5 ppm 3 mg/m ³
EL TWA [ppm] 6	5 ppm 3 mg/m ³
	3 mg/m ³
EL STEL	
	18 ppm
EL STEL [ppm] 1	- PP
ovakia - Occupational Exposure Limits	
PHV (OEL TWA) [1] 1	13 mg/m³
PHV (OEL TWA) [2] 2	2 ppm
PHV (OEL C) 2	26 mg/m³
Spain - Occupational Exposure Limits	
A-ED (OEL TWA) [1]	13 mg/m³
A-ED (OEL TWA) [2] 2	2 ppm
A-EC (OEL STEL)	19 mg/m³
A-EC (OEL STEL) [ppm] 3	3 ppm
United Kingdom - Occupational Exposure Limits	
EL TWA (OEL TWA) [1]	13 mg/m³
EL TWA (OEL TWA) [2] 2	2 ppm
EL STEL (OEL STEL) 1	19 mg/m³
EL STEL (OEL STEL) [ppm] 3	3 ppm
Norway - Occupational Exposure Limits	
renseverdi (OEL TWA) [1]	12 mg/m³
renseverdi (OEL TWA) [2] 2	2 ppm
orttidsverdi (OEL STEL)	18 mg/m³ (value calculated)
orttidsverdi (OEL STEL) [ppm] 4	1 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
AK (OEL TWA) [1] 1	13 mg/m³ (aerosol, vapour)
AK (OEL TWA) [2] 2	2 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
CGIH OEL TWA [ppm] 2	2 ppm (synthetic)
CGIH OEL STEL [ppm] 3	3 ppm (synthetic)
CGIH chemical category N	Not Classifiable as a Human Carcinogen synthetic

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment. Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid
: light yellow. amber.
: characteristic.
: Not available
: Not applicable
: Not available
: Not available
: Not applicable
: Not available
: Not available
: Not available
: > 93 °C
: Not available
: Not available
: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Cedrol (77-53-2)		
LD50 dermal rabbit	> 5 g/kg	
Citronellal (106-23-0)		
LD50 oral rat	2420 mg/kg	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rabbit	> 2.5 g/kg	
LD50 dermal	2500 mg/kg bodyweight	

Safety Data Sheet

Dihydromyrcenol (18479-58-8)			
LD50 oral rat	3600 mg/kg		
LD50 oral	3600 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg		
Ethylene brassylate (105-95-3)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	3900 mg/kg bodyweight		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg bodyweight		
Citral (5392-40-5)			
LD50 oral rat	4960 mg/kg		
LD50 dermal rabbit	2250 mg/kg		
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg		
Pine Needle Oil (8002-09-3)			
LD50 oral rat	3200 mg/kg		
LD50 oral	3200 mg/kg bodyweight		
LD50 dermal rabbit	400 mg/kg		
LC50 Inhalation - Rat	> 3.79 mg/l/4h		
Aldehyde C-6 (66-25-1)			
LD50 oral rat	4890 mg/kg		
LD50 dermal rabbit	> 8100 mg/kg		
Heliotropine (120-57-0)			
LD50 oral rat	2700 mg/kg		
LD50 oral	2700 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
Linalyl acetate (115-95-7)	Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Elemi oil (8023-89-0)			
LD50 oral rat	3370 mg/kg		
LD50 oral	3370 mg/kg bodyweight		
LD50 dermal	2500 mg/kg bodyweight		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citronella oil (8000-29-1)		
LD50 oral rat	7200 mg/kg	
LD50 dermal	4230 mg/kg bodyweight	
Guaiac wood oil (8016-23-7)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5 g/kg	
Lemongrass oil (8007-02-1)		
LD50 oral rat	> 5 g/kg	
LD50 dermal	3127 mg/kg bodyweight	
Camphor (76-22-2)		
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation : I	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
	Not classified	
	Not classified	
Camphor (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure :	Not classified	
	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
Heliotropine (120-57-0)		
Viscosity, kinematic	Not applicable	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		
11.2.2. Other information		

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Pine Needle Oil (8002-09-3)		
EC50 - Crustacea [1]	17 – 28 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Heliotropine (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	

12.2. Persistence and degradability

TEA TREE & CITRONELLA CC-16335	
Persistence and degradability	Not established.
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability Not established.	
Benzyl benzoate (120-51-4)	
Persistence and degradability May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

TEA TREE & CITRONELLA CC-16335		
Bioaccumulative potential	Not established.	
Citronellal (106-23-0)		
Partition coefficient n-octanol/water (Log Pow)	3.62 (at 25 °C)	
Dihydromyrcenol (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)	
Ethylene brassylate (105-95-3)		
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cedarwood oil, Texas (68990-83-0)		
Bioaccumulative potential	Not established.	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Undecavertol (81782-77-6)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 30 °C (at pH 7)	
Camphor (76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	
Adoxal (141-13-9)		
Partition coefficient n-octanol/water (Log Pow)	6.2 (at 35 °C (at pH 7)	
12.4. Mobility in soil		

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations
Ecology - waste materials

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

```
: HP3 - "Flammable:"
```

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small

- quantities, is liable to ignite within five minutes after coming into contact with air; – flammable solid waste: solid waste which is readily combustible or may cause or
- flammable solid waste: solid waste
 contribute to fire through friction;

 – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	1		
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super) N.O.S. (Iso E Super)		Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT		UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, II
14.3. Transport hazard c	lass(es)			
9	9	9	9	9
14.4. Packing group				
III III		III	Ш	111
14.5. Environmental haz	ards			
Dangerous for the environment: YesDangerous for the environment: YesMarine pollutant: Yes		Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available		ı	

Overland transport

Classification code (ADR) Special provisions (ADR) : M6 : 274, 335, 375, 601

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amend	ed by Regulation (EU) 2020/878
	. 51
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	
erenge prese	90 3082
	3082
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transaction	
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
	: TP1, TP29
Tank special provisions (IMDG)	
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
,	
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
	. JL
Executed quantities (DID)	. =1
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	: MP19 : T4 : TP1, TP29
Tank codes for RID tanks (RID) Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID) Colis express (express parcels) (RID)	: LGBV : 3 : W12 : CW13, CW31 : CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Lorestriction list	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(a)	Aldehyde C-6 ; Elemi oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	TEA TREE & CITRONELLA CC-16335 ; Iso E Super ; Citronellal ; Dihydromyrcenol ; Cedarwood oil, Texas ; Triplal (Vertocitral) ; Linalool ; Cedramber ; Citral ; Benzyl benzoate ; Pine Needle Oil ; Linalyl acetate ; Elemi oil ; Citronella oil ; Lemongrass oil ; Adoxal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	TEA TREE & CITRONELLA CC-16335 ; Iso E Super ; Ethylene brassylate ; Cedarwood oil, Texas ; Triplal (Vertocitral) ; Cedramber ; Benzyl benzoate ; Pine Needle Oil ; Elemi oil ; Undecavertol ; Citronella oil ; Lemongrass oil ; Adoxal	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Aldehyde C-6 ; Elemi oil ; Camphor	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer): Tribromodifluoropropane (66-25-1)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Joint storage table

: WGK 2, Significantly hazardous to water	(Classification according to AwSV, Annex 1).
---	--

: L	: LGK 12 - Non-combustible liquids.				
:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for	: LGK 1, LGK 6.2, LGK 7.
Joint storage with restrictions permitted for	: LGK 4.1A, LGK 4.3, LGK 5.1C.
Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,
	LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Cedarwood oil, Texas, Triplal (Vertocitral), Pine Needle Oil, Citronella oil are listed
SZW-lijst van mutagene stoffen	: Triplal (Vertocitral), Pine Needle Oil , Citronella oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product

Switzerland

Storage class (LK)

: LK 10/12 - Liquids

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with

Safety Data Sheet (SDS), EU

: ATP 12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.