Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 27.11.2023 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: PISTACHIO PUDDING CC-16352
UFI	: F81M-WCE6-J009-MUP4
Product code	: CC-16352
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Causes skin irritation. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272	/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	GHS07 GHS08 GHS09 : Danger
Contains	: Lemon oil ; Hexyl cinnamic aldehyde; Orange oil ; Iso E Super; Petitgrain oil; Linalool;
Contains	Heliotropine; Litsea cubeba oil; COUMARIN; Geranyl acetate; Geraniol; Nerol
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H361 - Suspected of damaging fertility or the unborn child.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	8,3 – 16,6667	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	8,2 – 16,3333	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	7,4 – 14,8168	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4,2 – 8,3333	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	3,3 – 6,6667	Eye Irrit. 2, H319
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	2,1 – 4,1667	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0,8 – 1,6667	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0,5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0,4 – 0,8333	Acute Tox. 4 (Oral), H302
Petitgrain oil	CAS-No.: 8014-17-3 EC-No.: 277-143-2, 616-946- 8 REACH-no: 01-2120748358- 44	0,3 – 0,6667	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0,3 – 0,5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0,2 – 0,3333	Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0,2 - 0,3333	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0,12 – 0,19998	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0,08 – 0,13332	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Litsea cubeba oil	CAS-No.: 68855-99-2 EC-No.: 290-018-7	0,1 – 0,1333	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0,0001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. 	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after ingestion	: Not expected to present a significant hazard under anticipated conditions of normal use. : Irritation. May cause an allergic skin reaction. : Risk of lung oedema.	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protectiv	6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat. : Store in a closed container.
Special rules on packaging Packaging materials	: Do not store in corrodable metal.
7.3. Specific end use(s)	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Bulgaria - Occupational Exposure LimitsOEL TWA5 mg/m³Finland - Occupational Exposure LimitsHTP (OEL TWA) [1]4,4 mg/m³HTP (OEL TWA) [2]1 ppmHTP (OEL C)17,4 mg/m³HTP (OEL C) [ppm]]4 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)5 mg/m³CK (OEL STEL)10 mg/m³Latvia - Occupational Exposure LimitsOEL TWA5 mg/m³Lithuania - Occupational Exposure LimitsIPRV (OEL TWA)5 mg/m³Poland - Occupational Exposure LimitsNDS (OEL TWA)10 mg/m³		
Finland - Occupational Exposure LimitsHTP (OEL TWA) [1]4,4 mg/m³HTP (OEL TWA) [2]1 ppmHTP (OEL C)17,4 mg/m³HTP (OEL C) [ppm]]4 ppmHungary - Occupational Exposure Limits4 ppmAK (OEL TWA)5 mg/m³CK (OEL STEL)10 mg/m³Latvia - Occupational Exposure Limits5 mg/m³OEL TWA5 mg/m³Lithuania - Occupational Exposure LimitsIPRV (OEL TWA)5 mg/m³Poland - Occupational Exposure Limits		
HTP (OEL TWA) [1]4,4 mg/m³HTP (OEL TWA) [2]1 ppmHTP (OEL C)17,4 mg/m³HTP (OEL C) [ppm]]4 ppmHungary - Occupational Exposure Limits4 ppmAK (OEL TWA)5 mg/m³CK (OEL STEL)10 mg/m³Latvia - Occupational Exposure Limits5 mg/m³OEL TWA5 mg/m³Lithuania - Occupational Exposure Limits5 mg/m³IPRV (OEL TWA)5 mg/m³Poland - Occupational Exposure Limits5 mg/m³		
HTP (OEL TWA) [2]1 ppmHTP (OEL C)17,4 mg/m³HTP (OEL C) [ppm]]4 ppmHungary - Occupational Exposure Limits4 ppmAK (OEL TWA)5 mg/m³CK (OEL STEL)10 mg/m³Latvia - Occupational Exposure Limits5 mg/m³OEL TWA5 mg/m³Lithuania - Occupational Exposure LimitsIPRV (OEL TWA)5 mg/m³Poland - Occupational Exposure Limits		
HTP (OEL C)17,4 mg/m³HTP (OEL C) [ppm]]4 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)5 mg/m³CK (OEL STEL)10 mg/m³Latvia - Occupational Exposure LimitsOEL TWA5 mg/m³Lithuania - Occupational Exposure LimitsIPRV (OEL TWA)5 mg/m³Poland - Occupational Exposure Limits		
HTP (OEL C) [ppm]] 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits		
Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits 0EL TWA OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits 5 mg/m³		
AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits 0EL TWA OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits 5 mg/m³		
CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits 5 mg/m³ OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits 5 mg/m³		
Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits		
OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits		
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Poland - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m ³ Poland - Occupational Exposure Limits		
Poland - Occupational Exposure Limits		
NDS (OEL TWA) 10 ma/m ³		
· · · · · · · · · · · · · · · · · · ·		
NDSCh (OEL STEL) 40 mg/m ³		
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA 10 mg/m ³		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1] 66 mg/m ³ (the r BGW values ar	risk of damage to the embryo or fetus can be excluded when AGW and re observed)	
AGW (OEL TWA) [2] 10 ppm (the risk values are observed)	k of damage to the embryo or fetus can be excluded when AGW and BGW erved)	
Latvia - Occupational Exposure Limits		
OEL TWA 10 mg/m ³		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 10 mg/m ³		
Romania - Occupational Exposure Limits		
OEL TWA 100 mg/m ³		
OEL TWA 15 ppm		
OEL STEL 200 mg/m ³		
OEL STEL 30 ppm		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1] 66 mg/m³ (aero	osol, vapour)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Avoid release to the environi

Other information: Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Colour	: light yellow. amber. Conforms to standard.			
Odour	: characteristic.			
Odour threshold	: Not available			
Melting point	: Not applicable			
Freezing point	: Not available			
Boiling point	: Not available			
Flammability	: Not applicable			
Lower explosion limit	: Not available			
Upper explosion limit	: Not available			
Flash point	: 70 °C			
Auto-ignition temperature	: Not available			
Decomposition temperature	: Not available			
рН	: Not available			
Viscosity, kinematic	: 20,5 mm²/s			
Solubility	: Not available			
Partition coefficient n-octanol/water (Log Kow)	: Not available			
Vapour pressure	: Not available			
Vapour pressure at 50°C	: Not available			
Density	: Not available			
Relative density	: Not available			
Relative vapour density at 20°C	: Not available			
Particle characteristics	: Not applicable			

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	l in Regulation (EC) No 1272/2008	
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Citrus medica limonum (Lemon) peel oil (8008-56-8)		
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
Petitgrain oil (8014-17-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 oral	4029 mg/kg bodyweight	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Litsea cubeba oil (68855-99-2)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal	4800 mg/kg bodyweight
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral 290 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)
	Causes skin irritation.
, ,	Not classified
	May cause an allergic skin reaction.
0.1	Not classified
Carcinogenicity : COUMARIN (91-64-5)	Not classified
IARC group	3 - Not classifiable
	Suspected of damaging fertility or the unborn child.
0 1	Not classified
	Not classified
Aspiration hazard : I PISTACHIO PUDDING CC-16352	May be fatal if swallowed and enters airways.
Viscosity, kinematic	20,5 mm²/s
benzyl benzoate (120-51-4)	20,5 mm /5
	7.456 mm2/o
Viscosity, kinematic	7,456 mm²/s
Orange oil (8008-57-9) Hydrocarbon	Yes
Heliotropine (120-57-0)	
	Neteerieste
Viscosity, kinematic	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information 12.1. Toxicity : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Ecology - general Hazardous to the aquatic environment, short-term : Very toxic to aquatic life. (acute) Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic) Ethyl vanillin (121-32-4) LC50 - Fish [1] 81,4 - 94,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) benzyl benzoate (120-51-4) LC50 - Fish [1] 2,32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) NOEC (chronic) 0,168 mg/l benzaldehyde (100-52-7) LC50 - Fish [1] 10,6 – 11,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA) LC50 - Fish [2] 12,69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID) Linalool (78-70-6) EC50 96h - Algae [1] 88,3 mg/l (Species: Desmodesmus subspicatus) 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) LC50 - Fish [1] 0,452 mg/l Wolf, 1996d-27682 LC50 - Other aquatic organisms [1] > 0,14 mg/I REACH DOSSIER Pimephales promelas 260 µg/I REACH Dossier EC50 - Crustacea [2] EC50 - Other aquatic organisms [1] 0,131 mg/I REACH Dossier Heliotropine (120-57-0) LC50 - Fish [1] 2,5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA) Geraniol (106-24-1) LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20,3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Alcohol C-10 (112-30-1) LC50 - Fish [1] 2,2 - 2,5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 4,12 – 6,2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
PISTACHIO PUDDING CC-16352		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
PISTACHIO PUDDING CC-16352		
Bioaccumulative potential	Not established.	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1,61 (at 25 °C)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3,97 (at 25 °C)	
Bioaccumulative potential	Not established.	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1,4 (at 25 °C)	
Petitgrain oil (8014-17-3)		
Partition coefficient n-octanol/water (Log Pow)	3,38 – 4,88	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5,3 (at 25 °C (at pH 7)	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1,2 (at 35 °C)	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4,04	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2,6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2,76 (at 30 °C (at pH 6.5)	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4,5 (at 25 °C (at pH 6)	
12.4. Mobility in soil		

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
12.5. Results of PBT and vPvB assessment	t	
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable gaseous waste: gaseous waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: Market in contact with water, emits flammable gases in dangerous quantities; other flammable self-reactive waste. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring. HP13 - "Sensitising:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment 	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALL HAZARDOUS SUBSTANCE, LIQUIE N.O.S. (Iso E Super), 9, MARINE POLLUTAN	liquid, n.o.s. (Iso E Super), 9, 111 111,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group	·		·	
111	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available			I
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AD Mixed packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	: DR) : PR) : ner instructions (ADR) : ner special provisions : : e - Packages (ADR) : : e - Loading, unloading :	TP1, TP29 LGBV AT		
Tunnel restriction code (ADR) EAC code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM IBC packing instructions (IMD	: : : : MDG) :	- •3Z 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
la la successione da successione de la	
Inland waterway transport	- MG
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
	: W12
Special provisions for carriage - Loading, unloading	
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Citrus medica limonum (Lemon) peel oil ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	PISTACHIO PUDDING CC-16352 ; Citrus medica limonum (Lemon) peel oil ; Hexyl cinnamic aldehyde ; benzyl benzoate ; Orange oil ; benzaldehyde ; Iso E Super ; Petitgrain oil ; Linalool ; Litsea cubeba oil ; Geranyl acetate ; Geraniol ; Nerol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	PISTACHIO PUDDING CC-16352 ; Citrus medica limonum (Lemon) peel oil ; Hexyl cinnamic aldehyde ; benzyl benzoate ; Orange oil ; Iso E Super ; Petitgrain oil ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; Litsea cubeba oil ; Geranyl acetate ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Citrus medica limonum (Lemon) peel oil ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Joint storage table	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). : LGK 10 - Combustible liquids.					
	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	 : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7. : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2. : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13. 					
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)					
Netherlands						
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment					
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	 : Lemon oil ,Orange oil ,Petitgrain oil are listed : Lemon oil ,Orange oil ,Petitgrain oil are listed : None of the components are listed : None of the components are listed : None of the components are listed 					
Denmark						
Class for fire hazard Store unit Classification remarks Danish National Regulations	 Class III-1 50 liter Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 					
Switzerland	-					
Storage class (LK)	: LK 6.1 - Toxic materials					
15.2. Chemical safety assessment						
No chemical safety assessment has been carried ou	ıt					

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:				
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3			
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3			
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H311	Toxic in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H361	Suspected of damaging fertility or the unborn child.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1B	Skin sensitisation, category 1B			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.