# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 27.11.2023

# ANDLECRAFT

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Trade name	: FRANGIPANI SHORES CC-16358
UFI	: XM1M-XC5S-S009-870D
Product code	: CC-16358
Type of product	: Perfumes, fragrances
Product group	: Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixtu

2.1. Classification of the substance of mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 1A	H360
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

May damage fertility or the unborn child. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 GHS08 GHS09 Signal word (CLP) : Danger Contains : Benzyl benzoate; Iso E Super; Linalool; d-Limonene; Hexyl salicylate; Citronellol Pure; Linalyl acetate; CUPRESSUS FUNEBRIS WOOD OIL; Helional; Cedramber; Citral; Lime oil distilled ; Patchouli oil; Geranyl acetate; ACETYL HEXAMETHYL TETRALIN; Anise oil (Spanish); FORMALDEHYDE CYCLODECYL ETHYL ACETAL ; Cyclamal; Vertofix; Grapefruit oil; Orange oil ; Dipentene Hazard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H360 - May damage fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. Extra phrases : For professional users only. 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	28,5 – 56,982	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	4 – 8	Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1,7 – 3,35	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	1,5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1,4 – 2,805	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1,1 – 2,175	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	1 – 2	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0,9 – 1,8846	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0,9 – 1,7	Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0,6 – 1,1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0,5 – 1,056	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0,5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	CAS-No.: 139504-68-0 EC-No.: 412-300-2 EC Index-No.: 603-154-00-2 REACH-no: 01-0000015959- 52	0,5 – 1	Aquatic Chronic 2, H411
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0,5 – 1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0,5 – 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0,2 – 0,436	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0,2 – 0,365	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0,2 - 0,35	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0,2 – 0,314	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0,2-0,3	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Anise oil (Spanish)	CAS-No.: 8007-70-3 EC-No.: 616-914-3	0,1-0,2	Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412
FORMALDEHYDE CYCLODECYL ETHYL ACETAL	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0,1 – 0,2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 600-007-4	0,1-0,2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0,1 – 0,158	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0,1 – 0,15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0,1 – 0,15	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3	0,1 – 0,114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0,042	Flam. Liq. 3, H226
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0,0014	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0,0004	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	: Not expected to present a significant hazard under anticipated conditions of normal use. : Irritation. May cause an allergic skin reaction. : Eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. :Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Hazardous decomposition products in case of fir	e · Toxic fumes may be released

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for contain	nment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	l
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions befor use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m <sup>3</sup>	
OEL TWA	5 ppm	
OEL STEL	112 mg/m <sup>3</sup>	
OEL STEL	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m <sup>3</sup>	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37,5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m <sup>3</sup>	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m <sup>3</sup>	
KZGW (OEL STEL) [ppm]	14 ppm	

# Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
OEL chemical category	Sensitizer	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m <sup>3</sup> (vapor and aerosol)	
OEL TWA	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m <sup>3</sup>	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA) [1]	66 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m <sup>3</sup>	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m <sup>3</sup>	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m <sup>3</sup>	
OEL TWA	15 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
OEL STEL	30 ppm	

# Safety Data Sheet

Alcohol C-10 (112-30-1)		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m <sup>3</sup>	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	80 mg/m <sup>3</sup>	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m <sup>3</sup>	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m <sup>3</sup>	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m <sup>3</sup>	

# Safety Data Sheet

.alphaPinene (80-56-8)		
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits	·	
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37,5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
dipentene; limonene (138-86-3)		
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m <sup>3</sup>	
TPRV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer coniferous resin sensitizes the skin	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m <sup>3</sup>	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37,5 ppm (value calculated)	
OEL chemical category	Allergenic substance	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable

Freezing point

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified
FRANGIPANI SHORES CC-16358	
ATE CLP (oral)	864,167 mg/kg bodyweight

# Safety Data Sheet

L050 oral rat         500 mg/kg (Source: NLM_CIP)           L050 oral and         1100 mg/kg bodyweg/kl           L050 oral and         4000 mg/kg (Source: NLM_CIP)           Ethylene brassylate (105-95-3)         -           L050 oral and         > 5000 mg/kg (Source: ECHA)           L050 oral and         > 5000 mg/kg (Source: ECHA)           L050 oral and         > 5000 mg/kg (Source: CHEMVIEW)           L050 oral and         > 5000 mg/kg (Source: CHEMVIEW)           L050 oral and         > 5000 mg/kg (Source: CHEMVIEW)           L050 oral and         > 5000 mg/kg (Source: NLM_CIP)           L050 oral and         2 900 mg/kg bodyweg/kl           L050 oral and         3 8000 mg/kg (Source: NLM_CIP)           L050 oral and         3 8000 mg/kg (Source: CHEMVIEW)           L050 oral and         3 8000 mg/kg (Source: CHEMVIEW)           L050 oral and         3 8000 mg/kg (Source: CHEMVIEW)           L050 oral and         > 5 g/kg (Source: CHEMVIEW)           L050 oral and         > 5 g/kg (Source: CHEMVIEW)           L050 oral and         > 5 g/kg (Source: CHEMVIEW)           L050 oran and <th colspan="3">benzyl benzoate (120-51-4)</th>	benzyl benzoate (120-51-4)		
LD50 dermal nabbit4000 mg/kg (Source: NLM_CIP)Ethylene brassylate (105-95-3)LD50 dermal nabbit> 5000 mg/kg (Source: ECHA)LD50 dermal nabbit> 5000 mg/kg (Source: ECHA)Methyl ionone (mixture of isomers) (1335-46-2)LD50 dermal nabbit> 5000 mg/kg (Source: CHEMVIEW)LD50 dermal nabbit> 5000 mg/kg (Source: CHEMVIEW)LD50 dermal2800 mg/kg (Source: CHEMVIEW)LD50 dermal2800 mg/kg (Source: CHEMVIEW)LD50 dermal2800 mg/kg (Source: CHEMVIEW)LD50 dermal2800 mg/kg (Source: CHEMVIEW)LD50 dermal3600 mg/kg (Source: CHEMVIEW)LD50 dermal nabbit> 5 g/kg (Source: NLM_CIP)LD50 dermal nabbit> 5 g/kg (Source: NLM_CIP)LD50 dermal nabbit> 5000 mg/kg (Source: CHE,API)CH100 LD50 dermal nabbit> 5000 mg/kg (Source: CHE,API)CH100 LD50 dermal nabbit> 5000 mg/kg (Source: CHE,API)LD50 dermal nabbit> 5000 mg/kg (Source: CHE,API)LD50 dermal nabbit> 5000 mg/kg (Source: CHE,API)LD50 dermal nabbit> 5000 mg/kg (Source: CHE,APIV)LD50 dermal nabbit> 5000 mg/kg (Source: CHE,APIV)LD50 dermal nabbit>	LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
Ethylene brassylate (105-95-3)       LD50 oral rat     > 5000 mg/kg (Source: ECHA)       LD50 demal rabbit     > 5000 mg/kg (Source: ECHA)       Mathyl ionone (mixture of isomers) (1335-46-2)     ID50 demal rabbit       LD50 demal rabbit     > 5000 mg/kg (Source: CHEMVIEW)       LD50 demal rabbit     > 5000 mg/kg (Source: CHEMVIEW)       LD50 demal rabbit     2000 mg/kg (Source: NLM_CIP)       LD50 demal rabbit     > 5 g/kg (Source: CHEMVIEW)       LD50 demal rabbit     > 5 g/kg (Source: CHEMVIEW)       (R)-p-mentha-1,8-ditene; d-limonene (S989-27-5)     ID50 oral rat       LD50 demal rabbit     > 5 g/kg (Source: CHEMVIEW)       Hoxyl salicylate (6259-76-3)     ID50 oral rat       LD50 demal rabbit     > 5 g/kg (Source: NLM_CIP)       LD50 demal rabbit     > 5000 mg/kg (Source: EPA_API)       CItroneliol Pure	LD50 oral	1160 mg/kg bodyweight	
L050 oral rat         > 5000 mg/kg (Source: ECHA)           L050 demal rabbit         > 5000 mg/kg (Source: ECHA)           Methyl ionone (mixture of isomens) (1335-46-2)            L050 oral rat         > 5000 mg/kg (Source: ECHA)           L050 demal rabbit         > 5000 mg/kg (Source: CHEMVIEW)           L050 demal rabbit         > 5000 mg/kg (Source: CHEMVIEW)           L050 demal rabbit         2900 mg/kg bodyweight           L050 oral         2790 mg/kg bodyweight           L050 oral rat         3600 mg/kg (Source: NLM_CIP)           L050 oral         3600 mg/kg (Source: CHEMVIEW)           L050 oral rat         3600 mg/kg (Source: CHEMVIEW)           L050 oral rat         3600 mg/kg (Source: CHEMVIEW)           L050 oral rat         4000 mg/kg (Source: CHEMVIEW)           L050 oral rat         > 5 g/kg (Source: CHEMVIEW)           L050 oral rat         3450 mg/kg (Source: CHEMVIEW)           L050 oral rat         3450 mg/kg (Source: CHEMVIEW)           L050	LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
LD50 demai rabbit     > 5000 mg/kg (Source: ECHA)       Methyl ionone (mixture of isomers) (1335-46-2)       LD50 oral rat     > 5000 mg/kg (Source: CHEM/IEW)       LD50 demai rabbit     > 5000 mg/kg (Source: CHEM/IEW)       LD50 demai rabbit     > 2000 mg/kg bodyweight       LD50 oral rat     2790 mg/kg bodyweight       Dihydromyrconol (18479-58-8)        LD50 oral rat     3600 mg/kg (Source: NLM_CIP)       LD50 oral rat     3600 mg/kg (Source: CHEM/IEW)       LD50 oral rat     3600 mg/kg (Source: CHEM/IEW)       LD50 oral rat     3600 mg/kg (Source: CHEM/IEW)       LD50 oral rat     > 5 g/kg (Source: CHEM/IEW)       LD50 oral rat     > 5 g/kg (Source: CHEM/IEW)       LD50 oral rat     4000 mg/kg (Source: CHEM/IEW)       LD50 oral rat     > 5 g/kg (Source: CHEM/IEW)       LD50 oral rat     > 1 g/kg (Source: NLM_CIP)       LD50 oral rat     2 son mg/kg (Source: NLM_CIP)       LD50 oral rat     2 son mg/kg (Source: CHA_API)       CB50 oral rat     2 soo mg/kg (Source: EPA_HPV)       LD50 oral rat     2 soo mg/kg (Source: EPA_HPV)       LD50 oral rat     1 d	Ethylene brassylate (105-95-3)		
Methyl ionone (mixture of isomers) (1335-46-2)           LD50 oral rat         > 5000 mg/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5000 mg/kg (Source: CHEMVIEW)           LD50 dermal         2900 mg/kg bodyweight           LD50 oral         2790 mg/kg bodyweight           LD50 oral at         2790 mg/kg bodyweight           Dihydromyrcenol (18479-58-8)         Image: Comparison of the state st	LD50 oral rat	> 5000 mg/kg (Source: ECHA)	
LD50 oral rat> 5000 mg/kgLD50 dermal rabbit> 5000 mg/kg (Source: CHEMVIEW)LD50 dermal2900 mg/kg bodyweightLInatool (78-70-6)LD50 oral2790 mg/kg bodyweightDhydromyrcenol (18479-58-8)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg bodyweightLD50 oral rat5 g/kg (Source: CHEMVIEW)LD50 oral rat4400 mg/kg (Source: CHEMVIEW)LD50 oral rat5 g/kg (Source: CHEMVIEW)LD50 oral rat> 5 g/kg (Source: CHEMVIEW)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat2450 mg/kg (Source: NLM_CIP)LD50 oral rat14550 mg/kg (Source: NLM_CIP)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 oral rat3940 mg/kg (Source	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LD50 dermal rabbit         > 5000 mg/kg (Source: CHEMVIEW)           LD50 dermal         2900 mg/kg (Source: CHEMVIEW)           LD50 oral         2790 mg/kg bodyweight           LD50 oral         2790 mg/kg bodyweight           Dihydromyrcenol (18479-58-8)         2000 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: CHEMVIEW)           LD50 oral rat         3600 mg/kg (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 oral rat         5 g/kg (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 oral rat         5 g/kg (Source: CHEMVIEW)           LD50 oral rat         5 g/kg (Source: NLM_CIP)           LD50 oral rat         5 g/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: EPA_HPV)           LD50 oral rat         3450 mg/kg (Source: EPA_HPV)           LD50 oral rat         14550 mg/kg (Source: EPA_HPV)           LD50 oral rat </td <td>Methyl ionone (mixture of isomers) (1335-46-2</td> <td>2)</td>	Methyl ionone (mixture of isomers) (1335-46-2	2)	
LD50 dermal2900 mg/kg bodyweightLInatool (78-70-6)2790 mg/kg bodyweightDihydromyrcenol (18479-58-8)3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg (Source: CHEM/VIEW)(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)LD50 oral rat4400 mg/kg (Source: CHEM/VIEW)LD50 dermal rabbit> 5 g/kg (Source: CHEM/VIEW)LD50 dermal rabbit> 5 g/kg (Source: CHEM/VIEW)LD50 oral rat4400 mg/kg (Source: CHEM/VIEW)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: ECHA_API)Helional (1205-17-0)	LD50 oral rat	> 5000 mg/kg	
Linalool (78-70-6)           LD50 oral         2790 mg/kg bodyweight           Dihydromyrcenol (18479-58-6)            LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral rat         3600 mg/kg (Source: CHEMVIEW)           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)            LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)            LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           Hexyl salicytate (6259-76-3)            LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5 so00 mg/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         2500 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: NLM_HSDB)           LD50 dermal rabbit         > 500	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LD50 oralZ790 mg/kg bodyweightDihydromyrcenol (18479-58-8)LD50 oral rat3600 mg/kg (Source: NLM_CIP)LD50 oral rat3600 mg/kg bodyweightLD50 oral rat> 5 g/kg (Source: CHEMVIEW)(R)-p-mentha-1,8-diene; d-limonene (5989-27->>LD50 oral rat4400 mg/kg (Source: CHEMVIEW)LD50 oral rat5 g/kg (Source: CHEMVIEW)LD50 oral rat5 g/kg (Source: CHEMVIEW)LD50 oral rat5 g/kg (Source: CHEMVIEW)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat2000 mg/kg (Source: ECHA_API)Helional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)Helional rabbit> 2000 mg/kg (Source: ECHA_API) <td>LD50 dermal</td> <td>2900 mg/kg bodyweight</td>	LD50 dermal	2900 mg/kg bodyweight	
Dihydromyrcenol (18479-58-8)           D50 oral rat         3600 mg/kg (Source: NLM_CIP)           D50 oral rat         3600 mg/kg (Source: NLM_CIP)           D50 oral rat         3600 mg/kg (Source: CHEMVIEW)           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 oral rat         4400 mg/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         2650 mg/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: NLM_HSDB)           LD50 oral rat         4590 mg/kg (Source: NLM_HSDB)           LD50 oral rat	Linalool (78-70-6)	·	
LD50 oral rat         3600 mg/kg (Source: NLM_CIP)           LD50 oral         3600 mg/kg bodyweight           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         LD50 dermal rabbit           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         2450 mg/kg (Source: NLM_CIP)           LD50 oral rat         3450 mg/kg (Source: NLM_CIP)           LD50 oral rat         2450 mg/kg (Source: EPA_HPV)           LD50 oral rat         2650 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         2650 mg/kg (Source: EPA_HPV)           LD50 dermal rabbit         > 5000 mg/kg (Source: EPA_HPV)           LD50 oral rat         14550 mg/kg (Source: EPA_HPV)           LD50 oral rat         3940 mg/kg (Source: NLM_HSDB)           LD50 oral rat         4590 mg/kg (Source: NLM_HSDB)           LD50 oral rat         3940 mg/kg (Sourc	LD50 oral	2790 mg/kg bodyweight	
LD50 oral3600 mg/kg bodyweightLD50 dermal rabbit> 5 g/kg (Source: CHEMVIEW)(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)LD50 oral rat4400 mg/kg (Source: CHEMVIEW)LD50 dermal rabbit> 5 g/kg (Source: CHEMVIEW)Hexyl salicylate (6259-76-3)LD50 oarl rat> 5 g/kg (Source: NLM_CIP)LD50 oarl rat> 5 g/kg (Source: NLM_CIP)LD50 oarl rat> 5 g/kg (Source: NLM_CIP)LD50 oarl rat> 5000 mg/kg (Source: NLM_CIP)LD50 oarl rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg (Source: EPA_HPV)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: ECHA_API)Helional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-buty)/cyclohexyloxy]-2-butanol (139504-68-0)	Dihydromyrcenol (18479-58-8)		
LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)       4400 mg/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         Hexyl salicylate (6259-76-3)       Edit (Source: NLM_CIP)         LD50 dermal rabbit       > 5 g/kg (Source: NLM_CIP)         LD50 dermal rabbit       > 5000 mg/kg (Source: NLM_CIP)         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)         LD50 oral rat       3450 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       2650 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       2650 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       > 5000 mg/kg (Source: EPA_HPV)         LD50 oral rat       4590 mg/kg (Source: EPA_HPV)	LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)         LD50 oral rat       4400 mg/kg (Source: CHEMVIEW)         LD50 dermal rabbit       > 5 g/kg (Source: CHEMVIEW)         Hexyl salicylate (6259-76-3)          LD50 oral rat       > 5 g/kg (Source: NLM_CIP)         LD50 dermal rabbit       > 5000 mg/kg (Source: ECHA_API)         Citronellol Pure (106-22-9)          LD50 oral rat       3450 mg/kg (Source: NLM_CIP)         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)         LD50 oral rat       2650 mg/kg (Source: NLM_CIP)         LD50 oral rat       3450 mg/kg (Source: NLM_CIP)         LD50 oral rat       2650 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       2650 mg/kg (Source: EPA_HPV)         LD50 dermal       2650 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       > 5000 mg/kg (Source: NLM_HSDB)         LD50 oral rat       4590 mg/kg (Source: NLM_HSDB)         LD50 oral rat       3940 mg/kg bodyweight         Helional (1205-17-0)       > 2000 mg/kg (Source: ECHA_API)         LD50 dermal rabbit       > 2000 mg/kg (Source: ECHA_API)	LD50 oral	3600 mg/kg bodyweight	
LD50 oral rat4400 mg/kg (Source: CHEMVIEW)LD50 dermal rabbit> 5 g/kg (Source: CHEMVIEW)Hexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Citronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat3940 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: EPA_HPV)LD50 oral rat2940 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
LD50 dermal rabbit> 5 g/kg (Source: CHEMVIEW)Hexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Citronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: RPA_HPV)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat2940 mg/kg (Source: ECHA_API)Helional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Hexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Citroneliol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat2450 mg/kg bodyweightLD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat3940 mg/kg bodyweightHelional (1205-17-0)2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (13950-4-68-0)	LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 oral rat> 5 g/kg (Source: NLM_CIP)LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Citronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat2450 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat3940 mg/kg (Source: NLM_HSDB)LD50 oral rat2000 mg/kg (Source: ECHA_API)Helional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
LD50 dermal rabbit> 5000 mg/kg (Source: ECHA_API)Citronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral rat3450 mg/kg bodyweightLD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat3940 mg/kg bodyweightHelional (1205-17-0)2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	Hexyl salicylate (6259-76-3)		
Citronellol Pure (106-22-9)LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral3450 mg/kg bodyweightLD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-Ionone (14901-07-6)Image: EPA_HPV)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral3940 mg/kg bodyweightHelional (1205-17-0)Image: EDA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 oral rat3450 mg/kg (Source: NLM_CIP)LD50 oral3450 mg/kg bodyweightLD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg bodyweightLinalyl acetate (115-95-7)14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-lonone (14901-07-6)14500 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral3940 mg/kg bodyweightHelional (1205-17-0)2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
LD50 oral3450 mg/kg bodyweightLD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg bodyweightLinalyl acetate (115-95-7)2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-lonone (14901-07-6)2500 mg/kg (Source: NLM_HSDB)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral3940 mg/kg bodyweightHelional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)	Citronellol Pure (106-22-9)		
LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 dermal2650 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2650 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-lonone (14901-07-6)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral rat3940 mg/kg bodyweightHelional (1205-17-0)> 2000 mg/kg (Source: ECHA_API)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)	LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 dermal2650 mg/kg bodyweightLinalyl acetate (115-95-7)14550 mg/kg (Source: EPA_HPV)LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-lonone (14901-07-6)1000000000000000000000000000000000000	LD50 oral	3450 mg/kg bodyweight	
Linalyl acetate (115-95-7)         LD50 oral rat       14550 mg/kg (Source: EPA_HPV)         LD50 dermal rabbit       > 5000 mg/kg (Source: EPA_HPV)         beta-lonone (14901-07-6)          LD50 oral rat       4590 mg/kg (Source: NLM_HSDB)         LD50 oral       3940 mg/kg bodyweight         Helional (1205-17-0)       > 2000 mg/kg (Source: ECHA_API)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)       >	LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 oral rat14550 mg/kg (Source: EPA_HPV)LD50 dermal rabbit> 5000 mg/kg (Source: EPA_HPV)beta-lonone (14901-07-6)LD50 oral rat4590 mg/kg (Source: NLM_HSDB)LD50 oral3940 mg/kg bodyweightHelional (1205-17-0)LD50 dermal rabbit> 2000 mg/kg (Source: ECHA_API)1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 dermal	2650 mg/kg bodyweight	
LD50 dermal rabbit     > 5000 mg/kg (Source: EPA_HPV)       beta-lonone (14901-07-6)       LD50 oral rat     4590 mg/kg (Source: NLM_HSDB)       LD50 oral     3940 mg/kg bodyweight       Helional (1205-17-0)     2000 mg/kg (Source: ECHA_API)       1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	Linalyl acetate (115-95-7)		
beta-lonone (14901-07-6)           LD50 oral rat         4590 mg/kg (Source: NLM_HSDB)           LD50 oral         3940 mg/kg bodyweight           Helional (1205-17-0)         2000 mg/kg (Source: ECHA_API)           LD50 dermal rabbit         > 2000 mg/kg (Source: ECHA_API)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 oral rat       4590 mg/kg (Source: NLM_HSDB)         LD50 oral       3940 mg/kg bodyweight         Helional (1205-17-0)       LD50 dermal rabbit         LD50 dermal rabbit       > 2000 mg/kg (Source: ECHA_API)         1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
LD50 oral         3940 mg/kg bodyweight           Helional (1205-17-0)         2000 mg/kg (Source: ECHA_API)           LD50 dermal rabbit         > 2000 mg/kg (Source: ECHA_API)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	beta-lonone (14901-07-6)		
Helional (1205-17-0)           LD50 dermal rabbit         > 2000 mg/kg (Source: ECHA_API)           1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)	
LD50 dermal rabbit     > 2000 mg/kg (Source: ECHA_API)       1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	LD50 oral	3940 mg/kg bodyweight	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)	Helional (1205-17-0)		
	LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
LD50 dermal rat > 2000 mg/kg (Source: ECHA_API)	1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)		
	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	

# Safety Data Sheet

citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Lime oil distilled (8008-26-2)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
Anise oil (Spanish) (8007-70-3)		
LD50 oral rat	2250 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
FORMALDEHYDE CYCLODECYL ETHYL ACE	TAL (58567-11-6)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Vertofix (32388-55-9)		
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Grapefruit oil (8016-20-4)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 oral	500 mg/kg bodyweight	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)		
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
dipentene; limonene (138-86-3)		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)	
Skin corrosion/irritation : 0	Causes skin irritation.	
Serious eye damage/irritation : 0	Causes serious eye irritation.	
Respiratory or skin sensitisation : N	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5	5)	
IARC group	3 - Not classifiable	
Reproductive toxicity : N	May damage fertility or the unborn child.	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7,456 mm²/s	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	
11.2. Information on other hazards		

## 11.2.1. Endocrine disrupting properties

No additional information available	

## 11.2.2. Other information

Potential adverse human health effects and	: Based on available data, the classification criteria are not met
symptoms	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general : \ Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2,32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0,168 mg/l	
Methyl ionone (mixture of isomers) (1335-46-2)		
LC50 - Fish [1]	2,3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88,3 mg/l (Species: Desmodesmus subspicatus)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [1]	0,619 – 0,796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2,2 – 2,5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4,12 – 6,2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16,5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0,28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

## 12.2. Persistence and degradability

FRANGIPANI SHORES CC-16358		
Persistence and degradability Not established.		
benzyl benzoate (120-51-4)		
Persistence and degradability         May cause long-term adverse effects in the environment.		
FORMALDEHYDE CYCLODECYL ETHYL ACETAL (58567-11-6)		
Persistence and degradability May cause long-term adverse effects in the environment. Not established.		

# 12.3. Bioaccumulative potential

FRANGIPANI SHORES CC-16358		
Bioaccumulative potential Not established.		
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)     3,97 (at 25 °C)		
Bioaccumulative potential Not established.		
Ethylene brassylate (105-95-3)		
Partition coefficient n-octanol/water (Log Pow) 4,3 (at 25 °C (at pH 6.4-7)		

# Safety Data Sheet

Methyl ionone (mixture of isomers) (1335-46-2)		
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)	
Dihydromyrcenol (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3,25 (at 40 °C (at pH 7)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4,38 (at 37 °C (at pH 7.2)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5,5 (at 30 °C (at pH 7)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3,41 (at 25 °C)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3,9 (at 25 °C)	
beta-lonone (14901-07-6)		
Partition coefficient n-octanol/water (Log Pow)	1,903 (at 27 °C (at pH 5.7)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2,4 (at 25 °C)	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (1395	i04-68-0)	
BCF - Fish [1]	(173 dimensionless)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2,76 (at 25 °C)	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4,04	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Partition coefficient n-octanol/water (Log Pow)	5,7 (at 24 °C)	
FORMALDEHYDE CYCLODECYL ETHYL ACE	TAL (58567-11-6)	
BCF - Fish [1]	(530 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5,4 (at 25 °C)	
Bioaccumulative potential	Not established.	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3,4 (at 35 °C)	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4,5 (at 25 °C (at pH 6)	
Vertofix (32388-55-9)		
BCF - Fish [1]	(3920 dimensionless (organ w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5,6 - 5,9	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2,3 (at 25 °C (at pH 5)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4,1	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment	t	
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information	: Avoid release to the environment.	
SECTION 13: Disposal considerations 13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials HP Code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> </ul> </li> <li>HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.</li> </ul>	

**SECTION 14: Transport information** 

## In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)

or more sectors of the environment

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

# Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
14.3. Transport hazard o	lass(es)	·		
9	9	9	9	9
14.4. Packing group				
III	III	Ш	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1		
14.6. Special precaution	s for user			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	: 5I : E1 : P00 DR) : PP R) : MP her instructions (ADR) : T4 her special provisions : TP : LG : AT : 3 e - Packages (ADR) : V12 e - Loading, unloading : CV	19 1, TP29 BV		
Tunnel restriction code (ADR) EAC code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM	: •3Z : 274 : 5 L : E1 : LPC	4, 335, 969 - 01, P001		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	
Special provisions for carriage - Loading, unloading	
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; Lime oil distilled ; Aldehyde C-6 ; Grapefruit oil ; .alpha Pinene ; Orange oil ; dipentene; limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FRANGIPANI SHORES CC-16358 ; benzyl benzoate ; Methyl ionone (mixture of isomers) ; lso E Super ; Linalool ; Dihydromyrcenol ; (R)-p- mentha-1,8-diene; d- limonene ; Hexyl salicylate ; Citronellol Pure ; Linalyl acetate ; CUPRESSUS FUNEBRIS WOOD OIL ; Helional ; Cedramber ; citral ; Lime oil distilled ; Patchouli oil ; Geranyl acetate ; Anise oil (Spanish) ; FORMALDEHYDE CYCLODECYL ETHYL ACETAL ; Cyclamal ; Vertofix ; Grapefruit oil ; Orange oil ; dipentene; limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	FRANGIPANI SHORES CC-16358 ; benzyl benzoate ; Ethylene brassylate ; Methyl ionone (mixture of isomers) ; Iso E Super ; (R)-p-mentha- 1,8-diene; d-limonene ; Hexyl salicylate ; beta- lonone ; CUPRESSUS FUNEBRIS WOOD OIL ; Helional ; 1-[(2-tert- butyl)cyclohexyloxy]-2- butanol ; Cedramber ; Lime oil distilled ; Patchouli oil ; Geranyl acetate ; Anise oil (Spanish) ; FORMALDEHYDE CYCLODECYL ETHYL ACETAL ; Cyclamal ; Alcohol C-10 ; Vertofix ; Grapefruit oil ; Orange oil ; dipentene; limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)					
Reference code	Applicable on	Entry title or description			
40.	(R)-p-mentha-1,8-diene; d-limonene ; Lime oil distilled ; Aldehyde C-6 ; Grapefruit oil ; .alpha Pinene ; Orange oil ; dipentene; limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.			

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)			•		ording to AwSV, Annex 1).
Storage class (LGK, TRGS 510)			e substances of a r produce chronic		category 3 / hazardous
Joint storage table	<sup>:</sup> LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for	: LGK 1, LGK 2	A, LGK 4.1A,	LGK 5.1A, LGK	5.1C, LGK 5.2,	LGK 6.2, LGK 7.
Joint storage with restrictions permitted for	<ul> <li>: LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1B.</li> <li>: LGK 2B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.</li> </ul>				
Joint storage permitted for					
Chemicals Prohibition Ordinance (ChemVerbotsV)	: This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements mus be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).				
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject	t of the Hazard	lous Incident Orc	linance (12. Blı	mSchV)
Netherlands					
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment				
SZW-lijst van kankerverwekkende stoffen	SZW-lijst van kankerverwekkende stoffen : CUPRESSUS FUNEBRIS WOOD OIL, Orange oil are listed			ed	
SZW-lijst van mutagene stoffen	an mutagene stoffen : CUPRESSUS FUNEBRIS WOOD OIL, Orange oil are listed				
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the cor	nponents are l	isted		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 6.1 - Toxic materials
Chemicals Ordinance (ChemV, SR 813.11)	: Group 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Other information

: None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. 2	Carcinogenicity, Category 2		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H341	Suspected of causing genetic defects.		
H351	Suspected of causing cancer.		
H360	May damage fertility or the unborn child.		
H360FD	May damage fertility. May damage the unborn child.		
H361	Suspected of damaging fertility or the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1A	Reproductive toxicity, Category 1A	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

## The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.