Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : FRESH CUT PEONIES CC-16363 5%

Product code : CC-16363_5%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains Hexyl cinnamic aldehyde, Linalyl acetate, Linalool, Vertenex, Geraniol,

Benzyl salicylate, Iso E Super, Citronellol Pure. May produce an allergic reaction.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

EN (English) 1/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.79 – 1.584125	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.2 – 0.400005	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-	0.135 – 0.267365	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.125 – 0.2525	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.1 – 0.2	Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.07 – 0.1425	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-	0.07 – 0.135	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.07 – 0.135	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.065 – 0.13	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

EN (English) 2/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.02 – 0.035	Not classified
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.015 – 0.0275	Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.007233 – 0.0108495	Not classified
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00043	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.000105	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.000005	Eye Dam. 1, H318 Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

EN (English) 3/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
OEL TWA [ppm]	19 ppm
OEL STEL	200 mg/m³

EN (English) 4/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)			
OEL STEL [ppm]	38 ppm		
Benzyl acetate (140-11-4)	Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA [ppm]	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m³		
OEL STEL [ppm]	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
Carbitol (111-90-0)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	35 mg/m³		
MAK (OEL TWA) [ppm]	6 ppm		
MAK (OEL STEL)	140 mg/m³		
MAK (OEL STEL) [ppm]	24 ppm		

EN (English) 5/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carbitol (111-90-0)		
Estonia - Occupational Exposure Limits		
OEL TWA	50.1 mg/m³	
OEL TWA [ppm]	10 ppm	
OEL chemical category	Skin notation	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m³	
OEL TWA [ppm]	6 ppm	
OEL STEL	70 mg/m³	
OEL STEL [ppm]	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
NGV (OEL TWA) [ppm]	15 ppm	
KTV (OEL STEL)	170 mg/m³	
KTV (OEL STEL) [ppm]	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
decyl alcohol (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL TWA [ppm]	15 ppm	
OEL STEL	200 mg/m³	
OEL STEL [ppm]	30 ppm	

EN (English) 6/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

decyl alcohol (112-30-1)		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m³	
Caproic acid (142-62-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

EN (English) 7/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Standard. Odour : characteristic. Odour threshold : No data available : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

8/17 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicologic	al effec	ts
---------------------------------	----------	----

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
	•	

EN (English) 9/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl salicylate (118-58-1)	
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Carbitol (111-90-0)	
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)
decyl alcohol (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Caproic acid (142-62-1)	
LD50 oral rat	3 g/kg (Source: NLM_HSDB)
LD50 oral	4000 mg/kg bodyweight
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)
Skin corrosion/irritation : Additional information :	Not classified
Serious eye damage/irritation :	Based on available data, the classification criteria are not met Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation :	Not classified
Additional information :	Based on available data, the classification criteria are not met Not classified
Germ cell mutagenicity : Additional information :	Based on available data, the classification criteria are not met
Carcinogenicity :	Not classified
	Based on available data, the classification criteria are not met
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified

EN (English) 10/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information Based on available data, the classification criteria are not met

Benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

EC50 - Crustacea [1]

EC50 72h - Algae [1]

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified

: Harmful to aquatic life with long lasting effects.

(chronic)	Training to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Ethyl acetoacetate (141-97-9)	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
	1

646 mg/l (Exposure time: 48 h - Species: Daphnia magna)

> 500 mg/l (Species: Desmodesmus subspicatus)

11/17 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

CS9 - Fish [1] 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) 19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) 19100 - 23900 mg/l (Exposure time: 96 h - Species: Daphnia magna) 19000 mg/l (Exposure time: 96 h - Species: Daphnia magna) 19000 mg/l (Exposure time: 96 h - Species: Pimephales promeias [flow-through] 19000 mg/l (Exposure time: 96 h - Species: Daphnia magna) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] Source: EPA) 19000 mg/l (Exposure time: 96 h - Species: Daphnia macrochirus [static] So	Carbitol (111-90-0)	
Source: EPA 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
Accept alcohol (112-30-1) CLS0 - Fish [1] Surues: EFA Sur	LC50 - Fish [2]	
LC50 - Fish [1] 2 2 - 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through) Source: EPA) 4 12 - 6 2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus (static) Source: EPA) Aldehyde C-6 (66-25-1) LC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Daphnia magna) Aldehyde C-6 (66-25-1) LC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through) Source: EPA) Caproic acid (142-62-1) LC50 - Fish [1] 396 - 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through) Source: EPA) LC50 - Fish [2] 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas (flow-through) Source: EPA) 12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linaly acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Beraximitative potential Not established. Berxyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Braximitation (Coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C) (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Source: EPA CL26 - 2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA CR26 - 2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA CR26 - 3 mg/l (Exposure time: 48 h - Species: Daphnia magna) CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA CR26 - 3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] CR26 - 4 mg/l (Exposure time: 96 h - Species	decyl alcohol (112-30-1)	
EPA Single (Exposure time: 48 h - Species: Daphnia magna) Single (Exposure time: 48 h - Species: Daphnia magna) Single (Exposure time: 96 h - Species: Primephales prometas (flow-through) Source: EPA Sou	LC50 - Fish [1]	
Aldehyde C-6 (66-25-1) LC50 - Fish [1]	LC50 - Fish [2]	
LC50 - Fish [1] 12 - 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) Caproic acid (142-62-1) LC50 - Fish [1] 306 - 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) 12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Caproic acid (142-62-1) LC50 - Fish [1] 306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) 12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Aldehyde C-6 (66-25-1)	
LC50 - Fish [1] 306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) 12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	LC50 - Fish [1]	
Source: EPA) 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) 12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Caproic acid (142-62-1)	
12.2. Persistence and degradability FRESH CUT PEONIES CC-16363 5% Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	LC50 - Fish [1]	
Persistence and degradability Not established. Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	12.2. Persistence and degradability	
Benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	FRESH CUT PEONIES CC-16363 5%	
Persistence and degradability 12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Persistence and degradability	Not established.
12.3. Bioaccumulative potential FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Benzyl benzoate (120-51-4)	
FRESH CUT PEONIES CC-16363 5% Bioaccumulative potential Not established. Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Persistence and degradability	May cause long-term adverse effects in the environment.
Bioaccumulative potential Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	12.3. Bioaccumulative potential	
Benzyl benzoate (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	FRESH CUT PEONIES CC-16363 5%	
Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Bioaccumulative potential	Not established.
Bioaccumulative potential Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) BCF - Fish [1] Acetate (1222-05-5) BCF - Fish [1] Acetate (115-95-7) (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Benzyl benzoate (120-51-4)	
Linalyl acetate (115-95-7) Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow) Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Bioaccumulative potential	Not established.
Hexamethylindanopyran (1222-05-5) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Linalyl acetate (115-95-7)	
BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Hexamethylindanopyran (1222-05-5)	
Vertenex (32210-23-4) Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C) Geraniol (106-24-1)	Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Geraniol (106-24-1)	Vertenex (32210-23-4)	
	Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
	Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)	Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)

EN (English) 12/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
decyl alcohol (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	
Caproic acid (142-62-1)		
Partition coefficient n-octanol/water (Log Pow)	1.88	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials

HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

EN (English) 13/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

EN (English) 14/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	Benzyl benzoate; Hexyl cinnamic aldehyde; Linalyl acetate; Linalool; Vertenex; Geraniol; Benzyl salicylate; Iso E Super; Citronellol Pure; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	FRESH CUT PEONIES CC-16363 5%; Benzyl benzoate; Hexyl cinnamic aldehyde; Hexamethylindanopyran; Benzyl salicylate; Iso E Super; Benzyl acetate; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Joint storage table LGK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.1B LGK 4.2 LGK 4.3 **LGK 5.1A** LGK 5.1B LGK 5.1C LGK 5.2 LGK 6.1A LGK 6.1B LGK 6.1C LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 11 LGK 12 LGK 13 LGK 10 LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

EN (English) 15/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, Joint storage permitted for

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

: None of the components are listed

: None of the components are listed

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

Denmark

: None of the components are listed

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed **Danish National Regulations** Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH208	Contains Hexyl cinnamic aldehyde, Linalyl acetate, Linalool, Vertenex, Geraniol, Benzyl salicylate, Iso E Super, Citronellol Pure. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

EN (English) 16/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 17/17