Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : WILLOW MOON CC-16368 25% in DPG

Product code : CC-16368_25%
Type of product : Perfumes, Fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, Fragrances

Use of the substance/mixture : Perfumes, Fragram Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : Iso E Super; Vertenex; d-Limonene; Hexyl salicylate; Orange oil ; Linalyl acetate; Cypress

oil; Eucalyptus oil; Dipentene; Lime oil distilled ; Triplal (Vertocitral); Melonal; COUMARIN;

Geranyl acetate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



ANDLECRAFT

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: Restricted to professional users.

2.3. Other hazards

Extra phrases

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.725 – 7.43265	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.575 – 3.125	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.75 – 1.5	Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.75 – 1.5	Skin Sens. 1B, H317
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.65 – 1.32	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	0.625 – 1.25	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.55 – 1.1159	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.5 – 1	Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.225 – 0.4475	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.175 – 0.34375	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cypress oil	CAS-No.: 8013-86-3 EC-No.: 616-942-6	0.125 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.1 – 0.175	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.075 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.075 – 0.15	Aquatic Chronic 3, H412
dipentene, limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3	0.075 – 0.1425	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.075 – 0.1425	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.075 – 0.1285	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.075 – 0.125	Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.075 – 0.125	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet





Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.05 – 0.1075	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.025 – 0.0525	Flam. Liq. 3, H226
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.01875	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0001	Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0 – 0.000025	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	





Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m³		
OEL TWA [2]	10 ppm		
OEL STEL	122 mg/m³		
OEL STEL	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
dipentene, limonene (138-86-3)			
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL TWA	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		





dipentene, limonene (138-86-3)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer coniferous resin sensitizes the skin	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	






.alphaPinene (80-56-8)		
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	





Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL TWA	15 ppm	
OEL STEL	200 mg/m³	
OEL STEL	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL		
IOEL TWA	270 mg/m³	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m³	
IOEL STEL [ppm]	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	





OEL TYREL 50 ppm OEL STEL 50 mg/m² CPOEL STEL 100 ppm Croatia-Occupational Exposure Limits GVI (OEL TWA) [1] 270 mg/m² GVI (OEL TWA) [2] 50 ppm KGYI (OEL STEL) [ppm] 100 ppm Cyprus - Occupational Exposure Limits CEL TWA OEL TWA 50 ppm OEL STEL 100 ppm Denmark - Occupational Exposure Limits OEL STEL 100 ppm Denmark - Occupational Exposure Limits OEL TWA [1] 271 mg/m² (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all i	isopentyl acetate (123-92-2)		
OEL STEL 100 ppm	OEL TWA	50 ppm	
Creatia - Occupational Exposure Limits GVI (OEL TWA) [1] 270 mg/m² GVI (OEL TWA) [2] 50 ppm (KGVI (OEL STEL) 540 mg/m² KGVI (OEL STEL) [ppm] 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m² OEL TWA 50 ppm OEL STEL 540 mg/m² OEL STEL 100 ppm Denmark - Occupational Exposure Limits OEL TWA [1] 271 mg/m² (Annyl acetate, all isomers) OEL TWA [2] 50 ppm (Annyl acetate, all isomers) OEL STEL 540 mg/m² OEL TWA 270 mg/m² OEL TWA 270 mg/m² OEL TWA 50 ppm OEL STEL 540 mg/m² OEL TWA 50 ppm (restrictive limit) VIE (OEL STEL) 540 mg/m² (restrictive limit) VIE (OEL STEL) 540 mg/m² (restrictive limit) VIE (OEL CSTEL) 540 mg/m² (restrictive limit) VIE (OEL TWA) [2] 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits	OEL STEL	540 mg/m³	
GVI (OEL TWA) [1] 270 mg/m² GVI (OEL TWA) [2] 50 ppm KGVI (OEL STEL) 540 mg/m³ KGVI (OEL STEL) 100 ppm Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL TWA [1] 271 mg/m² (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 540 mg/m² OEL STEL 550 ppm (Amyl acetate, all isomers) OEL STEL 550 ppm (Amyl acetate, all isomers) OEL STEL 550 mg/m² OEL STEL 550 mg/m² OEL STEL 550 mg/m² OEL STEL 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m² OEL STEL 550 mg/m² (Pentyl acetate) HTP (OEL TWA) [1] 270 mg/m² (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m² HTP (OEL STEL) 540 mg/m² VME (OEL TWA) [2m] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) [2m] 50 ppm (restrictive limit) VLE (OEL CSTEL) 540 mg/m² (restrictive limit) OEL TWA 500 ppm	OEL STEL	100 ppm	
SVI (OEL TWA) [2] 50 ppm	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL) [ppm] 100 ppm	GVI (OEL TWA) [1]	270 mg/m³	
March Comparison 100 pm	GVI (OEL TWA) [2]	50 ppm	
Cyprus - Occupational Exposure Limits	KGVI (OEL STEL)	540 mg/m³	
OEL TWA 270 mg/m³ OEL STEL 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Denmark - Occupational Exposure Limits OEL TWA [1] 271 mg/m³ (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits 50 ppm OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) VME (OEL TWA) 270 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit)	KGVI (OEL STEL) [ppm]	100 ppm	
OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Denmark - Occupational Exposure Limits Toppm (Amyl acetate, all isomers) OEL TWA [1] 271 mg/m³ (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Arryl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m² (Pentyl acetate) HTP (OEL STEL) 540 mg/m² HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits 270 mg/m² (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VME (OEL TWA) [1] 270 mg/m² AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits 270 mg/m² <td>Cyprus - Occupational Exposure Limits</td> <td></td>	Cyprus - Occupational Exposure Limits		
OEL STEL 540 mg/m³ OEL STEL 100 ppm Denmark - Occupational Exposure Limits OEL TWA [1] 271 mg/m³ (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) 540 mg/m³ WME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) 100 ppm 100	OEL TWA	270 mg/m³	
Denmark - Occupational Exposure Limits 271 mg/m³ (Arnyl acetate, all isomers)	OEL TWA	50 ppm	
Denmark - Occupational Exposure Limits	OEL STEL	540 mg/m³	
OEL TWA [1] 271 mg/m³ (Amyl acetate, all isomers) OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits CEL TWA 270 mg/m³	OEL STEL	100 ppm	
OEL TWA [2] 50 ppm (Amyl acetate, all isomers) OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits 270 mg/m³	Denmark - Occupational Exposure Limits		
OEL STEL 540 mg/m³ OEL STEL 100 ppm Estonia - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (DEL TWA) [1] HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m² (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits 50 ppm	OEL TWA [1]	271 mg/m³ (Amyl acetate, all isomers)	
DEL STEL	OEL TWA [2]	50 ppm (Amyl acetate, all isomers)	
Stonia - Occupational Exposure Limits	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL STEL	100 ppm	
OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) [ppm] 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OCEL TWA 270 mg/m³	Estonia - Occupational Exposure Limits		
DEL STEL 540 mg/m³	OEL TWA	270 mg/m³	
OEL STEL 100 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL TWA	50 ppm	
Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 270 mg/m³ AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	OEL STEL	540 mg/m³	
HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate) HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany - Occupational Exposure Limits Gibraltar - Occupational Exposure Limits Germany	OEL STEL	100 ppm	
HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	Finland - Occupational Exposure Limits		
HTP (OEL STEL) 540 mg/m³ 100 ppm 100 ppm 100 ppm	HTP (OEL TWA) [1]	270 mg/m³ (Pentyl acetate)	
HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)	
France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	HTP (OEL STEL)	540 mg/m³	
VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	HTP (OEL STEL) [ppm]	100 ppm	
VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	France - Occupational Exposure Limits		
VLE (OEL C/STEL) 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	VME (OEL TWA)	270 mg/m³ (restrictive limit)	
VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)	
AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	Germany - Occupational Exposure Limits (TRGS 900)		
Gibraltar - Occupational Exposure Limits OEL TWA 270 mg/m³	AGW (OEL TWA) [1]	270 mg/m³	
OEL TWA 270 mg/m³	AGW (OEL TWA) [2]	50 ppm	
	Gibraltar - Occupational Exposure Limits		
OEL TWA 50 ppm	OEL TWA	270 mg/m³	
	OEL TWA	50 ppm	





OEL STEL 540 mg/m³ OEL STEL 100 ppm Greece - Occupational Exposure Limits 550 mg/m³ OEL TWA 100 ppm OEL TWA 100 ppm OEL STEL 800 mg/m³ OEL STEL 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) OK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits CE L TWA [1] OEL TWA [2] 50 ppm OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL 520 mg/m³ OEL STEL 520 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 500 ppm Latvia - Occupational Exposure Limits CE LTWA OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 90 ppm OEL TWA 90 ppm OEL TWA 90 ppm <	isopentyl acetate (123-92-2)		
Greece - Occupational Exposure Limits OEL TWA OEL TWA 100 ppm OEL STEL 800 mg/m² OEL STEL 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) CK (OEL STEL) 540 mg/m² OEL TWA [2] OEL TWA [2] OEL TWA [2] OEL STEL 520 mg/m² OEL STEL 100 ppm OEL STEL 520 mg/m² OEL STEL 520 mg/m² OEL STEL OEL TWA [2] OEL STEL 520 mg/m² OEL STEL 520 mg/m² OEL STEL OEL TWA OEL STEL 520 mg/m² OEL STEL OEL TWA OEL STEL OEL TWA OEL STEL OEL TWA OEL STEL OEL TWA OEL STEL OEL TWA OEL STEL OEL TWA OEL TWA OEL TWA OEL STEL OEL TWA OE	OEL STEL	540 mg/m³	
OEL TWA	OEL STEL	100 ppm	
OEL TWA 100 ppm OEL STEL 800 mg/m³ OEL STEL 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] OEL TWA [2] 50 ppm OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL 100 ppm Italy - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] IPRV (OEL TWA) [ppm] 50 ppm Luxembourg - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 270 mg/m³	Greece - Occupational Exposure Limits		
OEL STEL 800 mg/m² OEL STEL 150 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) AK (OEL TWA) 270 mg/m² CK (OEL STEL) 540 mg/m² Ireland - Occupational Exposure Limits OEL TWA [1] OEL TWA [2] 50 ppm OEL STEL 520 mg/m² OEL STEL 520 mg/m² OEL TWA 270 mg/m² OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m² OEL STEL 100 ppm Latvia - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m² OEL TWA 50 ppm Lithuania - Occupational Exposure Limits 100 ppm Lithuania - Occupational Exposure Limits 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m² OEL TWA 270 mg/m² OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm	OEL TWA	530 mg/m³	
OEL STEL	OEL TWA	100 ppm	
Hungary - Occupational Exposure Limits	OEL STEL	800 mg/m³	
AK (OEL TWA) 270 mg/m³ CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL 100 ppm Italy - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm IPRY (OEL TWA) [ppm] 50 ppm TPRY (OEL STEL) 540 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 30 ppm IPRY (OEL STEL) 540 mg/m³ OEL TWA 30 ppm OEL STEL 540 mg/m³ OEL TWA 30 ppm OEL STEL 540 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL TWA 50 ppm Matta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL TWA 50 ppm	OEL STEL	150 ppm	
CK (OEL STEL) S40 mg/m² Ireland - Occupational Exposure Limits	Hungary - Occupational Exposure Limits		
Ireland - Occupational Exposure Limits	AK (OEL TWA)	270 mg/m³	
OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits 1PRV (OEL TWA) [ppm] IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits 0EL TWA OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 270 mg/m³ OEL TWA 50 ppm	CK (OEL STEL)	540 mg/m³	
OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL 100 ppm Italy - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits EL TWA OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 60 ppm OEL TWA 50 ppm </td <td>Ireland - Occupational Exposure Limits</td> <td></td>	Ireland - Occupational Exposure Limits		
OEL STEL 520 mg/m³ OEL STEL 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits 50 ppm OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL TWA 50 ppm	OEL TWA [1]	260 mg/m³	
OEL STEL 100 ppm Italy - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits 1PRV (OEL TWA) IPRV (OEL TWA) (ppm) 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) (ppm] 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL STEL OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm	OEL TWA [2]	50 ppm	
Rady - Occupational Exposure Limits	OEL STEL	520 mg/m³	
OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits 1PRV (OEL TWA) IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL STEL	100 ppm	
OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits To mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) 270 mg/m³ IPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) 540 mg/m³ Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 100 ppm Maita - Occupational Exposure Limits OEL STEL OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³	Italy - Occupational Exposure Limits		
OEL STEL 540 mg/m³ OEL STEL 100 ppm Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ IPRV (OEL TWA) 50 ppm TPRV (OEL TWA) 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) 540 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 540 mg/m³ OEL STEL 550 ppm Matta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL STEL 550 ppm	OEL TWA	270 mg/m³	
DEL STEL 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits 1PRV (OEL TWA) IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 50 ppm	OEL TWA	50 ppm	
Latvia - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 570 mg/m³ OEL STEL 570 mg/m³	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm	OEL STEL	100 ppm	
OEL TWA 50 ppm Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³	Latvia - Occupational Exposure Limits		
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ IPRV (OEL TWA) [ppm] 50 ppm TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL TWA	270 mg/m³	
IPRV (OEL TWA) 270 mg/m³	OEL TWA	50 ppm	
IPRV (OEL TWA) [ppm]	Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL) 540 mg/m³ TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	IPRV (OEL TWA)	270 mg/m³	
TPRV (OEL STEL) [ppm] 100 ppm Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	IPRV (OEL TWA) [ppm]	50 ppm	
Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	TPRV (OEL STEL)	540 mg/m³	
OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	TPRV (OEL STEL) [ppm]	100 ppm	
OEL TWA 50 ppm OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	Luxembourg - Occupational Exposure Limits		
OEL STEL 540 mg/m³ OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL TWA	270 mg/m³	
OEL STEL 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL TWA	50 ppm	
Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³	OEL STEL	100 ppm	
OEL TWA 50 ppm OEL STEL 540 mg/m³	Malta - Occupational Exposure Limits		
OEL STEL 540 mg/m³	OEL TWA	270 mg/m³	
	OEL TWA	50 ppm	
OEL STEL 100 ppm	OEL STEL	540 mg/m³	
	OEL STEL	100 ppm	





TGG-15min (OEL STEL) [ppm]	530 mg/m³ 98.1 ppm	
TGG-15min (OEL STEL) [ppm]		
	08.1 ppm	
	90.1 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
OEL TWA	50 ppm (indicative limit value (Pentyl acetate, all isomers)	
OEL STEL !	540 mg/m³ (indicative limit value)	
OEL STEL .	100 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA	50 ppm	
OEL STEL !	540 mg/m³	
OEL STEL .	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA	50 ppm	
OEL STEL !	540 mg/m³	
OEL STEL .	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
VLA-EC (OEL STEL) [ppm]	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)	
KTV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	260 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



isopentyl acetate (123-92-2)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Standard. light yellow. amber. Conforms to standard.

: Not applicable

Odor characteristic. Odor threshold Not available Not applicable Melting point Freezing point Not available Boiling point Not available Flammability : Non flammable. Lower explosion limit Not available Upper explosion limit : Not available : > 93 °C Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available Density : Not available : Not available Relative density Relative vapor density at 20°C : Not available

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified


Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified			
enzyl benzoate (120-51-4)				
LD50 oral rat	500 mg/kg (Source: NLM_CIP)			
LD50 oral	1160 mg/kg body weight			
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)			
Verdox (88-41-5)				
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)			
LD50 oral	4600 mg/kg body weight			
Vertenex (32210-23-4)				
LD50 oral rat	5 g/kg (Source: NLM_CIP)			
LD50 oral	3370 mg/kg body weight			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)			
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
Cedarwood oil, Virginia (8000-27-9)				
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)			
Hexyl salicylate (6259-76-3)				
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
Ethylene brassylate (105-95-3)				
LD50 oral rat	> 5000 mg/kg (Source: ECHA)			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)			
Orange oil (8008-57-9)				
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			
Linalyl acetate (115-95-7)				
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)			
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)			
Eucalyptus oil (8000-48-4)				
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)			
Benzyl acetate (140-11-4)				
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)			
LD50 oral	2490 mg/kg body weight			





Benzyl acetate (140-11-4)					
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)				
dipentene, limonene (138-86-3)					
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)				
Lime oil distilled (8008-26-2)					
LD50 oral rat	5600 mg/kg				
LD50 dermal rabbit	> 5000 mg/kg				
Triplal (Vertocitral) (68039-49-6)					
LD50 oral	3900 mg/kg body weight				
Melonal (106-72-9)					
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)				
COUMARIN (91-64-5)					
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)				
LD50 oral	290 mg/kg body weight				
LD50 dermal rat	293 mg/kg (Source: ECHA_API)				
Geranyl acetate (105-87-3)					
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)				
.alphaPinene (80-56-8)					
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)				
LD50 oral	500 mg/kg body weight				
50 dermal rat > 5000 mg/kg (Source: CHEMVIEW)					
citral (5392-40-5)					
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)				
LD50 dermal rabbit	rmal rabbit 2250 mg/kg (Source: NLM_CIP)				
Alcohol C-10 (112-30-1)					
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)				
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)				
Skin corrosion/irritation : Additional information :	Not classified Based on available data, the classification criteria are not met				
Serious eye damage/irritation :	Not classified				
Additional information :	Based on available data, the classification criteria are not met				
Respiratory or skin sensitization : Additional information :	May cause an allergic skin reaction. Based on available data, the classification criteria are not met				
Germ cell mutagenicity :	Not classified				
Additional information :	Based on available data, the classification criteria are not met				
Carcinogenicity :	Not classified				
Additional information : (R)-p-mentha-1,8-diene, d-limonene (5989-27-	Based on available data, the classification criteria are not met				
IARC group	3 - Not classifiable				
Benzyl acetate (140-11-4)	5 131 3033dai				
IARC group	3 - Not classifiable				
Into gloup	0 - NOL GIASSIIIADIE				

Safety Data Sheet





ARC group	3 - Not classifiable				
eproductive toxicity	: Not classified				
Iditional information	: Based on available data, the classification criteria are not met				
OT-single exposure	: Not classified				
Iditional information	: Based on available data, the classification criteria are not met				
OT-repeated exposure	: Not classified				
Iditional information	: Based on available data, the classification criteria are not met				
piration hazard	: Not classified				
lditional information	: Based on available data, the classification criteria are not met				
enzyl benzoate (120-51-4)					
iscosity, kinematic	7.456 mm²/s				
Prange oil (8008-57-9)					
ydrocarbon	Yes				

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and

: Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified


(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(GIIIOIIIC)					
benzyl benzoate (120-51-4)					
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)				
NOEC (chronic)	0.168 mg/l				
Vertenex (32210-23-4)					
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)				
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)					
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)				
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)				
Linalyl acetate (115-95-7)					
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)				
.alphaPinene (80-56-8)					
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)				
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)				

Safety Data Sheet





citral (5392-40-5)						
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)					
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)					
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)					
Alcohol C-10 (112-30-1)						
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)					
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)					
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)					

12.2. Persistence and degradability

WILLOW MOON CC-16368 25% in DPG			
Persistence and degradability Not established.			
benzyl benzoate (120-51-4)			
Persistence and degradability May cause long-term adverse effects in the environment.			
Eucalyptus oil (8000-48-4)			
Persistence and degradability	Not established.		

12.3. Bioaccumulative potential

WILLOW MOON CC-16368 25% in DPG			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5	5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Ethylene brassylate (105-95-3)			
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Eucalyptus oil (8000-48-4)			
Bioaccumulative potential	Not established.		
Undecavertol (81782-77-6)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 30 °C (at pH 7)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Melonal (106-72-9)				
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)			
Geranyl acetate (105-87-3)				
Partition coefficient n-octanol/water (Log Pow) 4.04				
.alphaPinene (80-56-8)				
Partition coefficient n-octanol/water (Log Pow)	4.1			
citral (5392-40-5)				
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)			
Alcohol C-10 (112-30-1)				
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)			
isopentyl acetate (123-92-2)				
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials

HP code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID			
14.1. UN number or ID number							
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082			
14.2. UN proper shipping name							
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)			
Transport document descr	iption						
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,			
14.3. Transport hazard o	class(es)						
9	9	9	9	9			
**************************************		**************************************	**************************************	**************************************			
14.4. Packing group							
III	III	III	III	III			
14.5. Environmental haz	ards						
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			
No supplementary informatio	n available			ı			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



Tunnel restriction code (ADR) : -

EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) : T4 Tank instructions (IMDG) Tank special provisions (IMDG) TP1, TP29 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list	(REACH Annex XVII)					
Reference code	Applicable on	Entry title or description				
3(c) WILLOW MOON CC- 16368 25% in DPG; benzyl benzoate; Iso Super; Verdox; (R)-p mentha-1,8-diene, d- limonene; Cedarwoor Virginia; Hexyl salicyl Ethylene brassylate; Orange oil; Cypress Eucalyptus oil; Undecavertol; Benzy acetate; dipentene, limonene; Lime oil distilled; Triplal (Vertocitral); Geranyl acetate; Alcohol C-10		e;				
3(b)	WILLOW MOON CC- 16368 25% in DPG; benzyl benzoate; Iso E Super; Vertenex; (R)-p- mentha-1,8-diene, d- limonene; Cedarwood oil, Virginia; Hexyl salicylate; Orange oil; Linalyl acetate; Cypress oil; Eucalyptus oil; dipentene, limonene; Lime oil distilled; Triplal (Vertocitral); Melonal; Geranyl acetate; citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3. 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10				
3(a)	(R)-p-mentha-1,8-diene, d-limonene; Orange oil; Cypress oil; Eucalyptus oil; dipentene, limonene; Lime oil distilled; .alpha Pinene; isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2. 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories and 2, 2.15 types A to F				
40.	(R)-p-mentha-1,8-diene, d-limonene; Orange oil; Cypress oil; Eucalyptus oil; dipentene, limonene; Lime oil distilled; .alpha Pinene; isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.				

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

J

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

Joint storage table	: LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	I GK 10	I GK 11	I GK 12	I GK 13	I GK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, Joint storage permitted for

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category

SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

: Cedarwood oil, Virginia, Orange oil , Eucalyptus oil, Triplal (Vertocitral) are listed

: Cedarwood oil, Virginia, Orange oil , Eucalyptus oil, Triplal (Vertocitral) are listed : None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.