Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ARGAN BLOSSOM CC-16387 10% in DPG

Product code : CC-16387_10%
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

: Warning

Signal word (CLP)

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Hexyl cinnamic

aldehyde; Hexyl salicylate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

EN (English) 1/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	1.51 – 3.02151	Not classified
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.11 – 2.21611	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.51 – 1.02051	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.38 – 0.75288	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.32 – 0.63032	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.15 – 0.30015	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.06 – 0.12006	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

EN (English) 2/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.01 – 0.02001	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.01 – 0.01501	Acute Tox. 4 (Oral), H302

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

EN (English) 3/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent $% \left(1\right) =\left(1\right) \left(1\right$

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LGK 10 LGK 20 LG

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

 $LGK\ 6.1B,\ LGK\ 6.1C,\ LGK\ 6.1D,\ LGK\ 8A,\ LGK\ 8B,\ LGK\ 10,\ LGK\ 11,\ LGK\ 12,\ LGK\ 13,\ LGK$

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	400 mg/m³	

EN (English) 4/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Finland - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m³ 25 ppm HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be exvalues are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits	excluded when AGW and
Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	cluded when AGW and BGW
OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL chemical category Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
OEL chemical category Sensitizer, skin - potential for cutaneous absorption	
Name of Control Contro	
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) 140 mg/m³	
25 ppm	
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)	
37.5 ppm (value calculated)	
OEL chemical category Allergenic substance	
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) 40 mg/m³	
7 ppm	
KZGW (OEL STEL) 80 mg/m³	
14 ppm	
OEL chemical category Sensitizer	
benzaldehyde (100-52-7)	
Bulgaria - Occupational Exposure Limits	
OEL TWA 5 mg/m³	
Finland - Occupational Exposure Limits	
HTP (OEL TWA) 4.4 mg/m³	
1 ppm	

EN (English) 5/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzaldehyde (100-52-7)		
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

EN (English) 6/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Colour characteristic. Odour Odour threshold Not available Melting point Not available Freezing point Not available Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

EN (English) 7/15

Safety Data Sheet

Additional information

Serious eye damage/irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Re	gulation ((EC) N	No 1272/2008
--	------------	--------	--------------

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (innaiation)	Not classified		
Bis(2-ethylhexyl) adipate (103-23-1)			
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)		
LC50 Inhalation - Rat	> 5.7 mg/l/4h		
benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Sandela (66068-84-6)			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
LC50 Inhalation - Rat	> 5.27 mg/l/4h		
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
benzaldehyde (100-52-7)			
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)		
Skin corrosion/irritation :	Not classified		

EN (English) 8/15

: Not classified

: Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information Based on available data, the classification criteria are not met

Bis(2-ethylhexyl) adipate (103-23-1)

IARC group 3 - Not classifiable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity Not classified

Additional information Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

: Based on available data, the classification criteria are not met Additional information

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information Based on available data, the classification criteria are not met

benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Yes Hydrocarbon

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

(chronic)

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(3.11-5.11-5)				
Bis(2-ethylhexyl) adipate (103-23-1)				
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)			
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)			
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)			
benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			

EN (English) 9/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
12.2. Persistence and degradability			
ARGAN BLOSSOM CC-16387 10% in DPG			
Persistence and degradability	Not established.		
Bis(2-ethylhexyl) adipate (103-23-1)			
Persistence and degradability	Rapidly degradable		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
Persistence and degradability	Rapidly degradable		
Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability	Rapidly degradable		
Sandela (66068-84-6)			
Persistence and degradability	Rapidly degradable		
Hexyl salicylate (6259-76-3)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		
benzaldehyde (100-52-7)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
ARGAN BLOSSOM CC-16387 10% in DPG			
Bioaccumulative potential	Not established.		

EN (English) 10/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Bis(2-ethylhexyl) adipate (103-23-1)				
BCF - Fish [1]	(27 dimensionless)			
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)			
benzyl benzoate (120-51-4)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
Bioaccumulative potential	Not established.			
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)				
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)			
Hexyl salicylate (6259-76-3)				
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
benzaldehyde (100-52-7)				
BCF - Fish [1]	(no significant bioaccumulation)			
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

HP Code

Product/Packaging disposal recommendations Ecological information

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		

EN (English) 11/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.2. UN proper shippin	14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

EN (English) 12/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	ARGAN BLOSSOM CC-16387 10% in DPG; benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Hexyl cinnamic aldehyde; Sandela; Hexyl salicylate; (R)-p-mentha-1,8-diene; d-limonene; benzaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	ARGAN BLOSSOM CC-16387 10% in DPG; benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB); Hexyl cinnamic aldehyde; Sandela; Hexyl salicylate; (R)-pmentha-1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	(R)-p-mentha-1,8-diene; d-limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

EN (English) 13/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen Sandela is listed

: Sandela is listed SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

> COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	

EN (English) 14/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 15/15